

ICS 65.100
G 25

GB

中华人民共和国国家标准

GB 2763—2014

Replacing GB 2763—2012

National food safety standard--

Maximum Residue Limits for Pesticides in Food

Issued on 2014-03-20

Implement on 2014-08-01

**Released by: National Health and Family Planning
Commission
Ministry of Agriculture**

Table of Content

Preface	1
1 Scope	3
2 Normative reference	3
3 Terms and definitions	10
3.1 Residue definition	10
3.2 Maximum residue limit (MRL)	11
3.3 Extraneous maximum residue limit (EMRL)	11
3.4 Acceptable daily intake (ADI)	11
4 Technical requirements	11
4.1 2, 4-D and 2, 4-D Na	11
4.2 2, 4-D butylate	12
4.3 MCPA (sodium)	12
4.4 Abamectin	13
4.5 Chlormequat	14
4.6 Ethametsulfuron	14
4.7 Diethyl aminoethyl hexanoate	15
4.8 Picloram	15
4.9 Paraquat	15
4.10 Chlorothalonil	16
4.11 Azinphos-methyl	17
4.12 Fenthion	18
4.13 Fenbutatin oxide	19
4.14 Dichlofluanid	20
4.15 Tribenuron-methyl	21
4.16 Benomyl	21
4.17 Fenothiocarb	21
4.18 Benzoximate	21
4.19 Difenoconazole	22
4.20 Mefenacet	23
4.21 Benalaxyl	24
4.22 Zoxamide	24
4.23 Fenamiphos	24
4.24 Fenpropidin	25
4.25 Pyriproxyfen	25
4.26 Pyraflufen-ethyl	26
4.27 Imidacloprid	26
4.28 Diflufenican	27
4.29 Fluazifop and fluazifop-P-butyl	27

4.30 Pyrazosulfuron-ethyl	28
4.31 Pymetrozine	28
4.32 Pyraclostrobin	28
4.33 Bensulfuron-methyl	29
4.34 Pretilachlor	29
4.35 Propiconazol	30
4.36 Prothioconazole	30
4.37 Benfuracarb	31
4.38 Oxadiargyl	31
4.39 Flumioxazin	32
4.40 Propineb	32
4.41 Profenofos	32
4.42 Glufosinate-ammonium	33
4.43 Benazolin-ethyl	33
4.44 Glyphosate	34
4.45 Chlorfenapyr	34
4.46 Tebufenozide	35
4.47 Diflubenzuron	36
4.48 Kasugamycin	37
4.49 Pyridaben	37
4.50 Amobam	37
4.51 Metriam	38
4.52 Mancozeb	38
4.53 Zineb	39
4.54 Semiamitraz and semiamitraz chloride	40
4.55 Canamide	40
4.56 Monosulfuron	40
4.57 Phenthoate	41
4.58 Isoprothiolane	41
4.59 Fenoxanil	41
4.60 Trichlorfon	41
4.61 Propanil	42
4.62 Diquat	43
4.63 Diuron	43
4.64 Dichlorvos	44
4.65 Fenaminosulf	45
4.66 Anilazine	45
4.67 Dinocap	45
4.68 Edifenphos	46
4.69 Fonofos	46
4.70 Butachlor	47
4.71 Fenpropimorph	47
4.72 Carbosulfan	48
4.73 Diafenthiuron	49

4.74 Flufiprole	49
4.75 Coumoxystrobin	49
4.76 Acetamiprid	50
4.77 Boscalid	50
4.78 Picoxystrobin	51
4.79 Chlorpyrifos	51
4.80 Parathion	52
4.81 Dodine	53
4.82 Carbendazim	53
4.83 Spinosad	55
4.84 Pacllobutrazol	56
4.85 Oxadiazon	57
4.86 Hymexazol	57
4.87 Oxaziclomefone	58
4.88 Oxadixyl	58
4.89 Famoxadone	58
4.90 Diphenylamine	59
4.91 Pendimethalin	59
4.92 Clopyralid	60
4.93 Quinclorac	60
4.94 Diazinon	60
4.95 Dithianon	62
4.96 Flutriafol	62
4.97 Rimsulfuron	62
4.98 Phosalone	63
4.99 Tau-fluvalinate	63
4.100 Flubendiamide	64
4.101 Teflubenzuron	64
4.102 Haloxyfop	65
4.103 Flucetosulfuron	65
4.104 Haloxyfop-methyl and haloxyfop-P-methyl	65
4.105 Fluopicolide	66
4.106 Fipronil	66
4.107 Flufenoxuron	67
4.108 Fluazinam	67
4.109 Sulfoxaflor	67
4.110 Flonicamid	68
4.111 Chlorfluazuron	68
4.112 Flusilazole	69
4.113 Epoxiconazole	70
4.114 Fomesafen	70
4.115 Ttriflumizole	70
4.116 Trifluralin	71
4.117 Hexaflumuron	71

4.118 Cyfluthrin and beta-cyfluthrin	71
4.119 Flumorph	72
4.120 Flucythrinate	72
4.121 Flumiclorac	73
4.122 Flutolanil	74
4.123 Novaluron	74
4.124 Flucarbazone-sodium	75
4.125 Procymidone	75
4.126 Thiram	76
4.127 Ziram	76
4.128 Fludioxonil	76
4.129 Thiobencarb	77
4.130 Molinate	77
4.131 Diclofop-methyl	77
4.132 Cyclosulfamuron	77
4.133 Cyproconazole	78
4.134 Hexazinone	78
4.135 Fenhexamid	78
4.136 Pyriftalid	79
4.137 Sulcotrione	79
4.138 Hexaconazole	80
4.139 Emamectin benzoate	80
4.140 Methamidophos	81
4.141 Phorate	81
4.142 Tolyfluanid	82
4.143 Alachlor	83
4.144 Metsulfuron-methyl	84
4.145 Iodosulfuron-methyl-sodium	84
4.146 Chlorpyrifos-methyl	84
4.147 Parathion-methyl	85
4.148 Mesosulfuron-methyl	85
4.149 Tolclofos-methyl	86
4.150 Phosfolan-methyl	86
4.151 Thiophanate-methyl	87
4.152 Pirimiphos-methyl	87
4.153 Isofenphos-methyl	88
4.154 Methiocarb	89
4.155 Imazapic	90
4.156 Carbaryl	90
4.157 Fenpropathrin	91
4.158 Metalaxyl and metalaxyl-M	92
4.159 Bifenox	93
4.160 Methoxyfenozide	93
4.161 Imazamox	94

4.162 Fenbuconazole	94
4.163 Myclobutanil	95
4.164 Fenoxaprop-P-ethyl	95
4.165 Dimethenamid-P	96
4.166 Monocrotophos	97
4.167 Pirimicarb.	97
4.168 Carbofuran	99
4.169 Captan	100
4.170 Quizalofop and quizalofop-P-ethyl	100
4.171 Oxine-copper	101
4.172 Quinalphos	101
4.173 Fenazaquin	102
4.174 Quinoxifen.	102
4.175 Dimethoate	102
4.176 Bifenazate.	104
4.177 Bifenthrin	105
4.178 Bitertanol	106
4.179 Phosphamidon	107
4.180 Aluminium phosphide	107
4.181 Megnesium phosphide	108
4.182 Hydrogen phosphide	108
4.183 2-phenylphenol.	109
4.184 Endosulfan	109
4.185 Phosfolan	110
4.186 Thiodicarb	110
4.187 Sulfuryl fluoride.	111
4.188 Cadusafos.	111
4.189 Spirotetramat	112
4.190 Spirodiclofen	113
4.191 Chlortoluron	113
4.192 Aminopyralid	113
4.193 Chlorpropham	114
4.194 Fenarimol	114
4.195 Halosulfuron-methyl	115
4.196 Forchlorfenuron	115
4.197 Chlorantraniliprole.	115
4.198 Lvdingjunzhi	116
4.199 Fluroxypyr and fluroxypyr-mepthyl)	117
4.200 Cyhalothrin and lambda-cyhalothrin)	117
4.201 Chloropicrin	119
4.202 Chlorsulfuron	119
4.203 Permethrin	120
4.204 Chlorimuron-ethyl	122
4.205 Cypermethrin and beta-cypermethrin.	122

4.206 Imidaclothiz	125
4.207 Dicloran	125
4.208 Isazofos	125
4.209 Malathion	126
4.210 Dicamba	128
4.211 Prochloraz and prochloraz-manganese chloride complex).	128
4.212 Imazaquin	129
4.213 Imazethapyr	130
4.214 Cinosulfuron	130
4.215 Etofenprox	130
4.216 Kresoxim-methyl	131
4.217 Orthosulfamuron	131
4.218 Azoxystrobin	132
4.219 Cyprodinil	132
4.220 Pyrimethanil	133
4.221 Bentazone	134
4.222 Methomyl	134
4.223 Folpet	135
4.224 Blasticidin-S	135
4.225 Ethoprophos	136
4.226 Mepronil	137
4.227 Cyromazine	137
4.228 Chlorbenzuron	137
4.229 1-naphthylacetic acid and sodium 1-naphthalacitic acid	138
4.230 Ningnanmycin	138
4.231 Demeton	138
4.232 Dimepiperate	139
4.233 Triforine	139
4.234 Metribuzin	140
4.235 Cyanazine	140
4.236 Cyhalofop-butyl	141
4.237 Cyazofamid	141
4.238 Fenvalerate and esfenvalerate	141
4.239 Clodinafop-propargyl	142
4.240 Propargite	143
4.241 Lactofen	143
4.242 Thidiazuron	144
4.243 Thiacloprid	144
4.244 Thiamethoxam	145
4.245 Thifensulfuron-methyl	145
4.246 Thifluzamide	146
4.247 Dimethipin	146
4.248 Thiabendazole	146
4.249 Hexythiazox	147

4.250 Henzithiazolinone	148
4.251 Buprofezin	148
4.252 Fosthiazate	149
4.253 Zinc-thiazole	149
4.254 Fentin hydroxide	149
4.255 Acifluorfen	149
4.256 Tricyclazole	150
4.257 Dicofol	150
4.258 Tetradifon	150
4.259 Fosetyl-aluminium	151
4.260 Cyhexatin	151
4.261 Triadimenol	151
4.262 Triazophos	152
4.263 Triadimefon	153
4.264 Azocyclotin	154
4.265 Amitrole	154
4.266 Thiosultap-monosodium	155
4.267 Thiocyclam	155
4.268 Chlordimeform	155
4.269 Bisultap thiosultap-disodium	156
4.270 Triflumuron	156
4.271 Cartap	157
4.272 Fenitrothion	157
4.273 Methidathion	158
4.274 Oxamyl	159
4.275 Bioresmethrin	159
4.276 Florasulam	159
4.277 [iminocadinetris (albesilate)]	160
4.278 Amitraz	160
4.279 Mandipropamid	161
4.280 Propamocarb and propamocarb hydrochloride	161
4.281 Cymoxanil	162
4.282 Isocarbophos	162
4.283 Metaldehyde	163
4.284 Fthalide phthalide	163
4.285 Tecnazene	164
4.286 Clofentezine	164
4.287 Terbufos	164
4.288 Aldicarb	165
4.289 Desmedipham	166
4.290 Phenmedipham	166
4.291 Metam-sodium	167
4.292 Carboxin	167
4.293 Trifloxystrobin	167

4.294	Quintozene	168
4.295	Penconazole	169
4.296	Tebuconazole	169
4.297	Simetryn	171
4.298	Simazine	171
4.299	Clethodim	171
4.300	Nitenpyram	172
4.301	Sethoxydim	172
4.302	Xiwojunan	173
4.303	Dimethomorph	173
4.304	Diniconazole	174
4.305	Amidosulfuron	174
4.306	Mesotrione	175
4.307	Phoxim	175
4.308	Bromoxynil	176
4.309	Methyl bromide	176
4.310	Bromothalonil	177
4.311	Bromopropylate	177
4.312	Deltamethrin	178
4.313	Vamidotion	179
4.314	Phosmet	180
4.315	Ooxydemeton-methyl	181
4.316	Imibenconazole	181
4.317	Nicotine	182
4.318	Nicosulfuron	182
4.319	Omethoate	182
4.320	Triallate	183
4.321	Difenzoquat	183
4.322	Ivermectin	183
4.323	Acetochlor	184
4.324	Ethiprole	184
4.325	Spinetoram	184
4.326	Ethion	185
4.327	Etoxazole	185
4.328	Diethofencarb	185
4.329	Ethirimol	186
4.330	Fluoroglycofen-ethyl	186
4.331	Ethylaicin	186
4.332	Vinclozolin	186
4.333	Ethephon	187
4.334	Acephate	188
4.335	Ethoxyquin	189
4.336	Oxyfluorfen	189
4.337	Ethoxysulfuron	189

4.338 Propisochlor	190
4.339 Metolachlor and s-metolachlor)	190
4.340 Isoproturon	191
4.341 Isoprocarb	191
4.342 Iprobenfos	191
4.343 Clomazone	192
4.344 Iprodione	192
4.345 Imazalil	192
4.346 Maleic hydrazide	193
4.347 Azadirachtin	193
4.348 Indoxacarb	194
4.349 Coumaphos	194
4.350 Ametryn	195
4.351 Atrazine	195
4.352 Rotenone	195
4.353 Piperonyl butoxide	196
4.354 Sulfotep	197
4.355 Butralin	197
4.356 Fenobucarb	198
4.357 Carfentrazone-ethyl	198
4.358 Tolfenpyrad	198
4.359 Fenpyroximate	199
4.360 Flumetsulam	199
4.361 Pyraoxystrobin	199
4.362 Aldrin	199
4.363 DDT	200
4.364 Dieldrin	202
4.365 Camphechlor	203
4.366 Lindane	204
4.367 HCB	204
4.368 Chlordane	205
4.369 Mirex	206
4.370 Heptachlor	207
4.371 Endrin	208
Informative Appendix A	210
Informative Appendix B	216
Informative Appendix C	225

Preface

This standard is formulated pursuant to rules provided in the GB/T 1.1 (Directives for standardization)

This standard replaces the GB 2763-2012^{*}, and differ from the GB 2763-2012 in the following aspects:

- Verified and changed the definition of three pesticides (benomyl, fipronil, and nitenpyram), and ADI of nine pesticides, including MCPA (sodium);
- Added 65 pesticide names;
- Added 1,357 MRL of pesticides;
- Added 15 testing method standards, and removed one testing method standard;
- Amended the Informative Annex A; specified food categories and parts to be tested; added 66 food names, including Triticale;

^{*}Note: implementation of the GB 2763-2012 annulled the following standards:

- GB 2763-2005 Maximum Residue Limits for Pesticides in Food;
- GB 2763-2005 Maximum Residue Limits for Pesticides in Food – First Modification;
- Section 4.3.3 (MRL of Pesticides) in GB 2715-2005 Hygienic Standard of Cereals;
- GB 25193-2010 MRL of 12 Pesticides (Including Chlorothalonil) in Foods;
- GB 26130-2010 MRL of 54 Pesticides (including paraquat) in Foods;
- GB 28260-2011 MRL of 85 Pesticides (including abamectin) in Foods;
- NY 660-2003 Maximum Residue Limits Of Carbaryl, Carbosulfan, Carbendazim, Propoxur and Pirimicarb in Tea;
- NY 661-2003 MRL of Cyfluthrin and Flucythrinate in Tea;
- NY 662-2003 Maximum Residue Limits Of Alachlor, Carbonfuran, Chlorothalonil, Fenamiphos and Metolachlor in Peanuts;
- NY 773-2004 Maximum Residue Limits for Acetamiprid in Fruits;
- NY 774-2004 Maximum Residue Limits for Pesticides in Leafy Vegetable;
- NY 775-2004 Maximum Residue Limits for Pesticides in Corn;
- NY 831-2004 MRL of Benzoximate, Buprofezin, Cypermethrin, Fenothiocarb, Fenpropathrin, Fenproximate, and Teflubenzuron in Citrus;

- NY 1500-2007 MRL of Pesticides in Agricultural Products;
- NY 1500-2008 MRL of 20 Pesticides (including methamidophos) in Vegetables and Fruits;
- NY 1500-2009 MRL of Pesticides in Agricultural Products.

Maximum Residue Limits of Pesticides in Foods

1 Scope

This standard regulates the 3,650 maximum residue limits of 387 pesticides including 2,4-D, etc. in food.

The standard applies to the food related to residue limits.

The food categories and evaluation parts (Appendix A) is used to define the application scope of the pesticides maximum residue limits, which applies only to this standard. For instance, the maximum residue limit of a pesticide is applicable for a certain food category, all the food in this category will be applicable to this MRL, except special provisions

2 Normative reference

The reference files in this standard is essential to the application of the standard. For dated references, only the dated versions apply to this standard. For not dated references, the latest version (including all amendments) applies in this standard.

GB/T 5009.19 Determination of organochlorine pesticide multiresidues in foods

GB/T 5009.20 Determination of organophosphorous pesticide residues in foods

GB/T 5009.21 Determination of carbaryl residues in cereals, oils and vegetables

GB/T 5009.36 Analytical methods for hygienic standard of grain

GB/T 5009.102 Determination of phoxim pesticide residues in vegetable foods

GB/T 5009.103 Determination of methamidophos and acephate pesticide residues in vegetable foods

GB/T 5009.104 Determination of carbamate pesticide residues in vegetable foods

GB/T 5009.105 Determination of chlorothalonil residues in cucumber

GB/T 5009.107 Determination of diazinon residues in vegetable foods

GB/T 5009.110 Determination of cypermethrin, fenvalerate and deltamethrin residues in vegetable foods

GB/T 5009.113 Determination of thiocyclam residues in rice

GB/T 5009.114 Determination of bisultap residues in rice

- GB/T 5009.115 Determination of tricyclazole residues in rice
- GB/T 5009.126 Determination of triadimefon residues in vegetable foods
- GB/T 5009.129 Determination of ethoxyquin residues in fruits
- GB/T 5009.130 Determination of fomesafen residues in soybeans and cereals
- GB/T 5009.131 Determination of phosmet residues in vegetable foods
- GB/T 5009.132 Determination of atrazine residues in foods
- GB/T 5009.133 Determination of chlorotoluron residues in grains
- GB/T 5009.134 Determination of molinate residues in rice
- GB/T 5009.135 Determination of chlorbenzuron residues in vegetable foods
- GB/T 5009.136 Determination of quinozifop residues in vegetable foods
- GB/T 5009.142 Determination of fluazifop-butyl and its acid residues in vegetable food
- GB/T 5009.143 Determination of amitraz residues in vegetables, fruits, edible oil
- GB/T 5009.144 Determination of isofenphos-methyl residues in vegetable foods
- GB/T 5009.145 Determination of organophosphorus and carbamate pesticide multiresidues in vegetable foods
- GB/T 5009.146 Determination of organochlorines and pyrethroid pesticide multiresidues in vegetable foods
- GB/T 5009.147 Determination of diflufenican residues in vegetable foods
- GB/T 5009.155 Determination of isoprothiolane residues in rice
- GB/T 5009.160 Determination of semianitraz residues in fruits
- GB/T 5009.162 Determination of organochlorine pesticide and pyrethroid pesticide multiresidues in animal original foods
- GB/T 5009.164 Determination of butachlor residues in rice
- GB/T 5009.165 Determination of 2, 4-D butylate residues in grains
- GB/T 5009.172 Determination of trifluralin residues in soybean, peanut, soybean oil, peanut oil
- GB/T 5009.174 Determination of metolachlor residues in peanut and soybean
- GB/T 5009.175 Determination of 2, 4-D in grains and vegetables
- GB/T 5009.176 Determination of dicofol residues in tea, fruits, edible vegetable oils
- GB/T 5009.177 Determination of propanil residues in rice

- GB/T 5009.180 Determination of oxadiazon residues in cereals and peanuts
- GB/T 5009.184 Determination of buprofezin in cereals and vegetables
- GB/T 5009.200 Determination of difenzoquat residues in wheat
- GB/T 5009.201 Determination of diniconazole residues in pear
- GB/T 5009.218 Determination of multi pesticide residues in fruits and vegetables
- GB/T 5009.219 Determination of the residues of chlorcholine chloride in cereals
- GB/T 5009.220 Determination of the residues of anilazine in cereals
- GB/T 5009.221 Determination of the residues of diquat in cereals
- GB/T 14553 Cereal, fruit and vegetable quality - Determination of Organophosphorus pesticides
-Gas chromatography
- GB/T 14929.2 Method for determination of aldicarb residues in peanut cottonseed oil and peanut oil
- GB/T 19611 Tobacco and tobacco products - Determination of maleic hydrazide residues - UV
Spectrophotometer Method
- GB/T 19648 Method for determination of 500 pesticides and related chemicals residues in fruits and
vegetables - GC-MS method
- GB/T 19649 Method for determination of 475 pesticides and related chemicals residues in grains -
GC-MS method
- GB/T 20769 Determination of 450 pesticides and related chemicals residues in fruits and vegetables
- LC-MS-MS method
- GB/T 20770 Determination of 372 pesticides and related chemicals residues in grains - LC-MS-MS
method
- GB/T 22243 Determination of residue limits of fluroxypyr in rice, vegetable and fruit
- GB/T 22968 Determination of ivermectin, abamectin, doramectin and eprinomectin residues in milk
and milk powder - LC-MS-MS method
- GB/T 23204 Determination of 519 pesticides and related chemicals residues in tea. GC-MS method
- GB/T 23205 Determination of 448 pesticides and related chemicals residues in tea - LC-MS-MS
method
- GB/T 23206 Determination of 512 pesticides and related chemicals residues in fruit juice vegetable
juice and fruit wine - LC-MS-MS method

GB/T 23210 Determination of 511 pesticides and related chemicals residues in milk and milk powder
-GC-MS

GB/T 23216 Determination of 503 pesticides and related chemicals residues in mushrooms - GC-MS

GB/T 23376 Determination of pesticides residues in tea - GC/MS method

GB/T 23379 Determination of imidacloprid residues in fruits,vegetables and teas - HPLCHPLC

GB/T 23380 Determination of carbendazim residues in fruits and vegetables HPLC

GB/T 23584 Determination of acetamiprid residue in fruits and vegetables – Liquid
chromatography-tandem mass spectrometry

GB/T 23750 Determination of Glyphosate residues in plant products-GC-MS method

GB/T 23816 Method for determination of triazine herbicide residues in soybean

GB/T 23818 Determination of imidazolinone herbicide residues in soybean

GB/T 25222 Inspection of grain and oils - Determination of phosphide residues in grain -
Spectrophotometric method

NY/T 761 Pesticide multiresidue screen methods for determination of organophosphorus pesticides,
organochlorine pesticides, pyrethroid pesticides and carbamate pesticides in vegetables and fruits

NY/T 1016 Determination of ethephon residues in fruits and vegetables - gas chromatogram method

NY/T 1096 Determination of glyphosate residues in food

NY/T 1275 Determination of Imidacloprid Residual in Vegetables and Fruits

NY/T 1277 Determination of Iprodione Residues in Vegetables by HPLC

NY/T 1379 Multi-residue Determination of 334 Pesticides in Vegetable by GC/MS and LC/MS

NY/T 1434 Multi-residue Determination of 2,4-D and Other 12 Herbicides in Vegetable by LC/MS

NY/T 1453 Determination of 16 pesticide residues in fruits and vegetables by LC - MS/MS

NY/T 1455 Determination of myclobutanil residue in fruits by gas chromatogram

NY/T 1456 Determination of prochloraz residue in fruits by gas chromatography

NY/T 1616 Determination of Nine sulfonylurea herbicides residues in soils by LC-MS

NY/T 1652 Determination of propargite residues in vegetables and fruits - GC

NY/T 1679 Determination of carbamate pesticide residues in vegetable foods by LC - MS/MS

NY/T 1680 Determination of carbendazim and other 3 benzimidazoles in vegetable and fruit by
HPLC

NY/T 1720 Determination of seven benzoylurea pesticides residues in fruits and vegetables by HPLC

NY/T 1722 Determination of anilazine residue in vegetables by HPLC

NY/T 1725 Determination of cyromazine residue in vegetables by HPLC

SN 0139 Method for determination of dithiocarbamate residues in grain for export

SN 0150 Method for determination of axocyclotin residue in fruit for export

SN 0157 Method for determination of dithiocarbamate residue in fruit for export

SN 0192 Method for determination of bromopropylate residues in fruits for export

SN 0209 Method for determination of phoxim residues in grains for export

SN 0279 Method for the determination of amitraz residues in fruits for export

SN 0287 Method for the determination of ethoxyquin residues in fruits for Export - Liquid chromatography

SN 0340 Method for the determination of paraquat residues in cereals vegetables for export - UV-spectrophotometric method

SN 0345 Method for the determination of dimehyporesidues in vegetables for export

SN 0346 Method for the determination of α -naphthylacetic acid residues in vegetables for export:

SN 0492 Method for the determination of thiobencarb residues in cereals for export

SN 0499 Method for the determination of chlorothalonil residues in fruits and vegetables for export

SN 0500 Method for the determination of dodine residues in fruits for export

SN 0522 Method for the determination of terbufos residues in cereals for export

SN 0584 Method for the determination of vinclozolin residues in cereals and oil seeds for export

SN 0585 Method for the determination of acephate residues in cereals and oil seeds for export

SN 0592 Method for the determination of fenbutatin oxide residues in cereals and oil seeds for export

SN 0597 Method for the determination of o-phenylphenol and its sodium salt residues in fruits for export

SN 0649 Method for the determination of methyl bromide residues in cereals for export

SN 0654 Method for the determination of captan residues in fruits for export

SN 0685 Method for the determination of propamocarb residues in cereals for export

SN 0687 Method for the determination of diclofop-methyl residues in cereals and oil seeds for export

SN 0695 Method for the determination of triforine residues in cereals for export

SN 0701 Method for the determination of phosphamidon residues in cereals for export

SN/T 0134 Determination of pesticide residues of 12 kinds carbamates including oxamyl in foods for import and export –LC-MS/MS method

SN/T 0292 Determination of bentazon residues in cereals for import and export

SN/T 0351 Determination of ethoprophos residues in foods for import and export

SN/T 0519 Determination of propiconazole residue in food for import and export

SN/T 0711 Method for the determination of total residues of ethylene bisdithiocarbamate pesticides in tea for export

SN/T 0712 Determination of 11 herbicide residues in cereals and soybean for import and export. GC-MS method

SN/T 1017.5 Method for the determination of quinclorac residues in cereals and oil seeds for export

SN/T 1017.8 Determination of imidacloprid residues in cereals for import and export

SN/T 1114 Determination of diniconazole residues in fruits for import and export:

SN/T 1114-2002 Determination of diniconazole residues in fruits for import and export

SN/T 1117 Determination of multiple pyrethroid residues in food for import and export - Gas chromatography method

SN/T 1477 Inspection of paclobutrazol residues in food for import and export

SN/T 1541 Inspection of the total residues of dithiocarbamate pesticides in tea for export

SN/T 1605 Inspection of cyanazin fluometuron atrazine propanil and linuron residues in products of plant origin for import and export - HPLC

SN/T 1606 Inspection of phenoxy acid herbicides residues in products of plant origin for import and export - gc

SN/T 1737.2 Determination of herbicides residues-Part 2:Determination of diphenyl ether herbicides residues in cereal and oilseed by GC/MS method

SN/T 1739 Determination of organophosphorous pesticides residues in cereals and oil seeds for import and export-Gas chromatography mass spectrometry method

SN/T 1740 Determination of clofentezine residues in foods for import and export-GC/MS

SN/T 1741 Determination of alachlor residues in foods for import and export – GC/MS

SN/T 1923 Determination of glyphosate residues in food for import and export - HPLC-MS/MS method

SN/T 1967 Determination of iprobenfos residues in food for import and export

SN/T 1969 Determination of bifenthrin residue in food for import and export-GC-MS method

SN/T 1973 Determination of abamectin residues in food for import and export-HPLC-MS/MS method

SN/T 1975 Determination of difenoconazole residue in food for import and export-GC-MS method

SN/T 1976 Determination of azoxystrobin residues in fruit and vegetable for import and export-GC method

SN/T 1977 Determination of fenpyroximate residues in fruit and vegetable for import and export-HPLC method

SN/T 1982 Determination of fipronil residues in food for import and export-GC-MS method

SN/T 1983 Determination of flumioxazin residues in food for import and export-GC-MS method

SN/T 1986 Determination of chlorfenapyr residues in food for import and export

SN/T 1990 Determination of azocyclotin and cyhexatin residues in food for import and export-GC-MS method

SN/T 2095 Determination of chlorfluazuron residues in vegetables for import and export - HPLC

SN/T 2114 Determination of abamectin residues in fruit and vegetable for import and export - LC method

SN/T 2147 Determination of cadusafos residues in food for import and export

SN/T 2149 Determination of benoxacor, anilofos, allidochlor 110 pesticides residues in foodstuffs for import and export - GC-MS Method

SN/T 2150 Determination of residues of aldoxycarb, pyraclostrobin, azoxystrobin 65 pesticides in foodstuffs for import and export - LC-MS/MS method

SN/T 2151 Determination of pesticides residue of 28 kinds of including bioresmethrin, acinathrin, bifenthrin in food import and export - GC-MS method

SN/T 2152 Determination of hexaflumuron residue in food for import and export - HPLC-MS/MS

method

SN/T 2158 Determination of chlorpyrifos residue in foods for import and export

SN/T 2212 Determination of bensulfuron methyl residues

in cereals for import and export - Liquid chromatography

SN/T 2228 Determination of 31 acid pesticide residues in foods for import and export - GC-MS

method

SN/T 2232 Determination of triadimenol residue in foods for import and export - GC-MS method

SN/T 2233 Determination of fenpropathrin residue in food for import and export

SN/T 2234 Determination of profenofos residue in food for import and export - GC and GC-MS

method

SN/T 2236 Determination of flusilazole residues in food for import and export - GC-MS method

SN/T 2320 Determination of chlorthalonil, dichlofluanid, tolylfluanid, captan, folpet, captafol and deltamethrin residues in food for import and export GC-MS method

SN/T 2322 of ceto chlor residue in foods for import and export

SN/T 2324 Determination of 33 organophosphorous pesticides residues (butamifos, chlorpyrifos, chlorpyrifos-methyl et al in foodstuffs) for import and export

SN/T 2325 Determination of 45 pesticides residues including azimsulfron, bensulfron-methyl, cinousulfron et al in foods for import and export - HPLC-MS/MS method

SN/T 2397 Method for determination of Nicotine in foods for import and export

SN/T 2432 Determination of pyridaben residues in food for import and export

SN/T 2433 Determination of clodinafop propargyl residues in food for import and export

SN/T 2459 Determination of flumiclorac-pentyl residues in food for import and export. GC-MS

method

SN/T 2560 Determination of carbamate pesticide residues in food for import and export - LC-MS

method

YC/T 180 Tobacco and tobacco products-Determination of camphechlor residues-GC method

3 Terms and definitions

The terms and definitions below apply to this standard.

3.1 Residue definition

Any particular substance in food, agricultural products and animal feed due to the use of pesticides, including the pesticide derivatives which is considered to have toxicological significance, such as pesticide conversion products, metabolites, reaction products and impurities, etc.

3.2 Maximum residue limit (MRL)

The statutory maximum concentration of pesticide residues that allowed in the internal or surface of food or agricultural products, expressed as the milligrams of pesticide residues per kilogram of food or agricultural products (mg/kg).

3.3 Extraneous maximum residue limit (EMRL)

Although some persistent residual pesticides have been prohibited, they'll presence in the environment for a long time, which is in the formation of residues in food once again. Develop the residue limits in food in order to control contamination of these kinds of pesticide residues on food. Expressed as the milligrams of pesticide residues per kilogram of food or agricultural products (mg/kg).

3.4 Acceptable daily intake (ADI)

The estimated amount that human lifetime daily intake of a substance but without creating detected health hazards. Expressed by the amount of intake per kilogram of body weight (mg/kg).

4 Technical requirements

4.1 2, 4-D and 2, 4-D Na

4.1.1 Major purpose of use: Herbicide.

4.1.2 ADI: 0.01 mg/kg bw.

4.1.3 Residue definition: 2, 4-D.

4.1.4 Maximum residue limit: Shall comply with provisions in the Table 1.

Table 1

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	2
Rye	2
Corn	0.05
Fresh maize	0.1
Sorghum	0.01
Oil seed and oil	
Soybean	0.01
Vegetables	
Celery cabbage	0.2
Tomato	0.5

Eggplant	0.1
Chili	0.1
Potato	0.2
Cactus	0.05
Fruit	
Citrus fruit	1
Pome fruit	0.01
Stone fruit	0.05
Berries and other small fruits	0.1
Nuts	0.2
Sugar crop	
Sugarcane	0.05
Edible fungi	
Mushroom (fresh)	0.1

4.1.5 Testing method: Cereals (with the exception of sorghum), vegetables, and edible fungi shall be tested by methods provided in tested by methods provided in GB/T 5009.175; testing of sorghum, oil seed and oil, fruits, nuts, and sugar crops shall refer to methods provided in NY/T 1434.

4.2 2, 4-D butylate

4.2.1 Major purpose of use: Herbicide.

4.2.2 ADI: 0.01 mg/kg bw.

4.2.3 Residue definition: 2, 4-D butylate.

4.2.4 Maximum residue limit: Shall comply with provisions in the Table 2.

Table 2

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05

4.2.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.165, GB/T 5009.175.

4.3 MCPA (sodium)

4.3.1 Major purpose of use: Herbicide.

4.3.2 ADI: 0.1 mg/kg bw.

4.3.3 Residue definition: MCPA.

4.3.4 Maximum residue limit: Shall comply with provisions in the Table 3.

Table 3

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Corn	0.05
Fruit	
Citrus	0.1
Sugar crop	
Sugarcane	0.05

4.3.5 Testing method: testing of grain, sugar crops shall refer to methods provided in SN/T 2228; fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.4 Abamectin

4.4.1 Major purpose of use: pesticide.

4.4.2 ADI: 0.002 mg/kg bw.

4.4.3 Residue definition: (total of B1a and B1b).

4.4.4 Maximum residue limit: Shall comply with provisions in the Table 4.

Table 4

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02
Oil seed and oil	
Cotton seed	0.01
Vegetables	
Leek	0.05
Head cabbage	0.05
Broccoli	0.5
Spinach	0.05
Ordinary cabbage	0.05
Lettuce	0.05
Celery	0.05
Celery cabbage	0.05
Tomato	0.02
Sweet pepper	0.02
Cucumber	0.02
Squash	0.01
Cowpea	0.05
Kidney bean	0.1
Radish	0.01
Potato	0.01
Fruit	
Citrus fruit (with the exception of citrus)	0.01
Citrus	0.02
Apple	0.02
Pear	0.02
Strawberry	0.02
Melons	0.01
Nuts	
Almond	0.01
Walnut	0.01
Beverages	
Hop	0.1

Condiment	
Dried chilli	0.2
Pepper	0.05

4.4.5 Testing method: Cereals shall be tested by methods provided in SN/T 1973; Oil seed and oil shall be tested by methods provided in SN/T 1973; Vegetables, fruits shall be tested by methods provided in by methods provided in SN/T 1973, SN/T 2114; testing of nuts, beverages, and condiment shall refer to methods provided in SN/T 2114.

4.5 Chlormequat

4.5.1 Major purpose of use: plant growth regulator.

4.5.2 ADI: 0.05 mg/kg bw.

4.5.3 Residue definition: Chlormequat cation, expressed as chloride compound.

4.5.4 Maximum residue limit: Shall comply with provisions in the Table 5.

Table 5

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	5
Barley	2
Oats	10
Rye	3
Triticale	3
Corn	5
Rye flour	3
Whole rye flour	4
Oil seed and oil	
Rapeseed	5
Crude rapeseed oil	0.1
Cotton seed	0.5

4.5.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.219; Oil seed and oil shall be tested by methods provided in GB/T 5009.219.

4.6 Ethametsulfuron

4.6.1 Major purpose of use: Herbicide.

4.6.2 ADI: 0.2 mg/kg bw.

4.6.3 Residue definition: Ethametsulfuron.

4.6.4 Maximum residue limit: Shall comply with provisions in the Table 6.

Table 6

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.02

4.6.5 Testing method: Oil seed and oil shall be tested by methods provided in NY/T 1616.

4.7 Diethyl aminoethyl hexanoate

4.7.1 Major purpose of use: plant growth regulator.

4.7.2 ADI: 0.023 mg/kg bw.

4.7.3 Residue definition: Diethyl aminoethyl hexanoate.

4.7.4 Maximum residue limit: Shall comply with provisions in the Table 7.

Table 7

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.2 [*]
Vegetables	
Ordinary cabbage	0.05 [*]
Celery cabbage	0.2 [*]
*The MRL is the temporary limit.	

4.8 Picloram

4.8.1 Major purpose of use: Herbicide.

4.8.2 ADI: 0.3 mg/kg bw.

4.8.3 Residue definition: Picloram.

4.8.4 Maximum residue limit: Shall comply with provisions in the Table 8.

Table 8

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.1 [*]
*The MRL is the temporary limit.	

4.9 Paraquat

4.9.1 Major purpose of use: Herbicide.

4.9.2 ADI: 0.005 mg/kg bw.

4.9.3 Residue definition: Paraquat cation, expressed as dichloro paraquat.

4.9.4 Maximum residue limit: Shall comply with provisions in the Table 9.

Table 9

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.1
Sorghum	0.03
Coarse cereals	0.5
Wheat flour	0.5
Oil seed and oil	
Rapeseed oil	0.05
Cotton seed	0.2
Soybean	0.5
Sunflower seed	2
Vegetables	

Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit (with the exception of citrus)	0.02
Citrus	0.2
Pome fruit (with the exception of apples)	0.01
Apple	0.05
Stone fruit	0.01
Berries and other small fruits	0.01
Olive	0.1
Tropical and sub-tropical fruits – inedible peel (with the exception of bananas)	0.01
Banana	0.02
Melons	0.02
Nuts	0.05
Beverages	
Hop	0.1

4.9.5 Testing method: Cereals, vegetables, fruits shall be tested by methods provided in SN 0340; Oil seed and oil shall be tested by methods provided in SN 0340; Nuts, beverages shall be tested by methods provided in SN 0340.

4.10 Chlorothalonil

4.10.1 Major purpose of use: fungicide.

4.10.2 ADI: 0.02 mg/kg bw.

4.10.3 Residue definition: Chlorothalonil.

4.10.4 Maximum residue limit: Shall comply with provisions in the Table 10.

Table 10

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Wheat	0.1
Fresh maize	5
Mung bean	0.2

Adsuki bean	0.2
Oil seed and oil	
Soybean	0.2
Peanut	0.05
Vegetables	
Spinach	5
Ordinary cabbage	5
Lettuce	5
Celery cabbage	5
Tomato	5
Eggplant	5
Chili	5
Cucumber	5
Squash	5
Loofah	5
Pumpkin	5
Fruit	
Citrus	1
Apple	1
Pear	1
Grape	0.5
Water melon	5
Sweet melon	5
Edible fungi	
Mushroom (fresh)	5

4.10.5 Testing method: Cereals shall be tested by methods provided in SN/T 2320; Oil seed and oil shall be tested by methods provided in SN/T 2320; Vegetables, fruit, edible fungi shall be tested by methods provided in NY/T 761, SN 0499, GB/T 5009.105.

4.11 Azinphos-methyl

4.11.1 Major purpose of use: pesticide.

4.11.2 ADI: 0.03 mg/kg bw.

4.11.3 Residue definition: Azinphos-methyl.

4.11.4 Maximum residue limit: Shall comply with provisions in the Table 11.

Table 11

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.05
Cotton seed	0.2
Vegetables	
Vegetables (with the exception of the separately listed)	0.5
Broccoli	1

Tomato	1
Sweet pepper	1
Cucumber	0.2
Potato	0.05
Fruit	
Fruit (with the exception of the separately listed)	1
Apple	2
Pear	2
Peach	2
Cherry	2
Nectarine	2
Prune	2
Dried prune	2
Blueberry	5
Cranberry	0.1
Water melon	0.2
Sweet melons	0.2
Nuts	
Almond	0.05
Carya cathayensis	0.3
Sugar crop	
Sugarcane	0.2
Condiment	
Condiment (with the exception of the separately listed)	0.5
Dried chilli	10

4.11.5 Testing method: testing of oil seed and oil, Potato, nuts, sugar crops, and condiment shall refer to methods provided in SN/T 1739; Vegetables (with the exception of potatoes), fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.12 Fenthion

4.12.1 Major purpose of use: pesticide.

4.12.2 ADI: 0.007 mg/kg bw.

4.12.3 Residue definition: The sum of fenthion and its oxygen analogues (sulfoxide, sulfone compound), expressed as fenthion.

4.12.4 Maximum residue limit: Shall comply with provisions in the Table 12.

Table 12

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Oil seed and oil	

Edible vegetable oil	0.01
Virgin olive oil	1
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit (with the exception of cherry)	0.05
Cherry	2
Berries and other small fruits	0.05
Tropical and sub-tropical fruits (with the exception of olive)	0.05
Olive	1
Melons	0.05

4.12.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.145; Oil seed and oil shall be tested by methods provided in GB/T 5009.145; Vegetables, fruits shall be tested by methods provided in NY/T 761, GB/T 19648.

4.13 Fenbutatin oxide

4.13.1 Major purpose of use: Acaricide.

4.13.2 ADI: 0.03 mg/kg bw.

4.13.3 Residue definition: Fenbutatin oxide.

4.13.4 Maximum residue limit: Shall comply with provisions in the Table 13.

Table 13

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	1
Cucumber	0.5
Fruit	
Citrus	1
Preserved citrus	25
Lemon	5

Pummelo	5
Orange	5
Pome fruits (with the exception of apple and pear)	5
Apple	5
Pear	5
Cherry	10
Peach	7
Prune	3
Dried prune	10
Grape	5
Raisin	20
Strawberry	10
Banana	10
Nuts	
Almond	0.5
Carya cathayensis	0.5
Walnut	0.5

4.13.5 Testing method: testing of Vegetables, fruit, and nuts shall refer to methods provided in SN 0592.

4.14 Dichlofluanid

4.14.1 Major purpose of use: fungicide.

4.14.2 ADI: 0.3 mg/kg bw.

4.14.3 Residue definition: Dichlofluanid.

4.14.4 Maximum residue limit: Shall comply with provisions in the Table 14.

Table 14

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Onion	0.1
Lettuce	10
Tomato	2
Chili	2
Cucumber	5
Potato	0.1
Fruit	
Apple	5
Pear	5
Peach	5
Current (black, red, white)	15
Raspberry	7
Gooseberry (red, black)	15
Grape	15
Strawberry	10

Condiment	
Dried chilli	20

4.14.5 Testing method: testing of Vegetables, fruits, and condiment shall refer to methods provided in SN/T 2320.

4.15 Tribenuron-methyl

4.15.1 Major purpose of use: Herbicide.

4.15.2 ADI: 0.01 mg/kg bw.

4.15.3 Residue definition: Tribenuron-methyl.

4.15.4 Maximum residue limit: Shall comply with provisions in the Table 15.

Table 15

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05

4.15.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.16 Benomyl

4.16.1 Major purpose of use: fungicide.

4.16.2 ADI: 0.1 mg/kg bw.

4.16.3 Residue definition: The sum of Benomyl and carbendazim, expressed as carbendazim.

4.16.4 Maximum residue limit: Shall comply with provisions in the Table 16.

Table 16

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	5*
Pear	3*
*The MRL is the temporary limit.	

4.16.5 Testing method: fruits shall be tested by methods provided in GB/T 23380, NY/T 1680.

4.17 Fenothiocarb

4.17.1 Major purpose of use: Acaricide.

4.17.2 ADI: 0.0075 mg/kg bw.

4.17.3 Residue definition: Fenothiocarb.

4.17.4 Maximum residue limit: Shall comply with provisions in the Table 17.

Table 17

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.5*
*The MRL is the temporary limit.	

4.17.5 Testing method: fruits shall be tested by methods provided in GB/T 19648.

4.18 Benzoximate

4.18.1 Major purpose of use: Acaricide.

4.18.2 ADI: 0.15 mg/kg bw.

4.18.3 Residue definition: Benzoimate.

4.18.4 Maximum residue limit: Shall comply with provisions in the Table 18.

Table 18

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.3*
*The MRL is the temporary limit.	

4.18.5 Testing method: fruits shall be tested by methods provided in GB/T 20769.

4.19 Difenoconazole

4.19.1 Major purpose of use: fungicide

4.19.2 ADI: 0.01 mg/kg bw.

4.19.3 Residue definition: Difenoconazole.

4.19.4 Maximum residue limit: Shall comply with provisions in the Table 19.

Table 19

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Wheat	0.1
Oil seed and oil	
Rape seed	0.05
Soybean	0.05
Peanut	0.2
Sunflower seed	0.02
Vegetables	
Garlic	0.2
Scallion	0.3
Head cabbage	0.2
Brussels sprouts	0.2
Sprouting broccoli	0.5
Broccoli	0.2
Stem and leaf lettuce	2
Cabbage lettuce	2
Celery cabbage	1
Tomato	0.5
Cucumber	1
Edible podded pea	0.7
Asparagus	0.03
Carrot	0.2
Celeriac	0.5
Potato	0.02
Fruit	

Citrus	0.2
Pome fruits (with the exception of apple and pear)	0.5
Apple	0.5
Pear	0.5
Prune	0.2
Dried prune	0.2
Peach	0.5
Nectarine	0.5
Cherry	0.2
Passion fruit	0.05
Olive	2
Litchi	0.5
Mango	0.07
Banana	1
Papaya	0.2
Water melon	0.1
Nuts	0.03
Sugar crop	
Sugar beet	0.2
Beverages	
Tea	10
Medicinal plant	
Ginseng	0.5

4.19.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in SN/T 1975; Vegetables, fruits shall be tested by methods provided in SN/T 1975, GB/T 5009.218, GB/T 19648; testing of tea shall refer to methods provided in SN/T 1975, GB/T 5009.218, GB/T 19648; testing of nuts, sugar crops, and medicinal plant shall refer to methods provided in SN/T 1975, GB/T 5009.218, GB/T 19648.

4.20 Mefenacet

4.20.1 Major purpose of use: Herbicide.

4.20.2 ADI: 0.007mg/kg bw.

4.20.3 Residue definition: Mefenacet.

4.20.4 Maximum residue limit: Shall comply with provisions in the Table 20.

Table 20

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05*
*The MRL is the temporary limit.	

4.20.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, GB/T 20770, SN/T 0712.

4.21 Benalaxyl

4.21.1 Major purpose of use: fungicide

4.21.2 ADI: 0.07 mg/kg bw

4.21.3 Residue definition: Benalaxyl

4.21.4 Maximum residue limit: Shall comply with provisions in the Table 21.

Table 21

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Onion	0.02
Cabbage lettuce	1
Tomato	0.2
Potato	0.02
Fruit	
Grape	0.3
Water melon	0.1
Sweet melons	0.3

4.21.5 Testing method: vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.22 Zoxamide

4.22.1 Major purpose of use: fungicide

4.22.2 ADI: 0.5 mg/kg bw

4.22.3 Residue definition: Zoxamide

4.22.4 Maximum residue limit: Shall comply with provisions in the Table 22.

Table 22

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	2
Gourd vegetables	2
Potato	0.02
Fruit	
Grape	5
Raisin	15
Melons	2

4.22.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.23 Fenamiphos

4.23.1 Major purpose of use: pesticide.

4.23.2 ADI: 0.0008 mg/kg bw.

4.23.3 Residue definition: The sum of Fenamiphos and its oxygen analogue (sulfoxide, sulphone), expressed as Fenamiphos.

4.23.4 Maximum residue limit: Shall comply with provisions in the Table 23.

Table 23

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Peanut	0.05
Peanut oil	0.05
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Pome fruit	0.02
Citrus fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.23.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 5009.145, GB/T 19648.

4.24 Fenpropidin

4.24.1 Major purpose of use: fungicide.

4.24.2 ADI: 0.02mg/kg bw.

4.24.3 Residue definition: Fenpropidin.

4.24.4 Maximum residue limit: Shall comply with provisions in the Table 24.

Table 24

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	1

4.24.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.25 Pyriproxyfen

4.25.1 Major purpose of use: pesticide.

4.25.2 ADI: 0.1 mg/kg bw.

4.25.3 Residue definition: Pyriproxyfen.

4.25.4 Maximum residue limit: Shall comply with provisions in the Table 25.

Table 25

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil and oil	
Cotton seed	0.05
Crude cotton seed oil	0.01
Cotton seed oil	0.01
Vegetables	
Tomato	1
Fruit	
Citrus fruit	0.5

4.25.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19648; Vegetables, fruits shall be tested by methods provided in GB/T 19648.

4.26 Pyraflufen-ethyl

4.26.1 Major purpose of use: Herbicide.

4.26.2 ADI: 0.2 mg/kg bw.

4.26.3 Residue definition: Pyraflufen-ethyl.

4.26.4 Maximum residue limit: Shall comply with provisions in the Table 26.

Table 26

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.03
Fruit	
Apple	0.03

4.26.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; fruits shall be tested by methods provided in GB/T 19648, NY/T 1379.

4.27 Imidacloprid

4.27.1 Major purpose of use: pesticide.

4.27.2 ADI: 0.06 mg/kg bw.

4.27.3 Residue definition: Imidacloprid.

4.27.4 Maximum residue limit: Shall comply with provisions in the Table 27.

Table 27

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Wheat	0.05
Corn	0.05
Fresh maize	0.05
Oil seed and oil	
Cotton seed	0.5

Vegetables	
Leek	1
Head cabbage	1
Celery	5
Celery cabbage	0.2
Tomato	1
Eggplant	1
Cucumber	1
Zucchini	0.5
Radish	0.5
Fruit	
Citrus	1
Apple	0.5
Pear	0.5
Sugar crop	
Sugarcane	0.2
Beverages	
Tea	0.5

4.27.5 Testing method: Cereals shall be tested by methods provided in SN/T 1017.8, GB/T 20770; Oil seed and oil shall be tested by methods provided in SN/T 1017.8, GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 23379, GB/T 20769, NY/T 1275; testing of sugar crops and tea shall refer to methods provided in GB/T 23379.

4.28 Diflufenican

4.28.1 Major purpose of use: Herbicide.

4.28.2 ADI: 0.2 mg/kg bw.

4.28.3 Residue definition: Diflufenican.

4.28.4 Maximum residue limit: Shall comply with provisions in the Table 28.

Table 28

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05

4.28.5 Testing method: Cereals shall be tested by methods provided in SN/T 0712.

4.29 Fluazifop and fluazifop-P-butyl

4.29.1 Major purpose of use: Herbicide.

4.29.2 ADI: 0.0074 mg/kg bw.

4.29.3 Residue definition: The sum of Fluazifop and Fluazifop acid (its metabolite), expressed as Fluazifop.

4.29.4 Maximum residue limit: Shall comply with provisions in the Table 29.

Table 29

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	

Cotton seed	0.1
Soybean	0.5
Peanut	0.1
Sugar crop	
Sugar beet	0.5

4.29.5 Testing method: Oil seed and oil, sugar crops shall be tested by methods provided in GB/T 5009.142.

4.30 Pyrazosulfuron-ethyl

4.30.1 Major purpose of use: Herbicide.

4.30.2 ADI: 0.043 mg/kg bw.

4.30.3 Residue definition: Pyrazosulfuron-ethyl.

4.30.4 Maximum residue limit: Shall comply with provisions in the Table 30.

Table 30

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1

4.30.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.31 Pymetrozine

4.31.1 Major purpose of use: pesticide.

4.31.2 ADI: 0.03 mg/kg bw

4.31.3 Residue definition: pymetrozine

4.31.4 Maximum residue limit: Shall comply with provisions in the Table 31.

Table 31

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.02
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	0.2

4.31.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil, vegetables shall be tested by methods provided in GB/T 20770.

4.32 Pyraclostrobin

4.32.1 Major purpose of use: fungicide

4.32.2 ADI: 0.03mg/kg bw

4.32.3 Residue definition: Pyraclostrobin

4.32.4 Maximum residue limit: Shall comply with provisions in the Table 32.

Table 32

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Oil seed and oil		
	Peanut	0.05
Vegetables		
	Head cabbage	0.5
	Celery cabbage	5
	Cucumber	0.5
	Chili	0.5
	Potato	0.02
Fruit		
	Apple	0.5
	Grape	2
	Litchi	0.05
	Mango	0.05
	Banana	0.02
	Water melon	0.5
	Sweet melon	0.5

4.32.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769; Oil seed and oil shall be tested by methods provided in GB/T 20770.

4.33 Bensulfuron-methyl

4.33.1 Major purpose of use: Herbicide.

4.33.2 ADI: 0.2 mg/kg bw.

4.33.3 Residue definition: Bensulfuron-methyl.

4.33.4 Maximum residue limit: Shall comply with provisions in the Table 33.

Table 33

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals		
	Rice	0.05
	Brown rice	0.05
	Wheat	0.02

4.33.5 Testing method: Cereals shall be tested by methods provided in SN/T 2212, SN/T 2325.

4.34 Pretilachlor

4.34.1 Major purpose of use: Herbicide.

4.34.2 ADI: 0.018 mg/kg bw.

4.34.3 Residue definition: Pretilachlor.

4.34.4 Maximum residue limit: Shall comply with provisions in the Table 34.

Table 34

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals		
	Rice	0.1
	Wheat	0.05

4.34.5 Testing method: Cereals shall be tested by methods provided in SN/T 0712.

4.35 Propiconazol

4.35.1 Major purpose of use: fungicide.

4.35.2 ADI: 0.07 mg/kg bw.

4.35.3 Residue definition: Propiconazol.

4.35.4 Maximum residue limit: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.05
Barley	0.2
Rye	0.02
Triticale	0.02
Oil seed and oil	
Rape seed	0.02
Soybean	0.2
Peanut	0.1
Vegetables	
Cactus	0.05
Fruit	
Apple	0.1
Cranberry	0.3
Banana	1
Pineapple	0.02
Sugar crop	
Sugarcane	0.02
Sugar beet	0.02
Nuts	
Carya cathayensis	0.02
Beverages	
Coffee bean	0.02

4.35.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649; testing of oil seed and oil, sugar crops, beverages, and nuts shall refer to methods provided in SN/T 0519; vegetables and fruits shall be tested by methods provided in GB/T 20769, GB/T 19648.

4.36 Prothioconazole

4.36.1 Major purpose of use: fungicide.

4.36.2 ADI: 0.05 mg/kg bw.

4.36.3 Residue definition: desulfurized metabolite of prothioconazole, expressed as prothioconazole.

4.36.4 Maximum residue limit: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	

Wheat	0.1 [*]
Barley	0.2 [*]
Oats	0.05 [*]
Rye	0.05 [*]
Triticale	0.05 [*]
Coarse cereals	1 [*]
Oil seed and oil	
Rape seed	0.1 [*]
Soybean	1 [*]
Peanut	0.02 [*]
Sugar crop	
Sugar beet	0.3 [*]
*The MRL is the temporary limit.	

4.37 Benfuracarb

4.37.1 Major purpose of use: pesticide.

4.37.2 ADI: 0.01 mg/kg bw.

4.37.3 Residue definition: Benfuracarb.

4.37.4 Maximum residue limit: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2 [*]
Brown rice	0.2 [*]
Oil seed and oil	
Cotton seed	0.5 [*]
Cotton seed oil	0.05 [*]
*The MRL is the temporary limit.	

4.38 Oxadiargyl

4.38.1 Major purpose of use: Herbicide.

4.38.2 ADI: 0.008 mg/kg bw.

4.38.3 Residue definition: Oxadiargyl.

4.38.4 Maximum residue limit: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02 [*]
Vegetables	
Potato	0.02 [*]
*The MRL is the temporary limit.	

4.39 Flumioxazin

4.39.1 Major purpose of use: Herbicide.

4.39.2 ADI: 0.02mg/kg bw.

4.39.3 Residue definition: Flumioxazin.

4.39.4 Maximum residue limit: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil Soybean	0.02
Fruit Citrus	0.05

4.39.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 1983; fruits shall be tested by methods provided in GB/T 19648.

4.40 Propineb

4.40.1 Major purpose of use: fungicide.

4.40.2 ADI: 0.007 mg/kg bw.

4.40.3 Residue definition: Dithiocarbamate salt (or ester), expressed as carbon disulfide.

4.40.4 Maximum residue limit: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables Celery cabbage Tomato Cucumber	5 5 5
Fruit Apple Pear Stone fruit (with the exception of cherry) Cherry Grape	5 5 7 0.2 5

4.40.5 Testing method: vegetables shall be tested by methods provided in SN/T 0711; fruits shall be tested by methods provided in SN 0157, SN/T 0711.

4.41 Profenofos

4.41.1 Major purpose of use: pesticide.

4.41.2 ADI: 0.03 mg/kg bw.

4.41.3 Residue definition: Profenofos.

4.41.4 Maximum residue limit: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice	0.02

Oil seed and oil	
Cotton seed oil	0.05
Vegetables	
Head cabbage	0.5
Tomato	10
Chili	3
Potato	0.05
Fruit	
Citrus	0.2
Apple	0.05
Mango	0.2
mangosteen	10
Condiment	
Dried chilli	20

4.41.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, SN/T 2234; Oil seed and oil shall be tested by methods provided in GB/T 20770, SN/T 2234; Vegetables, fruits shall be tested by methods provided in GB/T 19648, NY/T 761, SN/T 2234; testing of condiment shall refer to methods provided in GB/T 19648, NY/T 761, SN/T 2234.

4.42 Glufosinate-ammonium

4.42.1 Major purpose of use: Herbicide.

4.42.2 ADI: 0.01mg/kg bw.

4.42.3 Residue definition: Glufosinate-ammonium.

4.42.4 Maximum residue limit: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	0.5*
Fruit	
Citrus	0.5*
Banana	0.2*
Papaya	0.2*
Beverages	
Tea	0.5*
*The MRL is the temporary limit.	

4.43 Benazolin-ethyl

4.43.1 Major purpose of use: Herbicide.

4.43.2 ADI: 0.006mg/kg bw.

4.43.3 Residue definition: Benazolin-ethyl.

4.43.4 Maximum residue limit: Shall comply with provisions in the Table 43.

Table 43

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Oil seed and oil Rape seed	0.2*
*The MRL is the temporary limit.	

4.44 Glyphosate

4.44.1 Major purpose of use: Herbicide

4.44.2 ADI: 1 mg/kg bw.

4.44.3 Residue definition: Glyphosate.

4.44.4 Maximum residue limit: Shall comply with provisions in the Table 44.

Table 44

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	5
Wheat flour	0.5
Whole wheat flour	5
Corn	1
Oil seed and oil	
Cotton seed oil	0.05
Fruit	
Citrus fruit (with the exception of citrus)	0.1
Citrus	0.5
Pome fruit (with the exception of apples)	0.1
Apple	0.5
Stone fruit	0.1
Berries and other small fruits	0.1
Tropical and sub-tropical fruits	0.1
Melons	0.1
Sugar crop	
Sugarcane	2
Beverages	
Tea	1

4.44.5 Testing method: Cereals, Oil seed and oil, sugar crops shall be tested by methods provided in GB/T 23750; fruits shall be tested by methods provided in GB/T 23750, NY/T 1096, SN/T 1923; tea shall be tested by methods provided in SN/T 1923.

4.45 Chlorfenapyr

4.45.1 Major purpose of use: pesticide.

4.45.2 ADI: 0.03 mg/kg bw.

4.45.3 Residue definition: Chlorfenapyr.

4.45.4 Maximum residue limit: Shall comply with provisions in the Table 45.

Table 45

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Vegetables	
Head cabbage	1
Celery cabbage	2
Cucumber	0.5

4.45.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19648, NY/T 1379, SN/T 1986.

4.46 Tebufenozide

4.46.1 Major purpose of use: pesticide.

4.46.2 ADI: 0.02 mg/kg bw.

4.46.3 Residue definition: Tebufenozide.

4.46.4 Maximum residue limit: Shall comply with provisions in the Table 46.

Table 46

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	2
Oil seed and oil	
Rape seed	2
Vegetables	
Head cabbage	1
Sprouting broccoli	0.5
Leaf vegetables (with the exception of Chinese cabbage, spinach)	10
Spinach	10
Celery cabbage	0.5
Tomato	1
Chili	1
Fruit	
Citrus fruit	2
Pome fruit	1
Peach	0.5
Nectarine	0.5
Blueberry	3
Gooseberry (red, black)	2
Cranberry	0.5
Grape	2
Raisin	2
Kiwi fruit	0.5
Avacado	1
Nuts	
Almond	0.05
Walnut	0.05
Carya cathayensis	0.01

Sugar crop	
Sugarcane	1
Condiment	
Mint	20
Dried chilli	10

4.46.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769; Vegetables, fruits shall be tested by methods provided in GB/T 20769; testing of oil seed and oil, nuts, sugar crops, and Condiment shall refer to methods provided in GB/T 20770, SN/T 2150.

4.47 Diflubenzuron

4.47.1 Major purpose of use: pesticide.

4.47.2 ADI: 0.02 mg/kg bw.

4.47.3 Residue definition: Diflubenzuron.

4.47.4 Maximum residue limit: Shall comply with provisions in the Table 47.

Table 47

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.01
Wheat	0.2
Corn	0.2
Vegetables	
Head cabbage	2
Broccoli	1
Spinach	1
Ordinary cabbage	1
Lettuce	1
Celery cabbage	1
Fruit	
Citrus	1
Orange	1
Pummelo	1
Pome fruit (with the exception of apple and pear)	5
Apple	2
Pear	1
Lemon	1
Beverages	
Tea	20
Edible fungi	
Mushroom (fresh)	0.3

4.47.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.147; Vegetables, fruits shall be tested by methods provided in GB/T 5009.147, NY/T 1720; testing of tea and edible fungi shall refer to methods provided in GB/T 5009.147, NY/T 1720.

4.48 Kasugamycin

4.48.1 Major purpose of use: fungicide.

4.48.2 ADI: 0.113 mg/kg bw.

4.48.3 Residue definition: Kasugamycin.

4.48.4 Maximum residue limit: Shall comply with provisions in the Table 48.

Table 48

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1 [*]
Vegetables	
Tomato	0.05 [*]
Fruit	
Citrus	0.1 [*]
Litchi	0.05 [*]
*The MRL is the temporary limit.	

4.49 Pyridaben

4.49.1 Major purpose of use: Acaricide.

4.49.2 ADI: 0.01 mg/kg bw.

4.49.3 Residue definition: Pyridaben.

4.49.4 Maximum residue limit: Shall comply with provisions in the Table 49.

Table 49

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.1
Soybean	0.1
Vegetables	
Chili	2
Fruit	
Citrus	2
Apple	2
Beverages	
Tea	5

4.49.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 2432; Vegetables, fruits shall be tested by methods provided in GB/T 20769; tea shall be tested by methods provided in GB/T 23204, SN/T 2432.

4.50 Amobam

4.50.1 Major purpose of use: fungicide.

4.50.2 ADI: 0.03mg/kg bw.

4.50.3 Residue definition: Dithiocar-bamate (Dithiocarbamate), expressed as carbon disulfide.

4.50.4 Maximum residue limit: Shall comply with provisions in the Table 50.

Table 50

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Apple	5*
*The MRL is the temporary limit.	

4.50.5 Testing method: fruits shall be tested by methods provided in SN/T 0711.

4.51 Metriam

4.51.1 Major purpose of use: fungicide.

4.51.2 ADI: 0.03mg/kg bw.

4.51.3 Residue definition: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.51.4 Maximum residue limit: Shall comply with provisions in the Table 51.

Table 51

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	1
Vegetables	
Cabbage lettuce	0.5
Celery cabbage	0.5
Potato	0.5
Chili	1
Fruit	
Citrus	3
Pome fruit (with the exception of apples)	5
Apple	5
Current (black, red, white)	10
Grape	5
Water melon	1
Sweet melon	0.5
Beverages	
Hop	30

4.51.5 Testing method: Cereals, vegetables, fruits, beverages shall be tested by methods provided in SN 0157, SN/T 0139, SN/T 1541.

4.52 Mancozeb

4.52.1 Major purpose of use: fungicide.

4.52.2 ADI: 0.03 mg/kg bw.

4.52.3 Residue definition: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.52.4 Maximum residue limit: Shall comply with provisions in the Table 52.

Table 52

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Fresh maize	1
Oil seed and oil	

Peanut	0.1
Vegetables	
Celery cabbage	0.5
Tomato	5
Eggplant	1
Chili	1
Sweet pepper	2
Hibiscus esculentus	2
Cucumber	5
Kidney bean	3
Hyacinth bean	3
Cowpea	3
Edible podded pea	3
Potato	0.5
Sweet potato	0.5
Cassava	0.5
Chinese yam	0.5
Fruit	
Citrus	3
Apple	5
Pear	5
Date	2
Blackberry	5
Gooseberry	5
Grape	5
Kiwi fruit	2
Strawberry	5
Litchi	5
Mango	2
Banana	1
Pineapple	2
Water melon	1
Edible fungi	
Mushroom (fresh)	1

4.52.5 Testing method: testing of cereals, Oil seed and oil, vegetables, fruits, and edible fungi shall refer to methods provided in SN/T 0711, SN/T 1541.

4.53 Zineb

4.53.1 Major purpose of use: fungicide.

4.53.2 ADI: 0.03mg/kg bw.

4.53.3 Residue definition: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.53.4 Maximum residue limit: Shall comply with provisions in the Table 53.

Table 53

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Asparagus	2
Potato	0.5
Fruit	
Water melon	1

4.53.5 Testing method: Vegetables, fruits shall be tested by methods provided in SN/T 0711.

4.54 Semiamitraz and semiamitraz chloride

4.54.1 Major purpose of use: pesticide.

4.54.2 ADI: 0.004 mg/kg bw.

4.54.3 Residue definition: semiamitraz.

4.54.4 Maximum residue limit: Shall comply with provisions in the Table 54.

Table 54

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.5
Apple	0.5
Pear	0.5

4.54.5 Testing method: fruits shall be tested by methods provided in GB/T 5009.160.

4.55 Canamide

4.55.1 Major purpose of use: plant growth regulator.

4.55.2 ADI: 0.002mg/kg bw.

4.55.3 Residue definition: Canamide.

4.55.4 Maximum residue limit: Shall comply with provisions in the Table 55.

Table 55

Food Name	Maximum residue limit (mg/kg)
Fruit	
Grape	0.05*
*The MRL is the temporary limit.	

4.56 Monosulfuron

4.56.1 Major purpose of use: Herbicide.

4.56.2 ADI: 0.12 mg/kg bw.

4.56.3 Residue definition: Monosulfuron.

4.56.4 Maximum residue limit: Shall comply with provisions in the Table 56.

Table 56

Food Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1*
*The MRL is the temporary limit.	

4.57 Phenthoate

4.57.1 Major purpose of use: pesticide.

4.57.2 ADI: 0.003 mg/kg bw.

4.57.3 Residue definition: Phenthoate.

4.57.4 Maximum residue limit: Shall comply with provisions in the Table 57.

Table 57

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2
Rice	0.05
Vegetables	
Zucchini	0.1
Fruit	
Citrus	1

4.57.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20; Vegetables, fruits shall be tested by methods provided in GB/T 5009.20, GB/T 19648, GB/T 20769.

4.58 Isoprothiolane

4.58.1 Major purpose of use: fungicide.

4.58.2 ADI: 0.016 mg/kg bw.

4.58.3 Residue definition: Isoprothiolane.

4.58.4 Maximum residue limit: Shall comply with provisions in the Table 58.

Table 58

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	1

4.58.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.155.

4.59 Fenoxanil

4.59.1 Major purpose of use: fungicide

4.59.2 ADI: 0.007mg/kg bw

4.59.3 Residue definition: Fenoxanil

4.59.4 Maximum residue limit: Shall comply with provisions in the Table 59.

Table 59

Food Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1

4.59.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, GB/T 20770.

4.60 Trichlorfon

4.60.1 Major purpose of use: pesticide.

4.60.2 ADI: 0.002 mg/kg bw.

4.60.3 Residue definition: Trichlorfon.

4.60.4 Maximum residue limit: Shall comply with provisions in the Table 60.

Table 60

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Rice	0.1
Wheat	0.1
Oil seed and oil	
Peanut	0.1
Cotton seed	0.1
Vegetables	
Bulb vegetables	0.2
Brassica vegetables (with the exception of Head cabbage)	0.2
Head cabbage	0.1
Leaf vegetables (with the exception of Ordinary cabbage)	0.2
Ordinary cabbage	0.1
Solanaceous vegetables	0.2
Gourd vegetables	0.2
Leguminous vegetables	0.2
Stem vegetable	0.2
Root, tuber and tuberous rooted vegetables (with the exception of radish)	0.2
Radish	0.5
Aquatic vegetables	0.2
Sprout vegetables	0.2
Other vegetables	0.2
Fruit	
Citrus fruit	0.2
Pome fruit	0.2
Stone fruit	0.2
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2
Melons	0.2

4.60.4 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 2077; Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.61 Propanil

4.61.1 Major purpose of use: Herbicide.

4.61.2 ADI: 0.2 mg/kg bw.

4.61.3 Residue definition: Propanil.

4.61.4 Maximum residue limit: Shall comply with provisions in the Table 61.

Table 61

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	2

4.61.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.177.

4.62 Diquat

4.62.1 Major purpose of use: Herbicide.

4.62.2 ADI: 0.005 mg/kg bw.

4.62.3 Residue definition: Diquat cation, expressed as dibromide.

4.62.4 Maximum residue limit: Shall comply with provisions in the Table 62.

Table 62

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	2
Wheat flour	0.5
Whole wheat flour	2
Oil seed and oil	
Rape seed	2
Edible vegetable oil	0.05
Vegetables	
Potato	0.05
Sweet potato	0.05
Cassava	0.05
Chinese yam	0.05
Fruit	
Apple	0.1
Sugar crop	
Sugarcane	0.05

4.62.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.221; fruits shall be tested by methods provided in GB/T 5009.221; testing of oil seed and oil, vegetables, and sugar crops shall refer to methods provided in GB/T 5009.221.

4.63 Diuron

4.63.1 Major purpose of use: Herbicide.

4.63.2 ADI: 0.001 mg/kg bw.

4.63.3 Residue definition: Diuron.

4.63.4 Maximum residue limit: Shall comply with provisions in the Table 63.

Table 63

Food Category/Name	Maximum residue limit (mg/kg)
Sugar crop	
Sugarcane	0.1

4.63.5 Testing method: sugar crop shall be tested by methods provided in GB/T 20769.

4.64 Dichlorvos

4.64.1 Major purpose of use: pesticide.

4.64.2 ADI: 0.004 mg/kg bw.

4.64.3 Residue definition: Dichlorvos.

4.64.4 Maximum residue limit: Shall comply with provisions in the Table 64.

Table 64

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2
Rice	0.1
Wheat	0.1
Corn	0.2
Upland crops	0.1
Coarse cereals	0.1
Oil seed and oil	
Soybean	0.1
Vegetables	
Bulb vegetables	0.2
Brassica vegetables (with the exception of Head cabbage)	0.2
Head cabbage	0.5
Leaf vegetables (with the exception of Chinese cabbage)	0.2
Celery cabbage	0.5
Solanaceous vegetables	0.2
Gourd vegetables	0.2
Leguminous vegetables	0.2
Stem vegetable	0.2
Root, tuber and tuberous rooted vegetables (with the exception of radish)	0.2
Radish	0.5
Aquatic vegetables	0.2
Sprout vegetables	0.2
Other vegetables	0.2
Fruit	
Citrus fruit	0.2
Pome fruit	0.2
Stone fruit (with the exception of peach)	0.2
Peach	0.1
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2

Melons	0.2
--------	-----

4.64.5 Testing method: Cereals shall be tested by methods provided in SN/T 2324, GB/T 5009.20; Oil seed and oil shall be tested by methods provided in SN/T 2324; Vegetables, fruits shall be tested by methods provided in NY/T 761, GB/T 19648, GB/T 5009.20.

4.65 Fenaminosulf

4.65.1 Major purpose of use: fungicide.

4.65.2 ADI: 0.02 mg/kg bw.

4.65.3 Residue definition: Fenaminosulf.

4.65.4 Maximum residue limit: Shall comply with provisions in the Table 65.

Table 65

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5*
Vegetables	
Cucumber	0.5*
*The MRL is the temporary limit.	

4.66 Anilazine

4.66.1 Major purpose of use: fungicide.

4.66.2 ADI: 0.1 mg/kg bw.

4.66.3 Residue definition: Anilazine.

4.66.4 Maximum residue limit: Shall comply with provisions in the Table 66.

Table 66

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Vegetables	
Tomato	10
Cucumber	10

4.66.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.220; Vegetables shall be tested by methods provided in NY/T 1722.

4.67 Dinocap

4.67.1 Major purpose of use: fungicide.

4.67.2 ADI: 0.008 mg/kg bw.

4.67.3 Residue definition: sum of dinocap isomers and the dinocap phenols, expressed as dinocap.

4.67.4 Maximum residue limit: Shall comply with provisions in the Table 67.

Table 67

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	0.3*

Chili	0.2*
Gourd vegetables (with the exception of cucumber and squash,)	0.05*
Squash	0.07*
Cucumber	0.07*
Fruit	
Apple	0.2*
Peach	0.1*
Grape	0.5*
Strawberry	0.5*
Melons (with the exception of sweet melons)	0.05*
Sweet melons	0.5*
Condiment	
Dried chilli	2*
*The MRL is the temporary limit.	

4.68 Edifenphos

4.68.1 Major purpose of use: fungicide.

4.68.2 ADI: 0.003 mg/kg bw.

4.68.3 Residue definition: Edifenphos.

4.68.4 Maximum residue limit: Shall comply with provisions in the Table 68.

Table 68

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Brown rice	0.2

4.68.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, SN/T 2324.

4.69 Fonofos

4.69.1 Major purpose of use: pesticide.

4.69.2 ADI: 0.002 mg/kg bw.

4.69.3 Residue definition: Fonofos.

4.69.4 Maximum residue limit: Shall comply with provisions in the Table 69.

Table 69

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Peanut	0.1
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01

Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Sugar crop	
Sugarcane	0.1

4.69.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in GB/T 19648; testing of sugar crops shall refer to methods provided in GB/T 19648, GB/T 20769, NY/T 761.

4.70 Butachlor

4.70.1 Major purpose of use: Herbicide.

4.70.2 ADI: 0.1 mg/kg bw.

4.70.3 Residue definition: Butachlor.

4.70.4 Maximum residue limit: Shall comply with provisions in the Table 70.

Table 70

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Corn	0.5

4.70.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.164, GB/T 19649, GB/T 20770.

4.71 Fenpropimorph

4.71.1 Major purpose of use: fungicide.

4.71.2 ADI: 0.003 mg/kg bw.

4.71.3 Residue definition: fenpropimorph.

4.71.4 Maximum residue limit: Shall comply with provisions in the Table 71.

Table 71

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5

Barley	0.5
Oats	0.5
Rye	0.5
Fruit	
Banana	2
Sugar crop	
Sugar beet	0.05

4.71.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, SN/T 2323; testing of fruit and sugar crops shall refer to methods provided in GB/T 20769, SN/T 2323.

4.72 Carbosulfan

4.72.1 Major purpose of use: pesticide.

4.72.2 ADI: 0.01 mg/kg bw.

4.72.3 Residue definition: Carbosulfan.

4.72.4 Maximum residue limit: Shall comply with provisions in the Table 72.

Table 72

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Rice	0.5
Corn	0.1
Sorghum	0.1
Millet	0.1
Oil seed and oil	
Cotton seed	0.05
Peanut	0.05
Vegetables	
Leek	0.05
Head cabbage	1
Spinach	0.05
Ordinary cabbage	0.05
Celery	0.05
Celery cabbage	0.05
Tomato	0.1
Eggplant	0.1
Chili	0.1
Sweet pepper	0.1
Hibiscus esculentus	0.1
Cucumber	0.2
Zucchini	1
Sweet potato	1
Fruit	
Citrus	1

Orange	0.1
Pummelo	0.1
Lemon	0.1
Apple	0.2
Sugar crop	
Sugarcane	0.1
Sugar beet	0.3

4.72.5 Testing method: Cereals shall be tested by methods provided in SN/T 2149; Oil seed and oil shall be tested by methods provided in SN/T 2149; Vegetables, fruits shall be tested by methods provided in GB/T 23205; testing of sugar crops shall refer to methods provided in GB/T23205, SN/T 2149.

4.73 Diafenthiuron

4.73.1 Major purpose of use: Pesticide/Acaricide.

4.73.2 ADI: 0.003mg/kg bw.

4.73.3 Residue definition: Diafenthiuron.

4.73.4 Maximum residue limit: Shall comply with provisions in the Table 73.

Table 73

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	2*
Ordinary cabbage	1*
Fruit	
Citrus	0.2*
Beverages	
Tea	5*
*The MRL is the temporary limit.	

4.74 Flufiprole

4.74.1 Major purpose of use: pesticide.

4.74.2 ADI: 0.008mg/kg bw.

4.74.3 Residue definition: Flufiprole.

4.74.4 Maximum residue limit: Shall comply with provisions in the Table 74.

Table 74

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02*
Vegetables	
Head cabbage	0.1*
*The MRL is the temporary limit.	

4.75 Coumoxystrobin

4.75.1 Major purpose of use: fungicide.

4.75.2 ADI: 0.045 mg/kg bw.

4.75.3 Residue definition: Coumoxystrobin.

4.75.4 Maximum residue limit: Shall comply with provisions in the Table 75.

Table 75

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Apple	0.2*
*The MRL is the temporary limit.	

4.76 Acetamiprid

4.76.1 Major purpose of use: pesticide.

4.76.2 ADI: 0.07 mg/kg bw.

4.76.3 Residue definition: Acetamiprid.

4.76.4 Maximum residue limit: Shall comply with provisions in the Table 76.

Table 76

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Wheat	0.5
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	0.5
Ordinary cabbage	1
Tomato	1
Cucumber	1
Radish	0.5
Fruit	
Citrus fruit (with the exception of citrus)	2
Citrus	0.5
Pome fruit (with the exception of apples)	2
Apple	0.8
Stone fruit	2
Berries and other small fruits	2
Tropical and sub-tropical fruits	2
Melons	2

4.76.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 23584, GB/T 20769.

4.77 Boscalid

4.77.1 Major purpose of use: fungicide.

4.77.2 ADI: 0.04mg/kg bw.

4.77.3 Residue definition: Boscalid.

4.77.4 Maximum residue limit: Shall comply with provisions in the Table 77.

Table 77

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	5
Fruit	
Apple	2
Strawberry	3
Sweet melon	3

4.77.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.78 Picoxystrobin

4.78.1 Major purpose of use: fungicide.

4.78.2 ADI: 0.043mg/kg bw.

4.78.3 Residue definition: Picoxystrobin.

4.78.4 Maximum residue limit: Shall comply with provisions in the Table 78.

Table 78

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Water melon	0.05

4.78.5 Testing method: fruits shall be tested by methods provided in GB/T 20769.

4.79 Chlorpyrifos

4.79.1 Major purpose of use: pesticide.

4.79.2 ADI: 0.01 mg/kg bw.

4.79.3 Residue definition: Chlorpyrifos.

4.79.4 Maximum residue limit: Shall comply with provisions in the Table 79.

Table 79

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Wheat	0.5
Corn	0.05
Oil seed and oil	
Cotton seed	0.3
Soybean	0.1
Peanut	0.2
Cotton seed oil	0.05
Vegetables	
Leek	0.1
Head cabbage	1

Broccoli	1
Spinach	0.1
Ordinary cabbage	0.1
Lettuce	0.1
Celery	0.05
Celery cabbage	0.1
Tomato	0.5
Cucumber	0.1
Kidney bean	1
Asparagus	0.05
Artichoke	0.05
Radish	1
Carrot	1
Celeriac	1
Taro	1
Fruit	
Citrus	1
Orange	2
Pummelo	2
Lemon	2
Apple	1
Pear	1
Litchi	1
Longan	1
Sugar crop	
Sugar beet	1
Sugarcane	0.05

4.79.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.145, SN/T 2158; Oil seed and oil shall be tested by methods provided in GB/T 5009.145, SN/T 2158; Vegetables, fruits shall be tested by methods provided in GB/T 19648, NY/T 761, SN/T 2158; testing of sugar crops shall refer to methods provided in NY/T 761.

4.80 Parathion

4.80.1 Major purpose of use: pesticide.

4.80.2 ADI: 0.004 mg/kg bw.

4.80.3 Residue definition: Parathion.

4.80.4 Maximum residue limit: Shall comply with provisions in the Table 80.

Table 80

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Upland crops	0.1

Coarse cereals	0.1
Oil seed and oil	
Soybean	0.1
Cotton seed oil	0.1
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.80.5 Testing method: Cereals, vegetables, fruits shall be tested by methods provided in GB/T 5009.145; Oil seed and oil shall be tested by methods provided in GB/T 5009.20.

4.81 Dodine

4.81.1 Major purpose of use: fungicide.

4.81.2 ADI: 0.1 mg/kg bw.

4.81.3 Residue definition: Dodine.

4.81.4 Maximum residue limit: Shall comply with provisions in the Table 81.

Table 81

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Pome fruit	5
Peach	5
Nectarine	5
Cherry	3

4.81.5 Testing method: fruits shall be tested by methods provided in SN 0500.

4.82 Carbendazim

4.82.1 Major purpose of use: fungicide.

4.82.2 ADI: 0.03 mg/kg bw.

4.82.3 Residue definition: Carbendazim.

4.82.4 Maximum residue limit: Shall comply with provisions in the Table 82.

Table 82

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	2
Wheat	0.05
Barley	0.5
Rye	0.05
Corn	0.5
Coarse cereals	0.5
Oil seed and oil	
Soybean	0.2
Peanut	0.1
Rape seed	0.1
Vegetables	
Leek	2
Brussels sprouts	0.5
Cabbage lettuce	5
Tomato	3
Chili	2
Cucumber	0.5
Squash	0.5
Kidney bean	0.5
Edible podded pea	0.02
Asparagus	0.1
Carrot	0.2
Fruit	
Citrus	5
Orange	0.5
Pummelo	0.5
Lemon	0.5
Pome fruit (with the exception of apple, pear)	3
Apple	3
Pear	3
Grape	3
Peach	2
Nectarine	2
Prune	0.5
Dried prune	0.5
Apricot	2

Cherry	0.5
Date	0.5
Strawberry	0.5
Blackberry	0.5
Gooseberry	0.5
Water melon	0.5
Fig	0.5
Olive	0.5
Banana	0.1
Pineapple	0.5
Kiwi fruit	0.5
Litchi	0.5
Mango	0.5
Nuts	0.1
Sugar crop	
Sugar beet	0.1
Beverages	
Tea	5
Coffee bean	0.1
Condiment	
Dried chilli	20

4.82.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; testing of oil seed and oil, sugar crops shall refer to methods provided in NY/T 1680; Vegetables, fruits shall be tested by methods provided in GB/T 20769, NY/T 1453; beverages shall be tested by methods provided in GB/T 20769, NY/T 1453; testing of nuts and Condiment shall refer to methods provided in GB/T 20770.

4.83 Spinosad

4.83.1 Major purpose of use: pesticide.

4.83.2 ADI: 0.02 mg/kg bw.

4.83.3 Residue definition: The sum of Spinosad A and Spinosad D..

4.83.4 Maximum residue limit: Shall comply with provisions in the Table 83.

Table 83

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	1
Wheat	1
Upland crops	1
Oil seed and oil	
Cotton seed	0.1
Soybean	0.01
Vegetables	
Onion	0.1

Scallion	4
Brassica vegetables (with the exception of Head cabbage)	2
Head cabbage	2
Leaf vegetables (with the exception of celery)	10
Celery	2
Tomato	1
Eggplant	1
Chili	1
Sweet pepper	1
Hibiscus esculentus	1
Gourd vegetables	0.2
Leguminous vegetables	0.3
Potato	0.01
Cactus	0.01
Fruit	
Citrus fruit	0.3
Apple	0.1
Stone fruit	0.2
Cranberry	0.02
Blueberry	0.4
Blackberry	1
Gooseberry (red, black)	1
Dewberry (incl. boysenberry and loganberry)	1
Grape	0.5
Raisin	1
Passion fruit	0.7
Kiwi fruit	0.05
Melons	0.2
Nuts	0.07

4.83.5 Testing method: testing of grain, oil seed and oil, nuts shall refer to methods provided in GB/T 20769, NY/T 1379, NY/T 1453; vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.84 Paclobutrazol

4.84.1 Major purpose of use: plant growth regulator.

4.84.2 ADI: 0.1 mg/kg bw.

4.84.3 Residue definition: Paclobutrazol.

4.84.4 Maximum residue limit: Shall comply with provisions in the Table 84.

Table 84

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Cereals	Rice	0.5
	Wheat	0.5
Oil seed and oil	Rape seed	0.2
	Peanut	0.5
	Rapeseed oil	0.5
Fruit	Apple	0.5
	Litchi	0.5

4.84.5 Testing method: Cereals shall be tested by methods provided in SN/T 1477; Oil seed and oil shall be tested by methods provided in SN/T 1477; fruits shall be tested by methods provided in GB/T 20769, GB/T 20770, SN/T 1477.

4.85 Oxadiazon

4.85.1 Major purpose of use: Herbicide.

4.85.2 ADI: 0.0036 mg/kg bw.

4.85.3 Residue definition: Oxadiazon.

4.85.4 Maximum residue limit: Shall comply with provisions in the Table 85.

Table 85

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals	Brown rice	0.05
	Rice	0.05
Oil seed and oil	Peanut	0.1
	Cotton seed	0.1
Vegetables	Garlic	0.1
	Garlic sprouts	0.05

4.85.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.180; Oil seed and oil shall be tested by methods provided in GB/T 5009.180; Vegetables shall be tested by methods provided in GB/T 19648, NY/T 1379.

4.86 Hymexazol

4.86.1 Major purpose of use: fungicide.

4.86.2 ADI: 0.2 mg/kg bw.

4.86.3 Residue definition: Hymexazol.

4.86.4 Maximum residue limit: Shall comply with provisions in the Table 86.

Table 86

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1*

Vegetables	Cucumber	0.5*
Fruit	Water melon	0.5*
Sugar crop	Sugar beet	0.1*
*The MRL is the temporary limit.		

4.87 Oxaziclonofone

4.87.1 Major purpose of use: Herbicide.

4.87.2 ADI: 0.0091 mg/kg bw.

4.87.3 Residue definition: Oxaziclonofone.

4.87.4 Maximum residue limit: Shall comply with provisions in the Table 87.

Table 87

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05

4.87.5 Testing method: Cereals shall be tested by methods provided in SN/T 2150.

4.88 Oxadixyl

4.88.1 Major purpose of use: fungicide.

4.88.2 ADI: 0.01 mg/kg bw.

4.88.3 Residue definition: Oxadixyl.

4.88.4 Maximum residue limit: Shall comply with provisions in the Table 88.

Table 88

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	5

4.88.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19648, NY/T 1379.

4.89 Famoxadone

4.89.1 Major purpose of use: fungicide.

4.89.2 ADI: 0.006 mg/kg bw.

4.89.3 Residue definition: Famoxadone.

4.89.4 Maximum residue limit: Shall comply with provisions in the Table 89.

Table 89

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1
Barley	0.2
Vegetables	
Tomato	2
Cucumber	1

	Squash	0.2
Fruit	Citrus	1
	Orange	1
	Pummelo	1
	Lemon	1
	Apple	0.2
	Pear	0.2
	Banana	0.5

4.89.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769; Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.90 Diphenylamine

4.90.1 Major purpose of use: fungicide.

4.90.2 ADI: 0.08 mg/kg bw.

4.90.3 Residue definition: Diphenylamine.

4.90.4 Maximum residue limit: Shall comply with provisions in the Table 90.

Table 90

Food Category/Name	Maximum residue limit (mg/kg)	
Fruit		
	Apple	5
	Pear	5

4.90.5 Testing method: fruits shall be tested by methods provided in GB/T 19648.

4.91 Pendimethalin

4.91.1 Major purpose of use: Herbicide.

4.91.2 ADI: 0.03 mg/kg bw.

4.91.3 Residue definition: Pendimethalin.

4.91.4 Maximum residue limit: Shall comply with provisions in the Table 91.

Table 91

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals		
	Brown rice	0.1
	Corn	0.1
Vegetables	Leek	0.2
	Garlic	0.1
	Head cabbage	0.2
	Ordinary cabbage	0.2
	Lettuce	0.1
	Spinach	0.2
	Celery	0.2
	Celery cabbage	0.2

4.91.5 Testing method: Cereals shall be tested by methods provided in SN/T 0712, GB/T 19649; Vegetables shall be tested by methods provided in GB/T 19648, NY/T 1379.

4.92 Clopyralid

4.92.1 Major purpose of use: Herbicide.

4.92.2 ADI: 0.15 mg/kg bw.

4.92.3 Residue definition: Clopyralid.

4.92.4 Maximum residue limit: Shall comply with provisions in the Table 92.

Table 92

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	2
Corn	1
Oil seed and oil	
Rape seed	2*
*The MRL is the temporary limit.	

4.92.5 Testing method: Cereals shall be tested by methods provided in NY/T 1434.

4.93 Quinclorac

4.93.1 Major purpose of use: Herbicide

4.93.2 ADI: 0.3 mg/kg bw

4.93.3 Residue definition: Quinclorac

4.93.4 Maximum residue limit: Shall comply with provisions in the Table 93.

Table 93

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1

4.93.5 Testing method: Cereals shall be tested by methods provided in SN/T 1017.5.

4.94 Diazinon

4.94.1 Major purpose of use: pesticide.

4.94.2 ADI: 0.005 mg/kg bw.

4.94.3 Residue definition: Diazinon.

4.94.4 Maximum residue limit: Shall comply with provisions in the Table 94.

Table 94

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Corn	0.02
Oil seed and oil	
Cotton seed	0.2
Peanut	0.5

Vegetables	
Onion	0.05
Scallion	1
Head cabbage	0.5
Head cabbage	0.2
Kale	0.05
Sprouting broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.2
Stem and leaf lettuce	0.5
Cabbage lettuce	0.5
Celery cabbage	0.05
Tomato	0.5
Sweet pepper	0.05
Cucumber	0.1
Squash	0.05
Kidney bean	0.2
Edible podded pea	0.2
Radish	0.1
Carrot	0.5
Potato	0.01
Cactus	0.02
Fruit	
Pome fruit	0.3
Peach	0.2
Cherry	1
Prune	1
Dried prune	2
Honey-dew	0.2
Current (black, red, white)	0.2
Blackberry	0.1
Gooseberry (red, black)	0.2
Cranberry	0.2
Boysenberry	0.1
Strawberry	0.1
Pineapple	0.1
Nuts	
Walnut	0.01
Sugar crop	
Sugar beet	0.1
Beverages	
Hop	0.5
Condiment	

Dried chilli	0.5
Condiment made from fruit	0.1
Condiment made from seeds	5
Condiment made from plant root and stem	0.5

4.94.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.107; Oil seed and oil shall be tested by methods provided in GB/T 5009.107; Vegetables, fruits shall be tested by methods provided in GB/T 5009.107, GB/T 20769, NY/T 761; testing of nuts, sugar crops, beverages, and condiment shall refer to methods provided in NY/T 761.

4.95 Dithianon

4.95.1 Major purpose of use: fungicide.

4.95.2 ADI: 0.01 mg/kg bw.

4.95.3 Residue definition: Dithianon.

4.95.4 Maximum residue limit: Shall comply with provisions in the Table 95.

Table 95

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Chili	2
Fruit	
Apple	5
Pear	2

4.95.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.96 Flutriafol

4.96.1 Major purpose of use: fungicide.

4.96.2 ADI: 0.01mg/kg bw.

4.96.3 Residue definition: Flutriafol.

4.96.4 Maximum residue limit: Shall comply with provisions in the Table 96.

Table 96

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5

4.96.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649.

4.97 Rimsulfuron

4.97.1 Major purpose of use: Herbicide.

4.97.2 ADI: 0.1 mg/kg bw.

4.97.3 Residue definition: Rimsulfuron.

4.97.4 Maximum residue limit: Shall comply with provisions in the Table 97.

Table 97

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	

Corn	0.1
------	-----

4.97.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.98 Phosalone

4.98.1 Major purpose of use: pesticide.

4.98.2 ADI: 0.02 mg/kg bw.

4.98.3 Residue definition: Phosalone.

4.98.4 Maximum residue limit: Shall comply with provisions in the Table 98.

Table 98

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed oil	0.1
Vegetables	
Spinach	1
Ordinary cabbage	1
Lettuce	1
Celery cabbage	1
Fruit	
Pome fruit	2
Stone fruit	2
Nuts	
Almond	0.1
Hazelnut	0.05
Walnut	0.05
Condiment	
Condiment made from fruit	2
Condiment made from seeds	2
Condiment made from plant root and stem	3

4.98.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 19648, NY/T 761; testing of nuts, condiment shall refer to methods provided in GB/T 19649, GB/T 20770.

4.99 Tau-fluvalinate

4.99.1 Major purpose of use: pesticide.

4.99.2 ADI: 0.005 mg/kg bw.

4.99.3 Residue definition: Tau-fluvalinate.

4.99.4 Maximum residue limit: Shall comply with provisions in the Table 99.

Table 99

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed oil	0.2
Vegetables	

Leek	0.5
Head cabbage	0.5
Broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5

4.99.5 Testing method: Oil seed and oil shall be tested by methods provided in NY/T 761; Vegetables shall be tested by methods provided in NY/T 761.

4.100 Flubendiamide

4.100.1 Major purpose of use: pesticide.

4.100.2 ADI: 0.02 mg/kg bw.

4.100.3 Residue definition: Flubendiamide.

4.100.4 Maximum residue limit: Shall comply with provisions in the Table 100.

Table 100

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2*
Vegetables	
Head cabbage	0.2*
*The MRL is the temporary limit.	

4.101 Teflubenzuron

4.101.1 Major purpose of use: pesticide.

4.101.2 ADI: 0.01 mg/kg bw.

4.101.3 Residue definition: Teflubenzuron.

4.101.4 Maximum residue limit: Shall comply with provisions in the Table 101.

Table 101

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Leek	0.5
Head cabbage	0.5
Brussels sprouts	0.5
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5
Potato	0.05
Fruit	
Citrus	0.5
Pome fruit	1
Prune	0.1

Dried prune	0.1
-------------	-----

4.101.5 Testing method: Vegetables, fruits shall be tested by methods provided in NY/T 1453.

4.102 Haloxyfop

4.102.1 Major purpose of use: Herbicide.

4.102.2 ADI: 0.0007 mg/kg bw.

4.102.3 Residue definition: sum of haloxyfop, haloxyfop esters and its conjugates, expressed as haloxyfop.

4.102.4 Maximum residue limit: Shall comply with provisions in the Table 102.

Table 102

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Pea	0.2
Chickpeas	0.05
Vegetables	
Onion	0.2
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Grape	0.02
Banana	0.02
Sugar crop	
Sugar beet	0.4
Beverages	
Coffee bean	0.02

4.102.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Sugar crop, beverages shall be tested by methods provided in GB/T 20769.

4.103 Flucetosulfuron

4.103.1 Major purpose of use: Herbicide.

4.103.2 ADI: 0.041 mg/kg bw.

4.103.3 Residue definition: Flucetosulfuron.

4.103.4 Maximum residue limit: Shall comply with provisions in the Table 103.

Table 103

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05*
*The MRL is the temporary limit.	

4.104 Haloxyfop-methyl and haloxyfop-P-methyl

4.104.1 Major purpose of use: Herbicide.

4.104.2 ADI: 0.0007 mg/kg bw.

4.104.3 Residue definition: The sum of Haloxyfop-methyl, Haloxyfop and its conjugate, expressed as Haloxyfop-methyl.

4.104.4 Maximum residue limit: Shall comply with provisions in the Table 104.

Table 104

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.2
Soybean	0.1
Peanut	0.1
Edible vegetable oil	1
Vegetables	
Head cabbage	0.2

4.104.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770; Vegetables shall be tested by methods provided in GB/T 20769.

4.105 Fluopicolide

4.105.1 Major purpose of use: fungicide.

4.105.2 ADI: 0.08 mg/kg bw.

4.105.3 Residue definition: Fluopicolide and its metabolite.

4.105.4 Maximum residue limit: Shall comply with provisions in the Table 105.

Table 105

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Celery cabbage	0.5*
Tomato	0.1*
Chili	0.1*
Cucumber	0.5*
Potato	0.05*
Fruit	
Water melon	0.1*
*The MRL is the temporary limit.	

4.106 Fipronil

4.106.1 Major purpose of use: pesticide.

4.106.2 ADI: 0.0002 mg/kg bw.

4.106.3 Residue definition: sum of fipronil, MB46513, MB46136 and MB45950, expressed as fipronil.

4.106.4 Maximum residue limit: Shall comply with provisions in the Table 106.

Table 106

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02
Corn	0.1

Fresh maize	0.1
Vegetables	
Leek	0.02
Spinach	0.02
Head cabbage	0.02
Ordinary cabbage	0.02
Celery	0.02
Celery cabbage	0.02

4.106.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769, SN/T 1982; Vegetables shall be tested by methods provided in GB/T 20769, SN/T 1982.

4.107 Flufenoxuron

4.107.1 Major purpose of use: pesticide.

4.107.2 ADI: 0.04 mg/kg bw.

4.107.3 Residue definition: Flufenoxuron.

4.107.4 Maximum residue limit: Shall comply with provisions in the Table 107.

Table 107

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.5
Lemon	0.5
Pummelo	0.5
Apple	1
Pear	1

4.107.5 Testing method: fruits shall be tested by methods provided in NY/T 1720.

4.108 Fluazinam

4.108.1 Major purpose of use: fungicide.

4.108.2 ADI: 0.01 mg/kg bw.

4.108.3 Residue definition: Fluazinam.

4.108.4 Maximum residue limit: Shall comply with provisions in the Table 108.

Table 108

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Chili	3

4.108.5 Testing method: vegetables shall be tested by methods provided in SN/T 2150.

4.109 Sulfoxaflor

4.109.1 Major purpose of use: pesticide.

4.109.2 ADI: 0.05 mg/kg bw.

4.109.3 Residue definition: Sulfoxaflor.

4.109.4 Maximum residue limit: Shall comply with provisions in the Table 109.

Table 109

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice	2*
Oil seed and oil Cotton seed	0.4*
Vegetables Cucumber	0.5*
*The MRL is the temporary limit.	

4.110 Flonicamid

4.110.1 Major purpose of use: pesticide.

4.110.2 ADI: 0.025 mg/kg bw.

4.110.3 Residue definition: Flonicamid.

4.110.4 Maximum residue limit: Shall comply with provisions in the Table 110.

Table 110

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Corn	0.7*
Vegetables Cucumber Potato	1* 0.2*
Fruit Apple	1*
*The MRL is the temporary limit.	

4.111 Chlorfluazuron

4.111.1 Major purpose of use: pesticide.

4.111.2 ADI: 0.005 mg/kg bw.

4.111.3 Residue definition: Chlorfluazuron.

4.111.4 Maximum residue limit: Shall comply with provisions in the Table 111.

Table 111

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil Cotton seed	0.1
Vegetables Head cabbage Spherical fennel Celery cabbage Radish Carrot Rappini Celeriac Taro	2 0.1 2 0.1 0.1 0.1 0.1 0.1 0.1

Fruit Citrus	0.5
Sugar crop Sugar beet	0.1

4.111.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19648; Vegetables, fruits shall be tested by methods provided in GB/T 19648, SN/T 2095; sugar crop shall be tested by methods provided in GB/T 19648.

4.112 Flusilazole

4.112.1 Major purpose of use: fungicide.

4.112.2 ADI: 0.007 mg/kg bw.

4.112.3 Residue definition: Flusilazole.

4.112.4 Maximum residue limit: Shall comply with provisions in the Table 112.

Table 112

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Wheat	0.2
Upland crops	0.2
Oil seed and oil	
Rape seed	0.1
Soybean	0.05
Sunflower seed	0.1
Soybean oil	0.1
Vegetables	
Tomato	0.2
Cucumber	1
Sword bean	0.2
Cactus	0.01
Fruit	
Pome fruit (with the exception of apple and pear)	0.3
Apple	0.2
Pear	0.2
Peach	0.2
Nectarine	0.2
Apricot	0.2
Grape	0.5
Banana	1
Sugar crop	
Sugar beet	0.05

4.112.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770; Vegetables,

fruits shall be tested by methods provided in GB/T 19648, GB/T 20769, SN/T 2236; testing of sugar crops shall refer to methods provided in GB/T 19648, GB/T 20769, SN/T 2236.

4.113 Epoxiconazole

4.113.1 Major purpose of use: fungicide.

4.113.2 ADI: 0.02 mg/kg bw.

4.113.3 Residue definition: Epoxiconazole.

4.113.4 Maximum residue limit: Shall comply with provisions in the Table 113.

Table 113

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Wheat	0.05
Fruit	
Apple	0.5
Banana	3

4.113.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; fruits shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.114 Fomesafen

4.114.1 Major purpose of use: Herbicide.

4.114.2 ADI: 0.0025 mg/kg bw.

4.114.3 Residue definition: Fomesafen.

4.114.4 Maximum residue limit: Shall comply with provisions in the Table 114.

Table 114

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.1
Peanut	0.2

4.114.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 5009.130.

4.115 Triflumizole

4.115.1 Major purpose of use: fungicide.

4.115.2 ADI: 0.035 mg/kg bw.

4.115.3 Residue definition: The sum of Triflumizole and its metabolite (4-chloro- α,α,α -trifluoromethyl - N-(1-amino-2-propoxycarbonyl methylethylidene)-O-methyl aniline), expressed as Triflumizole.

4.115.4 Maximum residue limit: Shall comply with provisions in the Table 115.

Table 115

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.2*
*The MRL is the temporary limit.	

4.115.5 Testing method: Vegetables shall be tested by methods provided in NY/T 1379.

4.116 Trifluralin

4.116.1 Major purpose of use: Herbicide.

4.116.2 ADI: 0.025 mg/kg bw.

4.116.3 Residue definition: Trifluralin.

4.116.4 Maximum residue limit: Shall comply with provisions in the Table 116.

Table 116

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Peanut	0.05
Soybean oil	0.05
Peanut oil	0.05

4.116.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 5009.172.

4.117 Hexaflumuron

4.117.1 Major purpose of use: pesticide.

4.117.2 ADI: 0.02 mg/kg bw.

4.117.3 Residue definition: Hexaflumuron.

4.117.4 Maximum residue limit: Shall comply with provisions in the Table 117.

Table 117

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	0.5

4.117.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19648, NY/T 1720; Vegetables shall be tested by methods provided in GB/T 20769, NY/T 1720, SN/T 2152.

4.118 Cyfluthrin and beta-cyfluthrin

4.118.1 Major purpose of use: pesticide.

4.118.2 ADI: 0.04 mg/kg bw.

4.118.3 Residue definition: Cyfluthrin (sum of isomers).

4.118.4 Maximum residue limit: Shall comply with provisions in the Table 118.

Table 118

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.07
Cotton seed	0.05
Vegetables	

Leek	0.5
Head cabbage	0.5
Broccoli	0.1
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Potato	0.01
Fruit	
Citrus fruit	0.3
Preserved citrus	2
Apple	0.5
Pear	0.1
Beverages	
Tea	1
Edible fungi	
Mushroom (fresh)	0.3
Condiment	
Dried chilli	1

4.118.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 1117; Vegetables, fruits and edible fungi shall be tested by methods provided in GB/T 19648, GB/T 5009.146, NY/T 761; tea shall be tested by methods provided in SN/T 1117, GB/T 23204; testing of condiment shall refer to methods provided in GB/T 19648, GB/T 5009.146, NY/T 761.

4.119 Flumorph

4.119.1 Major purpose of use: fungicide.

4.119.2 ADI: 0.16 mg/kg bw.

4.119.3 Residue definition: Flumorph.

4.119.4 Maximum residue limit: Shall comply with provisions in the Table 119.

Table 119

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	2*
Fruit	
Grape	5*
Litchi	0.1*
*The MRL is the temporary limit.	

4.120 Flucythrinate

4.120.1 Major purpose of use: pesticide.

4.120.2 ADI: 0.02 mg/kg bw.

4.120 Residue definition: flucythrinate.

4.120.4 Maximum residue limit: Shall comply with provisions in the Table 120.

Table 120

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Fresh maize	0.2
Mung bean	0.05
Adsuki bean	0.05
Oil seed and oil	
Soybean	0.05
Cotton seed oil	0.2
Vegetables	
Head cabbage	0.5
Broccoli	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Radish	0.05
Carrot	0.05
Chinese yam	0.05
Potato	0.05
Fruit	
Apple	0.5
Pear	0.5
Sugar crop	
Sugar beet	0.05
Beverages	
Tea	20
Edible fungi	
Mushroom (fresh)	0.2

4.120.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; testing of oil seed and oil, sugar crops shall refer to methods provided in GB/T 19649; Vegetables, fruits and edible fungi shall be tested by methods provided in NY/T 761; tea shall be tested by methods provided in GB/T 23204.

4.121 Flumiclorac

4.121.1 Major purpose of use: Herbicide.

4.121.2 ADI: 1 mg/kg bw.

4.121.3 Residue definition: Flumiclorac.

4.121.4 Maximum residue limit: Shall comply with provisions in the Table 121.

Table 121

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Oil seed and oil Cotton seed	0.05
---------------------------------	------

4.121.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 2459.

4.122 Flutolanil

4.122.1 Major purpose of use: fungicide.

4.122.2 ADI: 0.09 mg/kg bw.

4.122.3 Residue definition: Flutolanil.

4.122.4 Maximum residue limit: Shall comply with provisions in the Table 122.

Table 122

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	1
Brown rice	2

4.122.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649.

4.123 Novaluron

4.123.1 Major purpose of use: pesticide.

4.123.2 ADI: 0.01 mg/kg bw.

4.123.3 Residue definition: Novaluron.

4.123.4 Maximum residue limit: Shall comply with provisions in the Table 123.

Table 123

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Coarse cereals	0.1
Oil seed and oil	
Cotton seed	0.5
Vegetables	
Brassica vegetables	0.7
Leaf mustard	25
Solanaceous vegetables (with the exception of tomato)	0.7
Tomato	0.02
Kidney bean	0.7
Vegetable soybean	0.01
Potato	0.01
Fruit	
Pome fruit	3
Stone fruit	7
Dried prune	3
Blueberry	7
Strawberry	0.5

Sugar crop	
Sugarcane	0.5
Sugar beet	15

4.123.5 Testing method: testing of grain, oil seed and oil, vegetables, fruits and sugar crop shall refer to methods provided in SN/T 2150.

4.124 Flucarbazone-sodium

4.124.1 Major purpose of use: Herbicide.

4.124.2 ADI: 0.36 mg/kg bw.

4.124.3 Residue definition: Flucarbazone-sodium and its demethylation metabolites.

4.124.4 Maximum residue limit: Shall comply with provisions in the Table 124.

Table 124

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01*
*The MRL is the temporary limit.	

4.125 Procymidone

4.125.1 Major purpose of use: fungicide.

4.125.2 ADI: 0.1 mg/kg bw.

4.125.3 Residue definition: procymidone.

4.125.4 Maximum residue limit: Shall comply with provisions in the Table 125.

Table 125

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Fresh maize	5
Oil seed and oil	
Rape seed	2
Edible vegetable oil	0.5
Vegetables	
Leek	0.2
Tomato	2
Eggplant	5
Chili	5
Cucumber	2
Fruit	
Grape	5
Strawberry	10
Edible fungi	
Mushroom (fresh)	5

4.125.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables, fruits and edible fungi shall be tested by methods provided in GB/T 19648, NY/T 761.

4.126 Thiram

4.126.1 Major purpose of use: fungicide.

4.126.2 ADI: 0.01 mg/kg bw.

4.126.3 Residue definition: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.126.4 Maximum residue limit: Shall comply with provisions in the Table 126.

Table 126

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.3
Corn	0.1
Oil seed and oil	
Soybean	0.3
Vegetables	
Tomato	5
Cucumber	5
Fruit	
Apple	5

4.126.5 Testing method: Cereals, Oil seed and oil, vegetables, fruits shall be tested by methods provided in SN/T 0711.

4.127 Ziram

4.127.1 Major purpose of use: fungicide.

4.127.2 ADI: 0.003 mg/kg bw.

4.127.3 Residue definition: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.127.4 Maximum residue limit: Shall comply with provisions in the Table 127.

Table 127

Food Category/Name	Maximum residue limit (mg/kg)
Fruits	
Apple	5

4.127.5 Testing method: fruits shall be tested by methods provided in SN/T 0711, SN/T 1541.

4.128 Fludioxonil

4.128.1 Major purpose of use: fungicide.

4.128.2 ADI: 0.4 mg/kg bw.

4.128.3 Residue definition: Fludioxonil.

4.128.4 Maximum residue limit: Shall comply with provisions in the Table 128.

Table 128

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.05

4.128.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770.

4.129 Thiobencarb

4.129.1 Major purpose of use: Herbicide.

4.129.3 ADI: 0.007 mg/kg bw.

4.129.4 Residue definition: Thiobencarb.

4.129.5 Maximum residue limit: Shall comply with provisions in the Table 129.

Table 129

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2

4.129.6 Testing method: Cereals shall be tested by methods provided in SN 0492.

4.130 Molinate

4.130.1 Major purpose of use: Herbicide.

4.130.2 ADI: 0.001 mg/kg bw.

4.130.3 Residue definition: Molinate.

4.130.4 Maximum residue limit: Shall comply with provisions in the Table 130.

Table 130

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Brown rice	0.1

4.130.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.134.

4.131 Diclofop-methyl

4.131.1 Major purpose of use: Herbicide.

4.131.2 ADI: 0.0023mg/kg bw.

4.131.3 Residue definition: Diclofop-methyl.

4.131.4 Maximum residue limit: Shall comply with provisions in the Table 131.

Table 131

Food Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1
Sugar crop	
Sugar beet	0.1

4.131.5 Testing method: Cereals shall be tested by methods provided in SN 0687; testing of sugar crops shall refer to methods provided in SN 0687.

4.132 Cyclosulfamuron

4.132.1 Major purpose of use: Herbicide.

4.132.2 ADI: 0.015 mg/kg bw.

4.132.3 Residue definition: Cyclosulfamuron.

4.132.4 Maximum residue limit: Shall comply with provisions in the Table 132.

Table 132

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1*
*The MRL is the temporary limit.	

4.132.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.133 Cyproconazole

4.133.1 Major purpose of use: fungicide.

4.133.2 ADI: 0.02 mg/kg bw.

4.133.3 Residue definition: Cyproconazole.

4.133.4 Maximum residue limit: Shall comply with provisions in the Table 133.

Table 133

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.2

4.133.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649.

4.134 Hexazinone

4.134.1 Major purpose of use: Herbicide.

4.134.2 ADI: 0.05 mg/kg bw.

4.134.3 Residue definition: Hexazinone.

4.134.4 Maximum residue limit: Shall comply with provisions in the Table 134.

Table 134

Food Category/Name	Maximum residue limit (mg/kg)
Sugar crop	
Sugarcane	0.5

4.134.5 Testing method: sugar crop shall be tested by methods provided in GB/T 20769.

4.135 Fenhexamid

4.135.1 Major purpose of use: fungicide.

4.135.2 ADI: 0.2 mg/kg bw.

4.135.3 Residue definition: Fenhexamid.

4.135.4 Maximum residue limit: Shall comply with provisions in the Table 135.

Table 135

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cabbage lettuce	30*
Stem and leaf lettuce	30*
Cucumber	1*
Small cucumber used for pickling	1*
Tomato	2*
Eggplant	2*
Chili	2*

Squash	1*
Fruit	
Prune	1*
Dried prune	1*
Apricot	10*
Cherry	7*
Peach	10*
Nectarine	10*
Cranberry	5*
Blackberry	15*
Blueberry	5*
Current (black, red, white)	5*
Raspberry	5*
Mulberry	5*
Shadbush	5*
Dewberry (incl. boysenberry and loganberry)	15*
Gooseberry (red, black)	15*
Grape	15*
Raisin	25*
Kiwi fruit	15*
Strawberry	10*
Nuts	
Almond	0.02*
*The MRL is the temporary limit.	

4.136 Pyrifthalid

4.136.1 Major purpose of use: Herbicide.

4.136.2 ADI: 0.0056 mg/kg bw.

4.136.3 Residue definition: Pyrifthalid.

4.136.4 Maximum residue limit: Shall comply with provisions in the Table 136.

Table 136

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1

4.136.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649.

4.137 Sulcotrione

4.137.1 Major purpose of use: Herbicide.

4.137.2 ADI: 0.0004 mg/kg bw.

4.137.3 Residue definition: Sulcotrione.

4.137.4 Maximum residue limit: Shall comply with provisions in the Table 137.

Table 137

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Corn	0.05*
*The MRL is the temporary limit.	

4.138 Hexaconazole

4.138.1 Major purpose of use: fungicide.

4.138.2 ADI: 0.005 mg/kg bw.

4.138.3 Residue definition: Hexaconazole.

4.138.4 Maximum residue limit: Shall comply with provisions in the Table 138.

Table 138

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice Wheat	0.1 0.1
Vegetables Tomato	0.5
Fruit Apple Pear Grape	0.5 0.5 0.1

4.138.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19648; Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.139 Emamectin benzoate

4.139.1 Major purpose of use: pesticide.

4.139.2 ADI: 0.0005 mg/kg bw.

4.139.3 Residue definition: Emamectin benzoate (The sum of B1a and B1b).

4.139.4 Maximum residue limit: Shall comply with provisions in the Table 139.

Table 139

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice	0.02*
Oil seed and oil Cotton seed	0.02*
Vegetables Head cabbage Tomato Cucumber	0.1* 0.02* 0.02*
Fruit Pear	0.02*
Edible fungi Mushroom (fresh)	0.05*

*The MRL is the temporary limit.

4.139.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 20769; Vegetables, fruit and edible fungi shall be tested by methods provided in GB/T 20769.

4.140 Methamidophos

4.140.1 Major purpose of use: pesticide.

4.140.2 ADI: 0.004 mg/kg bw.

4.140.3 Residue definition: Methamidophos.

4.140.4 Maximum residue limit: Shall comply with provisions in the Table 140.

Table 140

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables (with the exception of radish)	0.05
Radish	0.1
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05

4.140.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.103; Vegetables, fruits shall be tested by methods provided in NY/T 761, GB/T 5009.103.

4.141 Phorate

4.141.1 Major purpose of use: pesticide.

4.141.2 ADI: 0.0007 mg/kg bw.

4.141.3 Residue definition: The sum of Phorate and its oxygen analogue (sulfoxide, sulphone), expressed as

phorate.

4.141.4 Maximum residue limit: Shall comply with provisions in the Table 141.

Table 141

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.02
Sorghum	0.02
Corn	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Peanut	0.1
Peanut oil	0.05
Vegetables	
Bulb vegetables	0.01*
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Sugar crop	
Sugarcane	0.01
*The MRL is the temporary limit.	

4.141.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20, GB/T 19649, GB/T 14553; Oil seed and oil shall be tested by methods provided in GB/T 5009.20, GB/T 19649, GB/T 14553; Vegetables, fruits shall be tested by methods provided in GB/T 19648; testing of sugar crop shall refer to methods provided in GB/T 5009.20.

4.142 Tolyfluanid

4.142.1 Major purpose of use: fungicide.

4.142.2 ADI: 0.08 mg/kg bw.

4.142.3 Residue definition: Tolyfluanid.

4.142.4 Maximum residue limit: Shall comply with provisions in the Table 142.

Table 142

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Spring onion	2
Cabbage lettuce	15
Tomato	3
Sweet pepper	2
Cucumber	1
Fruit	
Pome fruit	5
Blackberry	5
Current (black, red, white)	0.5
Gooseberry (red, black)	5
Grape	3
Strawberry	5
Beverages	
Hop	50
Condiment	
Dried chilli	20

4.142.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 19648; testing of beverages, condiment shall refer to methods provided in GB/T 19648.

4.143 Alachlor

4.143.1 Major purpose of use: Herbicide.

4.143.2 ADI: 0.01 mg/kg bw.

4.143.3 Residue definition: Alachlor.

4.143.4 Maximum residue limit: Shall comply with provisions in the Table 143.

Table 143

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Corn	0.2
Oil seed and oil	
Cotton seed	0.02
Soybean	0.2
Peanut	0.05

4.143.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649; Oil seed and oil shall be tested by methods provided in SN/T 1741.

4.144 Metsulfuron-methyl

4.144.1 Major purpose of use: Herbicide.

4.144.2 ADI: 0.25 mg/kg bw.

4.144.3 Residue definition: Metsulfuron-methyl.

4.144.4 Maximum residue limit: Shall comply with provisions in the Table 144.

Table 144

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Wheat	0.05

4.144.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.145 Iodosulfuron-methyl-sodium

4.145.1 Major purpose of use: Herbicide.

4.145.2 ADI: 0.03 mg/kg bw.

4.145.3 Residue definition: Iodosulfuron-methyl-sodium.

4.145.4 Maximum residue limit: Shall comply with provisions in the Table 145.

Table 145

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.02*
*The MRL is the temporary limit.	

4.146 Chlorpyrifos-methyl

4.146.1 Major purpose of use: pesticide.

4.146.2 ADI: 0.01 mg/kg bw.

4.146.3 Residue definition: Chlorpyrifos-methyl.

4.146.4 Maximum residue limit: Shall comply with provisions in the Table 146.

Table 146

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	5*
Wheat	5*
Upland crops	5*
Coarse cereals	5*
Processed grain	5*
Oil seed and oil	
Cotton seed	0.02*
Soybean	5*
Vegetables	
Head cabbage	0.1*
Tubers vegetables	5*
*The MRL is the temporary limit.	

4.146.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables shall be tested by methods provided in GB/T 19648, GB/T 20769, NY/T 761.

4.147 Parathion-methyl

4.147.1 Major purpose of use: pesticide.

4.147.2 ADI: 0.003 mg/kg bw.

4.147.3 Residue definition: Parathion-methyl.

4.147.4 Maximum residue limit: Shall comply with provisions in the Table 147.

Table 147

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Corn	0.1
Oil seed and oil	
Cotton seed oil	0.1
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.02
Pome fruit (with the exception of apples)	0.02
Apple	0.01
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.147.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20; Oil seed and oil shall be tested by methods provided in GB/T 5009.20; Vegetables, fruits shall be tested by methods provided in NY/T 761.

4.148 Mesosulfuron-methyl

4.148.1 Major purpose of use: Herbicide.

4.148.2 ADI: 1.55 mg/kg bw.

4.148.3 Residue definition: Mesosulfuron-methyl.

4.148.4 Maximum residue limit: Shall comply with provisions in the Table 148.

Table 148

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.02*
*The MRL is the temporary limit.	

4.149 Tolclofos-methyl

4.149.1 Major purpose of use: fungicide.

4.149.2 ADI: 0.07 mg/kg bw.

4.149.3 Residue definition: Tolclofos-methyl.

4.149.4 Maximum residue limit: Shall comply with provisions in the Table 149.

Table 149

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Vegetables	
Cabbage lettuce	2
Stem and leaf lettuce	2
Radish	0.1
Potato	0.2

4.149.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, SN/T 2324; Vegetables shall be tested by methods provided in GB/T 19648.

4.150 Phosfolan-methyl

4.150.1 Major purpose of use: pesticide.

4.150.2 Residue definition: Phosfolan-methyl.

4.150.3 Maximum residue limit: Shall comply with provisions in the Table 150.

Table 150

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.03*
Brassica vegetables	0.03*
Leaf vegetables	0.03*
Solanaceous vegetables	0.03*
Gourd vegetables	0.03*
Leguminous vegetables	0.03*
Stem vegetable	0.03*
Root, tuber and tuberous rooted vegetables	0.03*
Aquatic vegetables	0.03*

Sprout vegetables	0.03*
Other vegetables	0.03*
Fruit	
Citrus fruit	0.03*
Pome fruit	0.03*
Stone fruit	0.03*
Berries and other small fruits	0.03*
Tropical and sub-tropical fruits	0.03*
Melons	0.03*
*The MRL is the temporary limit.	

4.150.4 Testing method: Vegetables, fruits shall be tested by methods provided in NY/T 761.

4.151 Thiophanate-methyl

4.151.1 Major purpose of use: fungicide.

4.151.2 ADI: 0.08 mg/kg bw.

4.151.3 Residue definition: The sum of Thiophanate-methyl and Carbendazim, expressed as Carbendazim.

4.151.4 Maximum residue limit: Shall comply with provisions in the Table 151.

Table 151

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1
Wheat	0.5
Vegetables	
Tomato	3
Eggplant	2
Chili	2
Sweet pepper	2
Hibiscus esculentus	2
Asparagus	0.5
Fruit	
Apple	3
Water melon	2

4.151.5 Testing method: Cereals shall be tested by methods provided in NY/T 1680; Vegetables, fruits shall be tested by methods provided in GB/T 20769, NY/T 1680.

4.152 Pirimiphos-methyl

4.152.1 Major purpose of use: pesticide.

4.152.2 ADI: 0.03 mg/kg bw

4.152.3 Residue definition: Pirimiphos-methyl.

4.152.4 Maximum residue limit: Shall comply with provisions in the Table 152.

Table 152

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Cereals	
Rice	5
Brown rice	2
Rice	1
Wheat	5
Whole wheat flour	5
Wheat flour	2
Condiment	
Condiment made from fruit	0.5
Condiment made from seeds	3

4.152.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.145; testing of condiment made from seed shall refer to methods provided in GB/T 19649; testing of Condiment made from fruit shall refer to methods provided in GB/T 19648.

4.153 Isofenphos-methyl

4.153.1 Major purpose of use: pesticide.

4.153.2 ADI: 0.003 mg/kg bw.

4.153.3 Residue definition: Isofenphos-methyl.

4.153.4 Maximum residue limit: Shall comply with provisions in the Table 153.

Table 153

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02*
Corn	0.02*
Wheat	0.02*
Upland crops	0.02*
Coarse cereals	0.02*
Oil seed and oil	
Soybean	0.02*
Peanut	0.05*
Vegetables	
Bulb vegetables	0.01*
Brassica vegetables	0.01*
Leaf vegetables	0.01*
Solanaceous vegetables	0.01*
Gourd vegetables	0.01*
Leguminous vegetables	0.01*
Stem vegetable	0.01*
Root, tuber and tuberous rooted vegetables (with the exception of sweet potato)	0.01*
Sweet potato	0.05*
Aquatic vegetables	0.01*

Sprout vegetables	0.01*
Other vegetables	0.01*
Fruit	
Citrus fruit	0.01*
Pome fruit	0.01*
Stone fruit	0.01*
Berries and other small fruits	0.01*
Tropical and sub-tropical fruits	0.01*
Melons	0.01*
Sugar crop	
Sugar beet	0.05*
Sugarcane	0.02*
*The MRL is the temporary limit.	

4.153.5 Testing method: Cereals, Oil seed and oil, vegetables, fruits shall be tested by methods provided in GB/T 5009.144; testing of sugar crops shall refer to methods provided in GB/T 5009.144.

4.154 Methiocarb

4.154.1 Major purpose of use: insecticide.

4.154.2 ADI: 0.02 mg/kg bw.

4.154.3 Residue definition: the sum of methiocarb, methiocarb sulfoxide and methiocarb sulfone, expressed as methiocarb.

4.154.4 Maximum residue limit: Shall comply with provisions in the Table 154.

Table 154

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05
Barley	0.05
Corn	0.05
Pea	0.1
Oil seed and oil	
Rape seed	0.05
Sunflower seed	0.05
Vegetables	
Onion	0.5
Spring onion	0.5
Head cabbage	0.1
Brussels sprouts	0.05
Broccoli	0.1
Cabbage lettuce	0.05
Sweet pepper	2
Edible podded pea	0.1
Artichoke	0.05
Potato	0.05

Fruit	
Strawberry	1
Sweet melons	0.2
Nuts	
Hazelnut	0.05
Sugar crop	
Sugar beet	0.05

4.154.5 Testing method: testing of grain, oil seed and oil, nuts shall refer to methods provided in SN/T 2560; Vegetables, fruits, sugar crops shall be tested by methods provided in GB/T 20769.

4.155 Imazapic

4.155.1 Major purpose of use: Herbicide.

4.155.2 ADI: 0.5mg/kg bw.

4.155.3 Residue definition: Imazapic and its metabolite.

4.155.4 Maximum residue limit: Shall comply with provisions in the Table 155.

Table 155

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Peanut	0.1

4.155.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23205.

4.156 Carbaryl

4.156.1 Major purpose of use: pesticide.

4.156.2 ADI: 0.008 mg/kg bw.

4.156.3 Residue definition: carbaryl.

4.156.4 Maximum residue limit: Shall comply with provisions in the Table 156.

Table 156

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	1
Oil seed and oil	
Soybean	1
Cotton seed	1
Vegetables	
Bulb vegetables	1
Brassica vegetables (with the exception of Head cabbage)	1
Head cabbage	2
Leaf vegetables (with the exception of celery cabbage)	1
Celery cabbage	1
Solanaceous vegetables	1
Gourd vegetables	1

Leguminous vegetables	1
Stem vegetable	1
Root, tuber and tuberous rooted vegetables	1
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables	1

4.156.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.21; Vegetables shall be tested by methods provided in GB/T 5009.145, GB/T 20769, NY/T 761.

4.157 Fenpropathrin

4.157.1 Major purpose of use: pesticide.

4.157.2 ADI: 0.03 mg/kg bw.

4.157.3 Residue definition: Fenpropathrin.

4.157.4 Maximum residue limit: Shall comply with provisions in the Table 157.

Table 157

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1
Oil seed and oil	
Cotton seed	1
Soybean	0.1
Crude cotton seed oil	3
Vegetables	
Leek	1
Head cabbage	0.5
Spinach	1
Ordinary cabbage	1
Lettuce	0.5
Celery	1
Celery cabbage	1
Tomato	1
Eggplant	0.2
Sweet pepper	1
Small cucumber used for pickling	0.2
Radish	0.5
Fruit	
Pome fruit	5
Citrus fruit	5
Stone fruit	5
Berries and other small fruits (with the exception of grape)	5
Grape	5
Tropical and sub-tropical fruits	5

Melons	5
Beverages	
Tea	5
Condiment	
Dried chilli	10

4.157.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, GB/T 20770, SN/T 2233; Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770, SN/T 2233; Vegetables, fruits shall be tested by methods provided in NY/T 761; tea shall be tested by methods provided in GB/T 23376, SN/T 1117; testing of condiment shall refer to methods provided in SN/T 2233, GB/T 19648.

4.158 Metalaxyl and metalaxyl-M

4.158.1 Major purpose of use: fungicide.

4.158.2 ADI: 0.08 mg/kg bw.

4.158.3 Residue definition: metalaxyl.

4.158.4 Maximum residue limit: Shall comply with provisions in the Table 158.

Table 158

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.05
Upland crops (with the exception of millet)	0.05
Millet	0.05
Oil seed and oil	
Cotton seed	0.05
Peanut	0.1
Sunflower seed	0.05
Vegetables	
Onion	2
Head cabbage	0.5
Brussels sprouts	0.2
Broccoli	2
Sprouting broccoli	0.5
Spinach	2
Cabbage lettuce	2
Tomato	0.5
Chili	0.5
Cucumber	0.5
Squash	0.2
Winter squash	0.2
Edible podded pea	0.05
Asparagus	0.05
Carrot	0.05

Potato	0.05
Fruit	
Citrus fruit	5
Pome fruit	1
Gooseberry (red, black)	0.2
Grape	1
Litchi	0.5
Avacado	0.2
Water melon	0.2
Sweet melons	0.2
Sugar crop	
Sugar beet	0.05
Beverages	
Cocoa bean	0.2
Hop	10
Condiment	
Condiment made from seeds	5

4.158.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769; Oil seed and oil, condiment, sugar crops, beverages shall be tested by methods provided in GB/T 19649, GB/T 20770.

4.159 Bifenox

4.159.1 Major purpose of use: Herbicide.

4.159.2 ADI: 0.3mg/kg bw.

4.159.3 Residue definition: Bifenox.

4.159.4 Maximum residue limit: Shall comply with provisions in the Table 159.

Table 159

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.05
Vegetables	
Vegetable soybean	0.1

4.159.5 Testing method: Oil seed and oil, vegetables shall be tested by methods provided in SN/T 1737.2.

4.160 Methoxyfenozide

4.160.1 Major purpose of use: pesticide.

4.160.2 ADI: 0.1 mg/kg bw.

4.160.3 Residue definition: Methoxyfenozide.

4.160.4 Maximum residue limit: Shall comply with provisions in the Table 160.

Table 160

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	

Head cabbage	2
Fruit Apple	3

4.160.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.161 Imazamox

4.161.1 Major purpose of use: Herbicide.

4.161.2 ADI: 9 mg/kg bw.

4.161.3 Residue definition: Imazamox.

4.161.4 Maximum residue limit: Shall comply with provisions in the Table 161.

Table 161

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil Soybean	0.1*
*The MRL is the temporary limit.	

4.162 Fenbuconazole

4.162.1 Major purpose of use: fungicide.

4.162.2 ADI: 0.03 mg/kg bw.

4.162.3 Residue definition: Fenbuconazole.

4.162.4 Maximum residue limit: Shall comply with provisions in the Table 162.

Table 162

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice	0.1
Wheat	0.1
Barley	0.2
Rye	0.1
Oil seed and oil Rape seed	0.05
Sunflower seed	0.05
Vegetables Cucumber	0.2
Squash	0.05
Fruit Pome fruit	0.1
Peach	0.5
Apricot	0.5
Cherry	1
Grape	1
Banana	0.05
Sweet melons	0.2
Nuts	0.01

4.162.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769; testing of oil seed and oil, Nuts shall refer to methods provided in GB/T 19649.

4.163 Myclobutanil

4.163.1 Major purpose of use: fungicide.

4.163.2 ADI: 0.03 mg/kg bw.

4.163.3 Residue definition: Myclobutanil.

4.163.4 Maximum residue limit: Shall comply with provisions in the Table 163.

Table 163

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1
Corn	0.02
Millet	0.02
Sorghum	0.02
Vegetables	
Cucumber	1
Fruit	
Citrus	5
Pome fruit (with the exception of apple and pear)	0.5
Apple	0.5
Pear	0.5
Stone fruit (with the exception of prune)	2
Prune	0.2
Dried prune	0.5
Grape	1
Strawberry	1
Litchi	0.5
Banana	2
Beverages	
Hop	2

4.163.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; fruits, vegetables shall be tested by methods provided in GB/T 20769, GB/T 19648, NY/T 1455; beverages shall be tested by methods provided in GB/T 20769, GB/T 19648, NY/T 1455.

4.164 Fenoxaprop-P-ethyl

4.164.1 Major purpose of use: Herbicide.

4.164.2 ADI: 0.0025 mg/kg bw.

4.164.3 Residue definition: Fenoxaprop-ethyl.

4.164.4 Maximum residue limit: Shall comply with provisions in the Table 164.

Table 164

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.1
Oil seed and oil	
Rape seed	0.5
Cotton seed	0.02
Peanut	0.1
Vegetables	
Broccoli	0.1
Sprouting broccoli	0.1

4.164.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in NY/T 1379; Vegetables shall be tested by methods provided in NY/T 1379.

4.165 Dimethenamid-P

4.165.1 Major purpose of use: Herbicide.

4.165.2 ADI: 0.07 mg/kg bw.

4.165.3 Residue definition: sum of dimethenamid-P and its enantiomer.

4.165.4 Maximum residue limit: Shall comply with provisions in the Table 165.

Table 165

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.01
Sorghum	0.01
Coarse cereals	0.01
Oil seed and oil	
Peanut	0.01
Soybean	0.01
Vegetables	
Garlic	0.01
Onion	0.01
Scallion	0.01
Potato	0.01
Sweet potato	0.01
Garden beet	0.01
Cactus	0.01
Sugar crop	
Sugar beet	0.01

4.165.5 Testing method: testing of grain, oil seed and oil, sugar crops shall refer to methods provided in GB/T 19649, GB/T 20770; Vegetables shall be tested by methods provided in GB/T 20769, GB/T 19648, NY/T 1379.

4.166 Monocrotophos

4.166.1 Major purpose of use: pesticide.

4.166.2 ADI: 0.0006 mg/kg bw.

4.166.3 Residue definition: Monocrotophos.

4.166.4 Maximum residue limit: Shall comply with provisions in the Table 166.

Table 166

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.02
Wheat	0.02
Oil seed and oil	
Cotton seed oil	0.05
Vegetables	
Bulb vegetables	0.03
Brassica vegetables	0.03
Leaf vegetables	0.03
Solanaceous vegetables	0.03
Gourd vegetables	0.03
Leguminous vegetables	0.03
Stem vegetable	0.03
Root, tuber and tuberous rooted vegetables	0.03
Aquatic vegetables	0.03
Sprout vegetables	0.03
Other vegetables	0.03
Fruit	
Citrus fruit	0.03
Pome fruit	0.03
Stone fruit	0.03
Berries and other small fruits	0.03
Tropical and sub-tropical fruits	0.03
Melons	0.03
Sugar crop	
Sugarcane	0.02

4.166.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.20; Vegetables, fruits shall be tested by methods provided in NY/T 761; testing of sugar crops shall refer to methods provided in NY/T 761.

4.167 Pirimicarb

4.167.1 Major purpose of use: pesticide.

4.167.2 ADI: 0.02 mg/kg bw.

4.167.3 Residue definition: Pirimicarb.

4.167.4 Maximum residue limit: Shall comply with provisions in the Table 167.

Table 167

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Upland crops (with the exception of Fresh maize)	0.05
Fresh maize	0.05
Coarse cereals	0.2
Oil seed and oil	
Rape seed	0.2
Soybean	0.05
Sunflower seed	0.1
Vegetables	
Onion	0.1
Garlic	0.1
Brassica vegetables (with the exception of Kale, and the Head cabbage)	0.5
Kale	0.3
Head cabbage	1
Broccoli	1
Cabbage lettuce	5
Stem and leaf lettuce	5
Solanaceous vegetables	0.5
Gourd vegetables	1
Leguminous vegetables	0.7
Asparagus	0.01
Artichoke	5
Root, tuber and tuberous rooted vegetables	0.05
Fruit	
Citrus fruit	3
Pome fruit	1
Peach	0.5
Nectarine	0.5
Prune	0.5
Apricot	0.5
Cherry	0.5
Date	0.5
Berries and other small fruits	1
Melons (with the exception of sweet melons)	1

Sweet melons	0.2
Condiment	
Dried chilli	20
Condiment made from seeds	5

4.167.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649, SN/T 0134; Oil seed and oil shall be tested by methods provided in GB/T 20770, GB/T 19649, SN/T 0134; Vegetables, fruits shall be tested by methods provided in GB/T 19648, NY/T 1379, SN/T 0134; testing of condiment shall refer to methods provided in GB/T 20770, GB/T 19649.

4.168 Carbofuran

4.168.1 Major purpose of use: pesticide.

4.168.2 ADI: 0.001 mg/kg bw.

4.168.3 Residue definition: The sum of Carbofuran and Trihydroxy carbofuran, expressed as Carbofuran.

4.168.4 Maximum residue limit: Shall comply with provisions in the Table 168.

Table 168

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.1
Corn	0.1
Oil seed and oil	
Cotton seed	0.1
Soybean	0.2
Peanut	0.2
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables (with the exception of potatos)	0.02
Potatos	0.1
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02

Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crop	
Sugarcane	0.1
Sugar beet	0.1

4.168.5 Testing method: testing of Cereals, Oil seed and oil, sugar crops shall refer to methods provided in NY/T 761; Vegetables, fruits shall be tested by methods provided in NY/T 761.

4.169 Captan

4.169.1 Major purpose of use: fungicide.

4.169.2 ADI: 0.1 mg/kg bw.

4.169.3 Residue definition: Captan.

4.169.4 Maximum residue limit: Shall comply with provisions in the Table 169.

Table 169

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	5
Potato	0.05*
Fruit	
Citrus	5
Pome fruit (with the exception of apple and pear)	15
Apple	15
Pear	15
Peach	20
Nectarine	3
Prune	10
Dried prune	10
Cherry	25
Blueberry	20
Current (red, black)	20
Grape	5
Strawberry	15
Sweet melons	10
Nuts	
Almond	0.3
*The MRL is the temporary limit.	

4.169.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 19468, SN 0654; testing of nuts shall refer to methods provided in GB/T 19468, SN 0654.

4.170 Quizalofop and quizalofop-P-ethyl

4.170.1 Major purpose of use: Herbicide.

4.170.2 ADI: 0.0009mg/kg bw.

4.170.3 Residue definition: Quizalofop.

4.170.4 Maximum residue limit: Shall comply with provisions in the Table 170.

Table 170

Food Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.1
Cotton seed	0.05
Soybean	0.1
Peanut	0.1
Vegetables	
Vegetable soybean	0.2
Sugar crop	
Sugar beet	0.1

4.170.5 Testing method: testing of oil seed and oil, vegetables, sugar crops shall refer to methods provided in GB/T 20770, SN/T 2228.

4.171 Oxine-copper

4.171.1 Major purpose of use: fungicide

4.171.2 ADI: 0.02 mg/kg bw

4.171.3 Residue definition: Oxine-copper

4.171.4 Maximum residue limit: Shall comply with provisions in the Table 171.

Table 171

Food Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	2*
Fruit	
Apple	2*
*The MRL is the temporary limit.	

4.172 Quinalphos

4.172.1 Major purpose of use: pesticide.

4.172.2 ADI: 0.0005 mg/kg bw.

4.172.3 Residue definition: Quinalphos.

4.172.4 Maximum residue limit: Shall comply with provisions in the Table 172.

Table 172

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2*
Fruit	
Citrus	0.5*
*The MRL is the temporary limit.	

4.172.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20; fruits shall be tested by methods provided in NY/T 761.

4.173 Fenazaquin

4.173.1 Major purpose of use: Acaricide.

4.173.2 ADI: 0.005 mg/kg bw.

4.173.3 Residue definition: Fenazaquin.

4.173.4 Maximum residue limit: Shall comply with provisions in the Table 173.

Table 173

Food Category/Name	Maximum residue limit (mg/kg)
Beverages	
Tea	15

4.173.5 Testing method: tea shall be tested by methods provided in GB/T 23204, GB/T 23205.

4.174 Quinoxifen

4.174.1 Major purpose of use: fungicide.

4.174.2 ADI: 0.2 mg/kg bw.

4.174.3 Residue definition: Quinoxifen.

4.174.4 Maximum residue limit: Shall comply with provisions in the Table 174.

Table 174

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01*
Barley	0.01*
Vegetables	
Cabbage lettuce	8*
Stem and leaf lettuce	20*
Chili	1*
Fruit	
Cherry	0.4*
Current (black)	1*
Grape	2*
Strawberry	1*
Sweet melons	0.1*
Sugar crop	
Sugar beet	0.03*
Condiment	
Dried chilli	10*
Beverages	
Hop	1*
*The MRL is the temporary limit.	

4.175 Dimethoate

4.175.1 Major purpose of use: pesticide.

4.175.2 ADI: 0.002 mg/kg bw.

4.175.3 Residue definition: Dimethoate.

4.175.4 Maximum residue limit: Shall comply with provisions in the Table 175.

Table 175

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05*
Wheat	0.05*
Fresh maize	0.5*
Oil seed and oil	
Soybean	0.05*
Edible vegetable oil	0.05*
Vegetables	
Leek	0.2*
Onion	0.2*
Scallion	0.2*
Lily	0.2*
Garlic	0.2*
Broccoli	1*
Head cabbage	1*
Spinach	1*
Ordinary cabbage	1*
Lettuce	1*
Celery cabbage	1*
Tomato	0.5*
Eggplant	0.5*
Chili	0.5*
Pea	0.5*
Kidney bean	0.5*
Broad bean	0.5*
Hyacinth bean	0.5*
Cowpea	0.5*
Edible podded pea	0.5*
Celery	0.5*
Asparagus	0.5*
Artichoke	0.5*
Radish	0.5*
Carrot	0.5*
Chinese yam	0.5*
Potato	0.5*
Fruit	
Citrus	2*
Orange	2*
Pummelo	2*
Lemon	2*

Apple	1*
Pear	1*
Peach	2*
Nectarine	2*
Prune	2*
Apricot	2*
Cherry	2*
Date	2*
Sugar crop	
Sugar beet	0.5*
Edible fungi	
Mushroom (fresh)	0.5*
*The MRL is the temporary limit.	

4.175.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.20; Vegetables, fruits and edible fungi shall be tested by methods provided in GB/T 5009.145, GB/T 20769, NY/T 761; testing of sugar crops shall refer to methods provided in NY/T 761.

4.176 Bifenazate

4.176.1 Major purpose of use: Acaricide.

4.176.2 ADI: 0.01 mg/kg bw.

4.176.3 Residue definition: Bifenazate.

4.176.4 Maximum residue limit: Shall comply with provisions in the Table 176.

Table 176

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Coarse cereals	0.3
Oil seed and oil	
Cotton seed	0.3
Vegetables	
Tomato	0.5
Chili	3
Sweet pepper	2
Gourd vegetables	0.5
Leguminous vegetables	7
Fruit	
Citrus	0.7
Pome fruit (with the exception of apples)	0.7
Apple	0.2
Stone fruit	2
Blackberry	7
Dewberry (incl. boysenberry and loganberry)	7
Gooseberry (red, black)	7

Grape	0.7
Raisin	2
Strawberry	2
Melons	0.5
Nuts	0.2
Beverages	
Hop	20
Condiment	
Mint	40

4.176.5 Testing method: testing of grain, Oil seed and oil, Nuts, beverages, condiment shall refer to methods provided in SN/T 2150; Vegetables, fruits shall be tested by methods provided in GB/T 20769, GB/T 19648.

4.177 Bifenthrin

4.177.1 Major purpose of use: Pesticide/Acaricide.

4.177.2 ADI: 0.01 mg/kg bw.

4.177.3 Residue definition: Bifenthrin (sum of isomers).

4.177.4 Maximum residue limit: Shall comply with provisions in the Table 177.

Table 177

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5
Barley	0.05
Corn	0.05
Coarse cereals	0.3
Oil seed and oil	
Cotton seed	0.5
Soybean	0.3
Rape seed	0.05
Edible rapeseed oil	0.1
Vegetables	
Brassica vegetables (with the exception of Head cabbage)	0.4
Head cabbage	0.2
Leaf mustard	4
Radish leaf	4
Tomato	0.5
Eggplant	0.3
Chili	0.5
Root, tuber and tuberous rooted vegetables	0.05
Fruit	
Citrus	0.05
Orange	0.05

Pummelo	0.05
Lemon	0.05
Apple	0.5
Pear	0.5
Blackberry	1
Dewberry (incl. boysenberry and loganberry)	1
Gooseberry (red, black)	1
Strawberry	1
Banana	0.1
Beverages	
Tea	5
Hop	20
Condiment	
Dried chilli	5

4.177.5 Testing method: Cereals shall be tested by methods provided in SN/T 2151; Oil seed and oil shall be tested by methods provided in GB/T 5009.146; Vegetables, fruits shall be tested by methods provided in GB/T 5009.146, NY/T 761, SN/T 1969; beverages shall be tested by methods provided in SN/T 1969; testing of condiment shall refer to methods provided in GB/T 19648, SN/T 1969.

4.178 Bitertanol

4.178.1 Major purpose of use: fungicide.

4.178.2 ADI: 0.01 mg/kg bw.

4.178.3 Residue definition: Bitertanol.

4.178.4 Maximum residue limit: Shall comply with provisions in the Table 178.

Table 178

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Triticale	0.05
Vegetables	
Tomato	3
Cucumber	0.5
Fruit	
Pome fruit	2
Peach	1
Nectarine	1
Apricot	1
Prune	2

Dried prune	2
Cherry	1
Banana	0.5

4.178.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.179 Phosphamidon

4.179.1 Major purpose of use: pesticide.

4.179.2 ADI: 0.0005 mg/kg bw.

4.179.3 Residue definition: Phosphamidon.

4.179.4 Maximum residue limit: Shall comply with provisions in the Table 179.

Table 179

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.02
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05

4.179.5 Testing method: Cereals shall be tested by methods provided in SN 0701; vegetables and shall be tested by methods provided in NY/T 761.

4.180 Aluminium phosphide

4.180.1 Major purpose of use: pesticide.

4.180.2 ADI: 0.011 mg/kg bw.

4.180.3 Residue definition: hydrogen phosphide.

4.180.4 Maximum residue limit: Shall comply with provisions in the Table 180.

Table 180

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Upland crops	0.05
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Starchy underground vegetable	0.05

4.180.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.36, GB/T 25222; vegetables shall be tested by methods provided in GB/T 5009.36.

4.181 Magnesium phosphide

4.181.1 Major purpose of use: pesticide.

4.181.2 ADI: 0.011 mg/kg bw.

4.181.3 Residue definition: hydrogen phosphide.

4.181.4 Maximum residue limit: Shall comply with provisions in the Table 181.

Table 181

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05

4.181.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.36, GB/T 25222.

4.182 Hydrogen phosphide

4.182.1 Major purpose of use: pesticide.

4.182.2 ADI: 0.011 mg/kg bw.

4.182.3 Residue definition: Hydrogen phosphide.

4.182.4 Maximum residue limit: Shall comply with provisions in the Table 182.

Table 182

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Dried vegetables	0.01
Fruit	
Dried fruits	0.01
Nuts	0.01
Beverages	
Cocoa bean	0.01
Condiment	0.01

4.182.5 Testing method: testing of Vegetables, fruits, nuts, beverages and condiment shall refer to methods provided in GB/T 5009.36.

4.183 2-phenylphenol

4.183.1 Major purpose of use: fungicide.

4.183.2 ADI: 0.4 mg/kg bw.

4.183.3 Residue definition: Sum of 2-phenylphenol and sodium 2-phenylphenate, expressed as 2-phenylphenol.

4.183.4 Maximum residue limit: Shall comply with provisions in the Table 183.

Table 183

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus fruit	10
Dried preserved citrus	60
Pear	20
Beverages	
Orange juice	0.5

4.183.5 Testing method: fruits and beverages shall be tested by methods provided in SN 0597, GB/T 19648.

4.184 Endosulfan

4.184.1 Major purpose of use: pesticide.

4.184.2 ADI: 0.006 mg/kg bw.

4.184.3 Residue definition: The sum of α - Endosulfan, β - Endosulfan and Endosulfan-sulfate.

4.184.4 Maximum residue limit: Shall comply with provisions in the Table 184.

Table 184

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	1 [*]
Soybean	1 [*]
Crude soybean oil	2 [*]
Vegetables	
Cucumber	1 [*]
Sweet potato	0.05 [*]
Taro	0.05 [*]
Potato	0.05 [*]
Fruit	
Apple	1 [*]
Pear	1 [*]
Litchi	2 [*]
Melons	2 [*]
Sugar crop	
Sugarcane	0.5 [*]
Beverages	
Tea	10 [*]
Poultry (Expressed in fat)	0.2 [*]

Hepar (Cattle, sheep, pig)	0.1 [*]
Kidney (Cattle, sheep, pig)	0.03 [*]
Poultry (include internal organs)	0.03 [*]
Eggs	0.03 [*]
Raw milk	0.01 [*]
*The MRL is the temporary limit.	

4.184.5 Testing method: Oil seed and oil, sugar crops, tea shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.185 Phosfolan

4.185.1 Major purpose of use: pesticide.

4.185.2 ADI: 0.005 mg/kg bw.

4.185.3 Residue definition: Phosfolan.

4.185.4 Maximum residue limit: Shall comply with provisions in the Table 185.

Table 185

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.03 [*]
Brassica vegetables	0.03 [*]
Leaf vegetables	0.03 [*]
Solanaceous vegetables	0.03 [*]
Gourd vegetables	0.03 [*]
Leguminous vegetables	0.03 [*]
Stem vegetable	0.03 [*]
Root, tuber and tuberous rooted vegetables	0.03 [*]
Aquatic vegetables	0.03 [*]
Sprout vegetables	0.03 [*]
Other vegetables	0.03 [*]
Fruit	
Citrus fruit	0.03 [*]
Pome fruit	0.03 [*]
Stone fruit	0.03 [*]
Berries and other small fruits	0.03 [*]
Tropical and sub-tropical fruits	0.03 [*]
Melons	0.03 [*]
*The MRL is the temporary limit.	

4.185.5 Testing method: vegetables and fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.186 Thiodicarb

4.186.1 Major purpose of use: pesticide.

4.186.2 ADI: 0.03 mg/kg bw.

4.186.3 Residue definition: Thiodicarb.

4.186.4 Maximum residue limit: Shall comply with provisions in the Table 186.

Table 186

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed oil	0.1

4.186.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770.

4.187 Sulfuryl fluoride

4.187.1 Major purpose of use: pesticide.

4.187.2 ADI: 0.01 mg/kg bw.

4.187.3 Residue definition: sulfuryl fluoride.

4.187.4 Maximum residue limit: Shall comply with provisions in the Table 187.

Table 187

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05 [*]
Brown rice	0.1 [*]
Rice	0.1 [*]
Upland crops	0.05 [*]
Rye flour	0.1 [*]
Whole rye flour	0.1 [*]
Wheat flour	0.1 [*]
Whole wheat flour	0.1 [*]
Corn flour	0.1 [*]
Corn grat	0.1 [*]
Wheat germ	0.1 [*]
Fruit	
Dried fruits	0.06 [*]
Nuts	3 [*]
*The MRL is the temporary limit.	

4.188 Cadusafos

4.188.1 Major purpose of use: pesticide.

4.188.2 ADI: 0.0005 mg/kg bw.

4.188.3 Residue definition: Cadusafos.

4.188.4 Maximum residue limit: Shall comply with provisions in the Table 188.

Table 188

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.005
Sugar crop	

Sugarcane	0.005
-----------	-------

4.188.5 Testing method: testing of fruits, sugar crops shall refer to methods provided in SN/T 2147.

4.189 Spirotetramat

4.189.1 Major purpose of use: pesticide.

4.189.2 ADI: 0.05 mg/kg bw.

4.189.3 Residue definition: The sum of Spirotetramat and its enol metabolite, expressed as Spirotetramat.

4.189.4 Maximum residue limit: Shall comply with provisions in the Table 189.

Table 189

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Coarse cereals	2*
Oil seed and oil	
Cotton seed	0.4*
Soybean	4*
Vegetables	
Onion	0.4*
Head cabbage	2*
Broccoli	1*
Leaf vegetables (with the exception of celery)	7*
Celery	4*
Tomato	1*
Solanaceous vegetables (with the exception of chili)	1*
Chili	2*
Gourd vegetables	0.2*
Leguminous vegetables	1.5*
Potato	0.8*
Fruit	
Citrus fruit (with the exception of citrus)	0.5*
Citrus	1*
Pome fruit	0.7*
Stone fruit	3*
Dried prune	5*
Grape	2*
Raisin	4*
Kiwi fruit	0.02*
Litchi	15*
Mango	0.3*
Carica papaya	0.4*
Melons	0.2*
Nuts	0.5*

Beverages Hop	15*
Condiment Dried chilli	15*
*The MRL is the temporary limit.	

4.190 Spirodiclofen

4.190.1 Major purpose of use: Acaricide.

4.190.2 ADI: 0.01 mg/kg bw.

4.190.3 Residue definition: Spirodiclofen.

4.190.4 Maximum residue limit: Shall comply with provisions in the Table 190.

Table 190

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil Cotton seed	0.02
Fruit Citrus	0.5

4.190.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649; fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769.

4.191 Chlortoluron

4.191.1 Major purpose of use: Herbicide.

4.191.2 ADI: 0.04 mg/kg bw.

4.191.3 Residue definition: Chlortoluron.

4.191.4 Maximum residue limit: Shall comply with provisions in the Table 191.

Table 191

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Wheat Corn	0.1 0.1
Oil seed and oil Soybean	0.1

4.191.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.133.

4.192 Aminopyralid

4.192.1 Major purpose of use: Herbicide.

4.192.2 ADI: 0.9 mg/kg bw.

4.192.3 Residue definition: sum of aminopyralid and its conjugates, expressed as aminopyralid.

4.192.4 Maximum residue limit: Shall comply with provisions in the Table 192.

Table 192

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Wheat	0.1*

Barley	0.1 [*]
Oats	0.1 [*]
Triticale	0.1 [*]
*The MRL is the temporary limit.	

4.193 Chlorpropham

4.193.1 Major purpose of use: plant growth regulator.

4.193.2 ADI: 0.05 mg/kg bw.

4.193.3 Residue definition: Chlorpropham.

4.193.4 Maximum residue limit: Shall comply with provisions in the Table 193.

Table 193

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Potato	30

4.193.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19649.

4.194 Fenarimol

4.194.1 Major purpose of use: fungicide.

4.194.2 ADI: 0.01 mg/kg bw.

4.194.3 Residue definition: Fenarimol.

4.194.4 Maximum residue limit: Shall comply with provisions in the Table 194.

Table 194

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Sweet pepper	0.5
Artichoke	0.1
Fruit	
Pome fruit (with the exception of apple)	0.3
Apple	0.3
Pear	0.3
Peach	0.5
Cherry	1
Grape	0.3
Raisin	0.2
Strawberry	1
Banana	0.2
Sweet melons	0.05
Beverages	
Hop	5
Nuts	

Carya cathayensis	0.02
Condiment	
Dried chilli	5

4.194.5 Testing method: Vegetables, fruits, and beverages shall be tested by methods provided in GB/T 20769, GB/T 19648; testing of nuts, condiment shall refer to methods provided in GB/T 20769, GB/T 19648.

4.195 Halosulfuron-methyl

4.195.1 Major purpose of use: Herbicide.

4.195.2 ADI: 0.1 mg/kg bw.

4.195.3 Residue definition: Halosulfuron-methyl.

4.195.4 Maximum residue limit: Shall comply with provisions in the Table 195.

Table 195

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05

4.195.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.196 Forchlorfenuron

4.196.1 Major purpose of use: plant growth regulator.

4.196.2 ADI: 0.07mg/kg bw.

4.196.3 Residue definition: Forchlorfenuron.

4.196.4 Maximum residue limit: Shall comply with provisions in the Table 196.

Table 196

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.1
Fruit	
Orange	0.05
Loquat	0.05
Kiwi fruit	0.05
Grape	0.05
Water melon	0.1
Sweet melon	0.1

4.196.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20770.

4.197 Chlorantraniliprole

4.197.1 Major purpose of use: pesticide.

4.197.2 ADI: 2 mg/kg bw.

4.197.3 Residue definition: Chlorantraniliprole.

4.197.4 Maximum residue limit: Shall comply with provisions in the Table 197.

Table 197

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Cereals	
Brown rice	0.5*
Wheat	0.02*
Upland crops (with the exception of corn)	0.02*
Corn	0.02*
Oil seed and oil	
Cotton seed	0.3*
Vegetables	
Brassica vegetables (with the exception of head cabbage, broccoli)	2*
Head cabbage	2*
Broccoli	2*
Leaf vegetables(with the exception of celery)	20*
Celery	7*
Solanaceous vegetables	0.6*
Gourd vegetables	0.3*
Root, tuber and tuberous rooted vegetables	0.02*
Cactus	0.01*
Fruit	
Citrus fruit	0.5*
Pome fruit (with the exception of apples)	0.4*
Apple	2*
Stone fruit	1*
Berries and other small fruits	1*
Melons	0.3*
Nuts	0.02*
Sugar crop	
Sugarcane	0.05*
Condiment	
Mint	15*
*The MRL is the temporary limit.	

4.198 Lvdngjunzhi

4.198.1 Major purpose of use: fungicide.

4.198.2 ADI: 0.05 mg/kg bw.

4.198.3 Residue definition: Lvdngjunzhi.

4.198.4 Maximum residue limit: Shall comply with provisions in the Table 198.

Table 198

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	2*
Wheat	0.2*

Oil seed and oil	
Rape seed	0.5*
*The MRL is the temporary limit.	

4.199 Fluroxypyr and fluroxypyr-mepthyl)

4.199.1 Major purpose of use: Herbicide.

4.199.2 ADI: 1mg/kg bw.

4.199.3 Residue definition: fluroxypyr.

4.199.4 Maximum residue limit: Shall comply with provisions in the Table 199.

Table 199

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Wheat	0.2
Corn	0.05*

4.199.5 Testing method: Cereals shall be tested by methods provided in GB/T 22243.

4.200 Cyhalothrin and lambda-cyhalothrin)

4.200.1 Major purpose of use: pesticide.

4.200.2 ADI: 0.02 mg/kg bw.

4.200.3 Residue definition: cyhalothrin (sum of isomers).

4.200.4 Maximum residue limit: Shall comply with provisions in the Table 200.

Table 200

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1
Wheat	0.05
Barley	0.5
Oats	0.05
Rye	0.05
Triticale	0.05
Corn	0.02
Fresh maize	0.2
Oil seed and oil	
Oil seed (with the exception of soybean and cotton seed)	0.2
Cotton seed	0.05
Soybean	0.02
Cotton seed oil	0.02
Vegetables	
Leek	0.5
Bulb vegetables	0.2
Head cabbage	1

Broccoli	0.5
Spinach	2
Ordinary cabbage	2
Lettuce	2
Celery	0.5
Celery cabbage	1
Solanaceous vegetables (with the exception of tomato, eggplant, chili)	0.3
Tomato	0.2
Eggplant	0.2
Chili	0.2
Gourd vegetables	0.05
Leguminous vegetables	0.2
Asparagus	0.02
Root, tuber and tuberous rooted vegetables	0.01
Fruit	
Citrus fruit (with the exception of citrus)	0.2
Citrus	0.2
Pome fruit (with the exception of apple and pear)	0.2
Apple	0.2
Pear	0.2
Peach	0.5
Nectarine	0.5
Apricot	0.5
Prune	0.2
Dried prune	0.2
Cherry	0.3
Raisin	0.3
Berries and other small fruits	0.2
Olive	1
Litchi	0.1
Mango	0.2
Melons	0.05
Nuts	0.01
Sugar crop	
Sugarcane	0.05
Beverages	
Tea	15
Edible fungi	
Mushroom (fresh)	0.5
Condiment	
Dried chilli	3

4.200.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.146, GB/T 19649, SN/T 2151; testing of oil seed and oil, nuts, sugar crops, condiment shall refer to methods provided in GB/T 5009.146, GB/T 19649, SN/T 2151; Vegetables, fruits and edible fungi shall be tested by methods provided in GB/T 5009.146, NY/T 761; tea shall be tested by methods provided in SN/T 1117.

4.201 Chloropicrin

4.201.1 Major purpose of use: fumigant.

4.201.2 ADI: 0.001 mg/kg bw.

4.201.3 Residue definition: Chloropicrin.

4.201.4 Maximum residue limit: Shall comply with provisions in the Table 201.

Table 201

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Upland crops	0.1
Coarse cereals	0.1
Oil seed and oil	
Soybean	0.1
Vegetables	
Eggplant	0.05*
Ginger	0.05*
Other root, tuber and tuberous rooted vegetables	0.1
Fruit	
Strawberry	0.05*
Sweet melon	0.05*
*The MRL is the temporary limit.	

4.201.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.36; Oil seed and oil, vegetables, fruits shall be tested by methods provided in GB/T 5009.36.

4.202 Chlorsulfuron

4.202.1 Major purpose of use: Herbicide.

4.202.2 ADI: 0.2 mg/kg bw.

4.202.3 Residue definition: Chlorsulfuron.

4.202.4 Maximum residue limit: Shall comply with provisions in the Table 202.

Table 202

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1

4.202.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.203 Permethrin

4.203.1 Major purpose of use: pesticide.

4.203.2 ADI: 0.05 mg/kg bw.

4.203.3 Residue definition: Permethrin (sum of isomers).

4.203.4 Maximum residue limit: Shall comply with provisions in the Table 203.

Table 203

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	2
Wheat	2
Coarse cereals	2
Upland crops	2
Wheat flour	0.5
Wheat germ	2
Whole wheat flour	2
Oil seed and oil	
Rape seed	0.05
Cotton seed	0.5
Soybean	2
Peanut	0.1
Sunflower seed	1
Cotton seed oil	0.1
Crude sunflower seed oil	1
Vegetables	
Bulb vegetables (with the exception of spring onion, scallion)	1
Spring onion	0.5
Scallion	0.5
Brassica vegetables (with the exception of the separately listed)	1
Head cabbage	5
Head cabbage	0.1
Brussels sprouts	1
Kale	5
Broccoli	0.5
Sprouting broccoli	2
Leaf vegetables (with the exception of spinach, cabbage lettuce, celery, Chinese cabbage)	1
Spinach	2
Cabbage lettuce	2
Celery	2
Celery cabbage	5

Solanaceous vegetables (with the exception of tomato, eggplant, and chili)	1
Tomato	1
Eggplant	1
Chili	1
Gourd vegetables (with the exception of cucumber, small cucumber used for pickling, squash, winter squash)	1
Cucumber	0.5
Small cucumber used for pickling	0.5
Squash	0.5
winter squash	0.5
Leguminous vegetables (with the exception of edible podded pea, kidney bean)	1
Edible podded pea	0.1
Kidney bean	1
Stem vegetable (with the exception of asparagus)	1
Asparagus	1
Root, tuber and tuberous rooted vegetables (radish, carrot, potato, etc.)	1
Radish	0.1
Carrot	0.1
Potato	0.05
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables (with the exception of Cactus)	1
Cactus	0.1
Fruit	
Citrus fruit	2
Pome fruit	2
Stone fruit	2
Berries and other small fruits (with the exception of the separately listed)	2
Raspberry	2
Current (black, red, white)	2
Blackberry	1
Gooseberry (red, black)	1
Dewberry (incl. boysenberry and loganberry)	1
Kiwi fruit	2
Grape	2
Strawberry	1

Tropical and sub-tropical fruits (with the exception of olive)	2
Olive	1
Melons	2
Nuts	
Almond	0.1
Pistachio nuts	0.05
Sugar crop	
Sugar beet	0.05
Beverages	
Tea	20
Coffee bean	0.05
Hop	50
Edible fungi	
Mushroom (fresh)	0.1
Condiment	
Condiment (with the exception of dried chilli, horseradish)	0.05
Horseradish	0.5
Dried chilli	10

4.203.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.146, SN/T 2151; testing of oil seed and oil, sugar crops, beverages (with the exception of tea), condiment, nuts, edible fungi shall refer to methods provided in GB/T 5009.146, SN/T 2151; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761; tea shall be tested by methods provided in GB/T 23204, SN/T 1117.

4.204 Chlorimuron-ethyl

4.204.1 Major purpose of use: Herbicide.

4.204.2 ADI: 0.09 mg/kg bw.

4.204.3 Residue definition: Chlorimuron-ethyl.

4.204.4 Maximum residue limit: Shall comply with provisions in the Table 204.

Table 204

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.02

4.204.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770.

4.205 Cypermethrin and beta-cypermethrin

4.205.1 Major purpose of use: pesticide.

4.205.2 ADI: 0.02 mg/kg bw.

4.205.4 Residue definition: Cypermethrin (sum of isomers).

4.205.5 Maximum residue limit: Shall comply with provisions in the Table 205.

Table 205

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Cereals (with the exception of the separately listed)	0.3
Rice	2
Wheat	0.2
Barley	2
Rye	2
Oats	2
Corn	0.05
Fresh maize	0.5
Coarse cereals	0.05
Oil seed and oil	
Small-grained oilseed	0.1
Cotton seed	0.2
Large oilseeds (with the exception of soybean)	0.1
Soybean	0.05
Virgin olive oil	0.5
Refined olive oil	0.5
Vegetables	
Spring onion	0.05
Onion	0.01
Leek	1
Brassica vegetables (with the exception of Head cabbage)	1
Head cabbage	5
Spinach	2
Ordinary cabbage	2
Lettuce	2
Celery	1
Celery cabbage	2
Tomato	0.5
Eggplant	0.5
Chili	0.5
Okra	0.5
Gourd vegetables (with the exception of cucumber)	0.07
Cucumber	0.2
Pea	0.5
Kidney bean	0.5
Broad bean	0.5
Hyacinth bean	0.5

Cowpea	0.5
Edible podded pea	0.5
Asparagus	0.4
Artichoke	0.1
Root, tuber and tuberous rooted vegetables	0.01
Cactus	0.05
Fruit	
Orange	2
Pummelo	2
Lemon	2
Citrus	1
Apple	2
Pear	2
Stone fruit (with the exception of peach)	2
Peach	1
Grape	0.2
Raisin	0.5
Strawberry	0.07
Olive	0.05
Star fruit	0.2
Longan	0.5
Litchi	0.5
Mango	0.7
Carica papaya	0.5
Durian	1
Melons	0.07
Nuts	0.05
Sugar crop	
Sugarcane	0.2
Sugar beet	0.1
Beverages	
Tea	20
Coffee bean	0.05
Edible fungi	
Mushroom (fresh)	0.5
Condiment	
Dried chilli	10
Condiment made from fruit	0.1
Condiment made from plant root and stem	0.2

4.205.6 Testing method: Cereals shall be tested by methods provided in GB/T 5009.110, GB/T 19649; testing of oil seed and oil, Nuts, sugar crops, and condiment shall refer to methods provided in GB/T 5009.110, GB/T 5009.146, GB/T 19649; Vegetables, fruits and edible fungi shall be tested

by methods provided in GB/T 5009.146, GB/T 19648, NY/T 761; beverages shall be tested by methods provided in GB/T 23204, SN/T 1117.

4.206 Imidaclothiz

4.206.1 Major purpose of use: pesticide.

4.206.2 ADI: 0.025 mg/kg bw.

4.206.3 Residue definition: Imidaclothiz.

4.206.4 Maximum residue limit: Shall comply with provisions in the Table 206.

Table 206

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1*
Wheat	0.2*
Fruit	
Citrus	0.2*
Beverages	
Tea	3*
*The MRL is the temporary limit.	

4.207 Dicloran

4.207.1 Major purpose of use: fungicide.

4.207.2 ADI: 0.01 mg/kg bw.

4.207.3 Residue definition: Dicloran.

4.207.4 Maximum residue limit: Shall comply with provisions in the Table 207.

Table 207

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Onion	0.2
Carrot	15
Fruit	
Peach	7
Nectarine	7
Grape	7

4.207.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19648, GB/T 20769, NY/T 1379; fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769.

4.208 Isazofos

4.208.1 Major purpose of use: pesticide.

4.208.2 ADI: 0.00005 mg/kg bw.

4.208.3 Residue definition: Isazofos.

4.208.4 Maximum residue limit: Shall comply with provisions in the Table 208.

Table 208

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05 [*]
Vegetables	
Bulb vegetables	0.01 [*]
Brassica vegetables	0.01 [*]
Leaf vegetables	0.01 [*]
Solanaceous vegetables	0.01 [*]
Gourd vegetables	0.01 [*]
Leguminous vegetables	0.01 [*]
Stem vegetable	0.01 [*]
Root, tuber and tuberous rooted vegetables	0.01 [*]
Aquatic vegetables	0.01 [*]
Sprout vegetables	0.01 [*]
Other vegetables	0.01 [*]
Fruit	
Citrus fruit	0.01 [*]
Pome fruit	0.01 [*]
Stone fruit	0.01 [*]
Berries and other small fruits	0.01 [*]
Tropical and sub-tropical fruits	0.01 [*]
Melons	0.01 [*]
*The MRL is the temporary limit.	

4.208.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.209 Malathion

4.209.1 Major purpose of use: pesticide.

4.209.2 ADI: 0.3 mg/kg bw.

4.209.3 Residue definition: Malathion.

4.209.4 Maximum residue limit: Shall comply with provisions in the Table 209.

Table 209

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1
Rice	0.1
Rice	8
Wheat	8
Fresh maize	0.5
Upland crops	8
Coarse cereals	8
Oil seed and oil	
Soybean	8

Vegetables	
Onion	1
Scallion	5
Garlic	0.5
Head cabbage	0.5
Broccoli	0.5
Spinach	2
Ordinary cabbage	8
Lettuce	8
Leaf mustard	2
Rappini leaf	5
Celery	1
Celery cabbage	8
Tomato	0.5
Eggplant	0.5
Chili	0.5
Cucumber	0.2
Kidney bean	2
Pea	2
Broad bean	2
Hyacinth bean	2
Cowpea	2
Edible podded pea	2
Asparagus	1
Turnip	0.2
Radish	0.5
Carrot	0.5
Chinese yam	0.5
Potato	0.5
Sweet potato	8
Taro	8
Cactus	0.02
Fruit	
Citrus	2
Orange	4
Pummelo	4
Lemon	4
Apple	2
Pear	2
Peach	6
Nectarine	6
Prune	6
Apricot	6
Cherry	6

Date	6
Blueberry	10
Grape	8
Strawberry	1
Litchi	0.5
Sugar crop	
Sugar beet	0.5
Edible fungi	
Mushroom (fresh)	0.5
Beverages	
Tomato juice	0.01
Condiment	
Condiment made from seeds	2
Condiment made from fruit	1
Condiment made from plant root and stem	0.5

4.209.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.145, GB/T 5009.20, GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 5009.145, GB/T 5009.20; Vegetables, fruits and edible fungi shall be tested by methods provided in GB/T 19648, GB/T 20769, NY/T 761; testing of sugar crops shall refer to methods provided in NY/T 761; testing of condiment shall refer to methods provided in GB/T 5009.20, GB/T 5009.145.

4.210 Dicamba

4.210.1 Major purpose of use: Herbicide.

4.210.2 ADI: 0.3 mg/kg bw.

4.210.3 Residue definition: Dicamba.

4.210.4 Maximum residue limit: Shall comply with provisions in the Table 210.

Table 210

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5
Corn	0.5

4.210.5 Testing method: Cereals shall be tested by methods provided in SN/T 1606, SN/T 2228.

4.211 Prochloraz and prochloraz-manganese chloride complex)

4.211.1 Major purpose of use: fungicide.

4.211.2 ADI: 0.01 mg/kg bw.

4.211.3 Residue definition: The sum of Prochloraz and metabolites containing 2,4,6-trichlorophenol, expressed as prochloraz.

4.211.4 Maximum residue limit: Shall comply with provisions in the Table 211.

Table 211

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5

Wheat (with the exception of wheat)	2
Wheat	0.5
Upland crops	2
Oil seed and oil	
Rape seed	0.5
Flax seeds	0.05
Sunflower seed	0.5
Crude sunflower seed oil	1
Vegetables	
Garlic	0.1
Flower Chinese cabbage	2
Chili	2
Cucumber	1
Fruit	
Citrus fruit (with the exception of citrus)	10
Citrus	5
Apple	2
Grape	2
Tropical and sub-tropical fruits - Inedible peel (with the exception of the separately listed)	7
Litchi	2
Longan	5
Mango	2
Banana	5
Water melon	0.1
Edible fungi	
Mushroom (fresh)	2
Condiment	
Pepper (black, white)	10

4.211.5 Testing method: testing of grain, Oil seed and oil, condiment shall refer to methods provided in NY/T 1456; fruits, vegetables, edible fungi shall be tested by methods provided in NY/T 1456.

4.212 Imazaquin

4.212.1 Major purpose of use: Herbicide.

4.212.2 ADI: 0.25 mg/kg bw.

4.212.3 Residue definition: Imazaquin.

4.212.4 Maximum residue limit: Shall comply with provisions in the Table 212.

Table 212

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.05

4.212.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23818.

4.213 Imazethapyr

4.213.1 Major purpose of use: Herbicide.

4.213.2 ADI: 2.5 mg/kg bw.

4.213.3 Residue definition: Imazethapyr.

4.213.4 Maximum residue limit: Shall comply with provisions in the Table 213.

Table 213

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.1

4.213.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23818.

4.214 Cinosulfuron

4.214.1 Major purpose of use: Herbicide.

4.214.2 ADI: 0.077 mg/kg bw.

4.214.3 Residue definition: Cinosulfuron.

4.214.4 Maximum residue limit: Shall comply with provisions in the Table 214.

Table 214

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1

4.214.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.215 Etofenprox

4.215.1 Major purpose of use: pesticide.

4.215.2 ADI: 0.03 mg/kg bw.

4.215.3 Residue definition: Etofenprox.

4.215.4 Maximum residue limit: Shall comply with provisions in the Table 215.

Table 215

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.01
Corn	0.05
Coarse cereals	0.05
Oil seed and oil	
Rape seed	0.01
Fruit	
Apple	0.6
Pear	0.6
Peach	0.6
Nectarine	0.6
Raisin	8
Vegetables	
Leek	1

Head cabbage	0.5
Spinach	1
Ordinary cabbage	1
Celery	1
Celery cabbage	1

4.215.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, SN/T 2151; Oil seed and oil shall be tested by methods provided in GB/T 19649; vegetables shall be tested by methods provided in SN/T 2151; fruits shall be tested by methods provided in by methods provided in GB/T 19648.

4.216 Kresoxim-methyl

4.216.1 Major purpose of use: fungicide.

4.216.2 ADI: 0.4 mg/kg bw.

4.216.3 Residue definition: Kresoxim-methyl.

4.216.4 Maximum residue limit: Shall comply with provisions in the Table 216.

Table 216

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05
Barley	0.1
Rye	0.05
Oil seed and oil	
Virgin olive oil	0.7
Vegetables	
Cucumber	0.5
Fruit	
Orange	0.5
Pummelo	0.5
Pome fruit (with the exception of apples)	0.2
Apple	0.2
Strawberry	2
Olive	0.2
Sweet melon	1

4.216.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769.

4.217 Orthosulfamuron

4.217.1 Major purpose of use: Herbicide.

4.217.2 ADI: 0.05 mg/kg bw.

4.217.3 Residue definition: Orthosulfamuron.

4.217.4 Maximum residue limit: Shall comply with provisions in the Table 217.

Table 217

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05*
*The MRL is the temporary limit.	

4.218 Azoxystrobin

4.218.1 Major purpose of use: fungicide.

4.218.2 ADI: 0.2 mg/kg bw.

4.218.3 Residue definition: Azoxystrobin.

4.218.4 Maximum residue limit: Shall comply with provisions in the Table 218.

Table 218

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.5
Wax gourd	1
Potato	0.1
Fruit	
Citrus	1
Grape	5
Litchi	0.5
Mango	1
Banana	2
Water melon	1

4.218.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769, NY/T 1453, SN/T 1976.

4.219 Cyprodinil

4.219.1 Major purpose of use: fungicide.

4.219.2 ADI: 0.03mg/kg bw.

4.219.3 Residue definition: Cyprodinil.

4.219.4 Maximum residue limit: Shall comply with provisions in the Table 219.

Table 219

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5
Barley	3
Vegetables	
Onion	0.3
Cabbage lettuce	10
Stem and leaf lettuce	10
Tomato	0.5
Eggplant	0.2
Sweet pepper	0.5

Cucumber	0.2
Squash	0.2
Leguminous vegetables	0.5
Fruit	
Pear	1
Stone fruit	2
Dried prune	5
Gooseberry (red, black)	0.5
Strawberry	2
Nuts	
Almond	0.02

4.219.5 Testing method: testing of Cereals, Nuts shall refer to methods provided in GB/T 20769, GB/T 19649; Vegetables shall be tested by methods provided in NY/T 1379, GB/T 20769, GB/T 19648; fruits shall be tested by methods provided in by methods provided in GB/T 20769, GB/T 19648.

4.220 Pyrimethanil

4.220.1 Major purpose of use: fungicide.

4.220.2 ADI: 0.2 mg/kg bw.

4.220.3 Residue definition: Pyrimethanil.

4.220.4 Maximum residue limit: Shall comply with provisions in the Table 220.

Table 220

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Pea	0.5
Vegetables	
Onion	0.2
Scallion	3
Cabbage lettuce	3
Tomato	1
Cucumber	2
Kidney bean	3
Carrot	1
Potato	0.05
Fruit	
Citrus fruit	7
Pome fruit (with the exception of pear)	7
Pear	1
Peach	4
Nectarine	4
Apricot	3
Prune	2
Dried prune	2
Cherry	4

Grape	4
Strawberry	3
Banana	0.1
Nuts	
Almond	0.2

4.220.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769; testing of nuts shall refer to methods provided in GB/T 19649, GB/T 20770.

4.221 Bentazone

4.221.1 Major purpose of use: Herbicide.

4.221.2 ADI: 0.1 mg/kg bw.

4.221.3 Residue definition: The sum of Bentazone, 6 - hydroxy bentazone and 8 - hydroxy bentazone, expressed as Bentazone.

4.221.4 Maximum residue limit: Shall comply with provisions in the Table 221.

Table 221

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Corn	0.2
Sorghum	0.1
Coarse cereals	0.05
Oil seed and oil	
Flax seeds	0.1
Soybean	0.05
Vegetables	
Onion	0.1
Kidney bean	0.2
Lima bean (edible podded)	0.05
Pea (fresh)	0.2

4.221.5 Testing method: Cereals, Oil seed and oil, vegetables shall be tested by methods provided in SN/T 0292.

4.222 Methomyl

4.222.1 Major purpose of use: Herbicide.

4.222.2 ADI: 0.02 mg/kg bw.

4.222.3 Residue definition: Methomyl.

4.222.4 Maximum residue limit: Shall comply with provisions in the Table 222.

Table 222

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.5

Corn	0.05
Oil seed and oil	
Soybean	0.2
Cotton seed	0.5
Vegetables	
Head cabbage	2
Broccoli	2
Flower Chinese cabbage	1
Fruit	
Citrus	1
Apple	2
Beverages	
Tea	3

4.222.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in SN/T 0134; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761; testing of tea shall refer to methods provided in NY/T 761.

4.223 Folpet

4.223.1 Major purpose of use: fungicide.

4.223.2 ADI: 0.1 mg/kg bw.

4.223.3 Residue definition: Folpet.

4.223.4 Maximum residue limit: Shall comply with provisions in the Table 223.

Table 223

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Onion	1
Cabbage lettuce	50
Tomato	3
Cucumber	1
Potato	0.1
Fruit	
Apple	10
Grape	10
Raisin	40
Strawberry	5
Sweet melons	3

4.223.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in SN/T 2320, GB/T 20769.

4.224 Blasticidin-S

4.224.1 Major purpose of use: fungicide.

4.224.2 ADI: 0.01 mg/kg bw.

4.224.3 Residue definition: Blasticidin-S.

4.224.4 Maximum residue limit: Shall comply with provisions in the Table 224.

Table 224

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1 [*]
*The MRL is the temporary limit.	

4.225 Ethoprophos

4.225.1 Major purpose of use: Nematicides.

4.225.2 ADI: 0.0004 mg/kg bw.

4.225.3 Residue definition: Ethoprophos.

4.225.4 Maximum residue limit: Shall comply with provisions in the Table 225.

Table 225

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02
Oil seed and oil	
Peanut	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.225.5 Testing method: Cereals shall be tested by methods provided in NY/T 761; Oil seed and oil shall be tested by methods provided in SN/T 0351; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.226 Mepronil

4.226.1 Major purpose of use: fungicide.

4.226.2 ADI: 0.05 mg/kg bw.

4.226.3 Residue definition: Mepronil.

4.226.4 Maximum residue limit: Shall comply with provisions in the Table 226.

Table 226

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2*
*The MRL is the temporary limit.	

4.226.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649.

4.227 Cyromazine

4.227.1 Major purpose of use: pesticide.

4.227.2 ADI: 0.06 mg/kg bw.

4.227.3 Residue definition: Cyromazine.

4.227.4 Maximum residue limit: Shall comply with provisions in the Table 227.

Table 227

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	1
Pea	0.5
Kidney bean	0.5
Broad bean	0.5
Hyacinth bean	0.5
Cowpea	0.5
Edible podded pea	0.5

4.227.5 Testing method: Vegetables shall be tested by methods provided in NY/T 1725.

4.228 Chlorbenzuron

4.228.1 Major purpose of use: pesticide.

4.228.2 ADI: 1.25 mg/kg bw.

4.228.3 Residue definition: Chlorbenzuron.

4.228.4 Maximum residue limit: Shall comply with provisions in the Table 228.

Table 228

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	3
Millet	3
Vegetables	
Head cabbage	3
Broccoli	3

4.228.5 Testing method: Cereals, vegetables shall be tested by methods provided in GB/T 5009.135.

4.229 1-naphthylacetic acid and sodium 1-naphthalactic acid

4.229.1 Major purpose of use: plant growth regulator.

4.229.2 ADI: 0.15mg/kg bw.

4.229.3 Residue definition: 1-naphthylacetic acid.

4.229.4 Maximum residue limit: Shall comply with provisions in the Table 229.

Table 229

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Vegetables	
Tomato	0.1
Fruit	
Apple	0.1

4.229.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in SN/T 2228, SN 0346; Vegetables, fruits shall be tested by methods provided in by methods provided in SN 0346.

4.230 Ningnanmycin

4.230.1 Major purpose of use: fungicide.

4.230.2 ADI: 0.24 mg/kg bw.

4.230.3 Residue definition: Ningnanmycin.

4.230.4 Maximum residue limit: Shall comply with provisions in the Table 230.

Table 230

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2*
Fruit	
Apple	1*
*The MRL is the temporary limit.	

4.231 Demeton

4.231.1 Major purpose of use: Pesticide/Acaricide.

4.231.2 ADI: 0.00004 mg/kg bw.

4.231.3 Residue definition: Demeton.

4.231.4 Maximum residue limit: Shall comply with provisions in the Table 231.

Table 231

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02

Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.231.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.232 Dimepiperate

4.232.1 Major purpose of use: Herbicide.

4.232.2 ADI: 0.001 mg/kg bw.

4.232.3 Residue definition: Dimepiperate.

4.232.4 Maximum residue limit: Shall comply with provisions in the Table 232.

Table 232

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05*
*The MRL is the temporary limit.	

4.232.5 Testing method: Cereals shall be tested by methods provided in NY/T 1379.

4.233 Triforine

4.233.1 Major purpose of use: fungicide.

4.233.2 ADI: 0.02 mg/kg bw.

4.233.3 Residue definition: sum of triforine and Chloral, expressed as triforine.

4.233.4 Maximum residue limit: Shall comply with provisions in the Table 233.

Table 233

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Upland crops	0.1

Vegetables	
Brussels sprouts	0.2
Tomato	0.5
Gourd vegetables	0.5
Kidney bean	1
Fruit	
Apple	2
Peach	5
Cherry	2
Prune	2
Dried prune	2
Blueberry	1
Current (black, red, white)	1
Raspberry	1
Strawberry	1
Melons	0.5

4.233.5 Testing method: Cereals shall be tested by methods provided in SN 0695, Vegetables, fruits shall be tested by methods provided in SN 0695.

4.234 Metribuzin

4.234.1 Major purpose of use: Herbicide.

4.234.2 ADI: 0.013 mg/kg bw.

4.234.3 Residue definition: Metribuzin.

4.234.4 Maximum residue limit: Shall comply with provisions in the Table 234.

Table 234

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05
Oil seed and oil	
Soybean	0.05

4.234.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 19649.

4.235 Cyanazine

4.235.1 Major purpose of use: Herbicide.

4.235.2 ADI: 0.002 mg/kg bw.

4.235.3 Residue definition: Cyanazine.

4.235.4 Maximum residue limit: Shall comply with provisions in the Table 235.

Table 235

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05

4.235.5 Testing method: Cereals shall be tested by methods provided in SN/T 1605.

4.236 Cyhalofop-butyl

4.236.1 Major purpose of use: Herbicide.

4.236.2 ADI: 0.01 mg/kg bw.

4.236.3 Residue definition: Cyhalofop-butyl and Cyhalofop oxalic.

4.236.4 Maximum residue limit: Shall comply with provisions in the Table 236.

Table 236

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1

4.236.5 Testing method: Cereals shall be tested by methods provided in GB/T 23204.

4.237 Cyazofamid

4.237.1 Major purpose of use: fungicide.

4.237.2 ADI: 0.17 mg/kg bw.

4.237.3 Residue definition: The sum of Cyazofamid and 4-chloro-5-(4-tolyl)-1H-imidazole-2-carbonitrile (its metabolite).

4.237.4 Maximum residue limit: Shall comply with provisions in the Table 237.

Table 237

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.5*
Potato	0.02*
Fruit	
Grape	1*
Litchi	0.02*
*The MRL is the temporary limit.	

4.237.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 23206.

4.238 Fenvalerate and esfenvalerate

4.238.1 Major purpose of use: pesticide.

4.238.2 ADI: 0.02 mg/kg bw.

4.238.3 Residue definition: Fenvalerate (sum of isomers).

4.238.4 Maximum residue limit: Shall comply with provisions in the Table 238.

Table 238

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	2
Corn	0.02
Fresh maize	0.2
Wheat flour	0.2
Whole wheat flour	2
Oil seed and oil	
Cotton seed	0.2

Soybean	0.1
Peanut	0.1
Cotton seed oil	0.1
Vegetables	
Head cabbage	0.5
Broccoli	0.5
Spinach	1
Ordinary cabbage	1
Lettuce	1
Celery cabbage	3
Tomato	0.2
Eggplant	0.2
Chili	0.2
Cucumber	0.2
Squash	0.2
Loofah	0.2
Pumpkin	0.2
Radish	0.05
Carrot	0.05
Chinese yam	0.05
Potato	0.05
Fruit	
Citrus fruit (with the exception of citrus)	0.2
Citrus	1
Pome fruit (with the exception of apple and pear)	0.2
Apple	1
Pear	1
Stone fruit	0.2
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2
Melons	0.2
Sugar crop	
Sugar beet	0.05
Edible fungi	
Mushroom (fresh)	0.2

4.238.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.110; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761; testing of oil seed and oil, sugar crops, Edible fungi shall refer to methods provided in GB/T 5009.110.

4.239 Clodinafop-propargyl

4.239.1 Major purpose of use: Herbicide.

4.239.2 ADI: 0.0003 mg/kg bw.

4.239.3 Residue definition: The sum of Clodinafop-propargyl and Alkyne oxalic.

4.239.4 Maximum residue limit: Shall comply with provisions in the Table 239.

Table 239

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1

4.239.5 Testing method: Cereals shall be tested by methods provided in SN/T 2433.

4.240 Propargite

4.240.1 Major purpose of use: Acaricide.

4.240.2 ADI: 0.01 mg/kg bw.

4.240.3 Residue definition: Propargite.

4.240.4 Maximum residue limit: Shall comply with provisions in the Table 240.

Table 240

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.1
Cotton seed oil	0.1
Vegetables	
Spinach	2
Ordinary cabbage	2
Lettuce	2
Celery cabbage	2
Fruit	
Orange	5
Citrus	5
Pummelo	5
Lemon	5
Apple	5
Pear	5

4.240.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649, NY/T 1652, SN 0701; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 1652.

4.241 Lactofen

4.241.1 Major purpose of use: Herbicide.

4.241.2 ADI: 0.008 mg/kg bw.

4.241.3 Residue definition: Lactofen.

4.241.4 Maximum residue limit: Shall comply with provisions in the Table 241.

Table 241

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.05
Peanut	0.05

4.241.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20769.

4.242 Thidiazuron

4.242.1 Major purpose of use: plant growth regulator.

4.242.2 ADI: 0.04 mg/kg bw.

4.242.3 Residue definition: Thidiazuron.

4.242.4 Maximum residue limit: Shall comply with provisions in the Table 242.

Table 242

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	1*
Vegetables	
Cucumber	0.05*
Fruit	
Grape	0.05*
Sweet melon	0.05*
*The MRL is the temporary limit.	

4.243 Thiachlopid

4.243.1 Major purpose of use: pesticide.

4.243.2 ADI: 0.01 mg/kg bw.

4.243.3 Residue definition: Thiachlopid.

4.243.4 Maximum residue limit: Shall comply with provisions in the Table 243.

Table 243

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1
Oil seed and oil	
Rape seed	0.5
Mustard seed	0.5
Cotton seed	0.02
Vegetables	
Tomato	0.5
Eggplant	0.7
Sweet pepper	1
Cucumber	1
Potato	0.02
Fruit	
Pome fruit	0.7
Stone fruit	0.5
Berries and other small fruits (with the exception of kiwi fruit)	1
Kiwi fruit	0.2

Sweet melons	0.2
Nuts	0.02

4.243.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; testing of oil seed and oil, and nuts shall refer to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769, GB/T 19648.

4.244 Thiamethoxam

4.244.1 Major purpose of use: pesticide.

4.244.2 ADI: 0.08 mg/kg bw.

4.244.3 Residue definition: Thiamethoxam.

4.244.4 Maximum residue limit: Shall comply with provisions in the Table 244.

Table 244

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Vegetables	
Head cabbage	0.2
Cucumber	0.5
Fruit	
Water melon	0.2
Beverages	
Tea	10

4.244.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769; testing of tea shall refer to methods provided in GB/T 20770.

4.245 Thifensulfuron-methyl

4.245.1 Major purpose of use: Herbicide.

4.245.2 ADI: 0.07 mg/kg bw.

4.245.3 Residue definition: Thifensulfuron-methyl.

4.245.4 Maximum residue limit: Shall comply with provisions in the Table 245.

Table 245

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05
Corn	0.05
Oil seed and oil	
Soybean	0.05
Peanut	0.05

4.245.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 20770.

4.246 Thifluzamide

4.246.1 Major purpose of use: fungicide.

4.246.2 ADI: 0.014 mg/kg bw.

4.246.3 Residue definition: Thifluzamide.

4.246.4 Maximum residue limit: Shall comply with provisions in the Table 246.

Table 246

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	3
Vegetables	
Potato	2

4.246.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; vegetables shall be tested by methods provided in GB/T 19649.

4.247 Dimethipin

4.247.1 Major purpose of use: regulator.

4.247.2 ADI: 0.02 mg/kg bw.

4.247.3 Residue definition: Dimethipin.

4.247.4 Maximum residue limit: Shall comply with provisions in the Table 247.

Table 247

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.2
Cotton seed	1
Sunflower seed	1
Crude cotton seed oil	0.1
Edible cotton seed oil	0.1
Vegetables	
Potato	0.05

4.247.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23210; Vegetables shall be tested by methods provided in NY/T 1379.

4.248 Thiabendazole

4.248.1 Major purpose of use: fungicide.

4.248.2 ADI: 0.1 mg/kg bw.

4.248.3 Residue definition: Thiabendazole.

4.248.4 Maximum residue limit: Shall comply with provisions in the Table 248.

Table 248

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Chicory	0.05
Potato	15
Fruit	

Citrus	10
Pummelo	10
Orange	10
Lemon	10
Pome fruit	3
Mango	5
Avacado	15
Papaya	10
Banana	5
Edible fungi	
Mushroom (fresh)	5

4.248.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 1680, GB/T 20769; Edible fungi shall be tested by methods provided in GB/T 20769, NY/T 1453, NY/T 1680.

4.249 Hexythiazox

4.249.1 Major purpose of use: Acaricide.

4.249.2 ADI: 0.03 mg/kg bw.

4.249.3 Residue definition: Hexythiazox.

4.249.4 Maximum residue limit: Shall comply with provisions in the Table 249.

Table 249

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.05
Vegetables	
Gourd vegetables	0.05
Tomato	0.1
Eggplant	0.1
Fruit	
Citrus	0.5
Orange	0.5
Pummelo	0.5
Lemon	0.5
Pome fruit (with the exception of apple and pear)	0.4
Apple	0.5
Pear	0.5
Stone fruit (with the exception of date)	0.3
Date	2
Dried prune	1
Grape	1
Raisin	1
Strawberry	0.5

Melons	0.05
Nuts	0.05
Beverages	
Hop	3
Tea	15

4.249.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769; Nuts, beverages shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.250 Henzothiazolinone

4.250.1 Major purpose of use: fungicide.

4.250.2 ADI: 0.017 mg/kg bw.

4.250.3 Residue definition: Henzothiazolinone.

4.250.4 Maximum residue limit: Shall comply with provisions in the Table 250.

Table 250

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.1*
*The MRL is the temporary limit.	

4.251 Buprofezin

4.251.1 Major purpose of use: Pesticide.

4.251.2 ADI: 0.009 mg/kg bw.

4.251.3 Residue definition: buprofezin.

4.251.4 Maximum residue limit: Shall comply with provisions in the Table 251.

Table 251

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.3
Rice	0.3
Vegetables	
Tomato	2
Fruit	
Citrus	0.5
Orange	0.5
Pummelo	0.5
Lemon	0.5
Beverages	
Tea	10

4.251.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.184, SN/T 2150; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769; tea shall be tested by methods provided in GB/T 23376.

4.252 Fosthiazate

4.252.1 Major purpose of use: Nematicides.

4.252.2 ADI: 0.004 mg/kg bw.

4.252.3 Residue definition: Fosthiazate.

4.252.4 Maximum residue limit: Shall comply with provisions in the Table 252.

Table 252

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.2

4.252.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769.

4.253 Zinc-thiazole

4.253.1 Major purpose of use: fungicide.

4.253.2 ADI: 0.01 mg/kg bw.

4.253.3 Residue definition: Zinc-thiazole.

4.253.4 Maximum residue limit: Shall comply with provisions in the Table 253.

Table 253

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2 [*]
Fruit	
Citrus	0.5 [*]
*The MRL is the temporary limit.	

4.254 Fentin hydroxide

4.254.1 Major purpose of use: fungicide.

4.254.2 ADI: 0.0005 mg/kg bw.

4.254.3 Residue definition: Fentin hydroxide.

4.254.4 Maximum residue limit: Shall comply with provisions in the Table 254.

Table 254

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Potato	0.1 [*]
*The MRL is the temporary limit.	

4.255 Acifluorfen

4.255.1 Major purpose of use: Herbicide.

4.255.2 ADI: 0.013 mg/kg bw.

4.255.3 Residue definition: Acifluorfen.

4.255.4 Maximum residue limit: Shall comply with provisions in the Table 255.

Table 255

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	

Soybean	0.1
---------	-----

4.255.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 2228.

4.256 Tricyclazole

4.256.1 Major purpose of use: fungicide.

4.256.2 ADI: 0.04 mg/kg bw.

4.256.3 Residue definition: Tricyclazole.

4.256.4 Maximum residue limit: Shall comply with provisions in the Table 256.

Table 256

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	2
Vegetables	
Flower Chinese cabbage	2

4.256.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.115; Vegetables shall be tested by methods provided in NY/T 1379.

4.257 Dicofof

4.257.1 Major purpose of use: Acaricide.

4.257.2 ADI: 0.002 mg/kg bw.

4.257.3 Residue definition: Dicofof (the sum of o,p'- isomer and p,p'- isomer).

4.257.4 Maximum residue limit: Shall comply with provisions in the Table 257.

Table 257

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed oil	0.5
Fruit	
Citrus	1
Orange	1
Pummelo	1
Lemon	1
Apple	1
Pear	1

4.257.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 5009.176; fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.258 Tetradifon

4.258.1 Major purpose of use: Acaricide.

4.258.2 ADI: 0.02 mg/kg bw.

4.258.3 Residue definition: Tetradifon.

4.258.4 Maximum residue limit: Shall comply with provisions in the Table 258.

Table 258

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Fruit	Apple	2
-------	-------	---

4.258.5 Testing method: fruits shall be tested by methods provided in by methods provided in NY/T 1379.

4.259 Fosetyl-aluminium

4.259.1 Major purpose of use: fungicide.

4.259.2 ADI: 3 mg/kg bw.

4.259.3 Residue definition: The sum of Ethylphosphonic acid, phosphoric acid and its phosphate, expressed as Ethylphosphonic acid.

4.259.4 Maximum residue limit: Shall comply with provisions in the Table 259.

Table 259

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	30*
Fruit	
Apple	30*
Litchi	1*
*The MRL is the temporary limit.	

4.260 Cyhexatin

4.260.1 Major purpose of use: Acaricide.

4.260.2 ADI: 0.007 mg/kg bw.

4.260.3 Residue definition: Cyhexatin.

4.260.4 Maximum residue limit: Shall comply with provisions in the Table 260.

Table 260

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Orange	0.2
Current (black, red, white)	0.1
Grape	0.3
Condiment	
Dried chilli	5

4.260.5 Testing method: fruits shall be tested by methods provided in by methods provided in SN/T 1990; testing of condiment shall refer to methods provided in SN/T 1990.

4.261 Triadimenol

4.261.1 Major purpose of use: fungicide.

4.261.2 ADI: 0.03 mg/kg bw.

4.261.3 Residue definition: Triadimenol.

4.261.4 Maximum residue limit: Shall comply with provisions in the Table 261.

Table 261

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Cereals	
Rice	0.2
Brown rice	0.05
Wheat (with the exception of wheat)	0.2
Wheat	0.2
Upland crops (with the exception of corn and sorghum)	0.2
Corn	0.1
Sorghum	0.1
Vegetables	
Solanaceous vegetables	1
Gourd vegetables	0.2
Artichoke	0.7
Fruit	
Apple	0.3
Current (black, red, white)	0.7
Raisin	10
Strawberry	0.7
Banana	1
Pineapple	5
Melons	0.2
Sugar crop	
Sugar beet	0.05
Beverages	
Coffee bean	0.5
Condiment	
Dried chilli	5

4.261.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, SN/T 2232; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648; Sugar crop, beverages shall be tested by methods provided in GB/T 20769; testing of condiment shall refer to methods provided in GB/T 20769, GB/T 19648.

4.262 Triazophos

4.262.1 Major purpose of use: pesticide.

4.262.2 ADI: 0.001 mg/kg bw.

4.262.3 Residue definition: Triazophos.

4.262.4 Maximum residue limit: Shall comply with provisions in the Table 262.

Table 262

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Upland crops	0.05

Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	0.1
Zucchini	0.1
Fruit	
Citrus	0.2
Apple	0.2
Litchi	0.2

4.262.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.263 Triadimefon

4.263.1 Major purpose of use: fungicide.

4.263.2 ADI: 0.03 mg/kg bw.

4.263.3 Residue definition: Triadimefon.

4.263.4 Maximum residue limit: Shall comply with provisions in the Table 263.

Table 263

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Wheat (with the exception of wheat)	0.2
Wheat	0.2
Upland crops (with the exception of corn)	0.2
Corn	0.5
Oil seed and oil	
Rape seed	0.2
Cotton seed	0.05
Vegetables	
Head cabbage	0.05
Solanaceous vegetables	1
Gourd vegetables (with the exception of cucumber)	0.2
Cucumber	0.1
Pea	0.05
Artichoke	0.7
Fruit	
Citrus	1
Apple	1
Pear	0.5
Current (black, red, white)	0.7
Raisin	10

Strawberry	0.7
Litchi	0.05
Banana	0.05
Pineapple	5
Melons	0.2
Sugar crop	
Sugar beet	0.1
Beverages	
Coffee bean	0.5
Condiment	
Dried chilli	5

4.263.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.126, GB/T 20770, GB/T 19649; testing of oil seed and oil, sugar crops shall refer to methods provided in GB/T 5009.126; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 20769, GB/T 19648; testing of beverages, condiment shall refer to methods provided in GB/T 20770, GB/T 20769.

4.264 Azocyclotin

4.264.1 Major purpose of use: Acaricide.

4.264.2 ADI: 0.003 mg/kg bw.

4.264.3 Residue definition: Azocyclotin.

4.264.4 Maximum residue limit: Shall comply with provisions in the Table 264.

Table 264

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	2
Orange	0.2
Pummelo	0.2
Lemon	0.2
Apple	0.5
Pear	0.2
Current (red, black and white)	0.1
Grape	0.3

4.264.5 Testing method: fruits shall be tested by methods provided in by methods provided in SN/T 0150, SN/T 1990.

4.265 Amitrole

4.265.1 Major purpose of use: Herbicide.

4.265.2 ADI: 0.002 mg/kg bw.

4.265.3 Residue definition: Amitrole.

4.265.4 Maximum residue limit: Shall comply with provisions in the Table 265.

Table 265

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Fruit	Pome fruit	0.05
	Stone fruit	0.05
	Grape	0.05

4.265.5 Testing method: fruits shall be tested by methods provided in by methods provided in SN/T 1737.6.

4.266 Thiosultap-monosodium

4.266.1 Major purpose of use: pesticide.

4.266.2 ADI: 0.01 mg/kg bw.

4.266.3 Residue definition: Nereistoxin.

4.266.4 Maximum residue limit: Shall comply with provisions in the Table 266.

Table 266

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Vegetables	
Head cabbage	0.2
Kidney bean	2
Fruit	
Apple	1
Sugar crop	
Sugarcane	0.1

4.266.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.114; Vegetables shall be tested by methods provided in SN 0345; testing of fruits and sugar crops shall refer to methods provided in SN 0345.

4.267 Thiocyclam

4.267.1 Major purpose of use: pesticide.

4.267.2 ADI: 0.05 mg/kg bw.

4.267.3 Residue definition: Thiocyclam.

4.267.4 Maximum residue limit: Shall comply with provisions in the Table 267.

Table 267

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2

4.267.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.113.

4.268 Chlordimeform

4.268.1 Major purpose of use: pesticide.

4.268.2 ADI: 0.001 mg/kg bw.

4.268.3 Residue definition: Chlordimeform.

4.268.4 Maximum residue limit: Shall comply with provisions in the Table 268.

Table 268

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.01*
Brassica vegetables	0.01*
Leaf vegetables	0.01*
Solanaceous vegetables	0.01*
Gourd vegetables	0.01*
Leguminous vegetables	0.01*
Stem vegetable	0.01*
Root, tuber and tuberous rooted vegetables	0.01*
Aquatic vegetables	0.01*
Sprout vegetables	0.01*
Other vegetables	0.01*
Fruit	
Citrus fruit	0.01*
Pome fruit	0.01*
Stone fruit	0.01*
Berries and other small fruits	0.01*
Tropical and sub-tropical fruits	0.01*
Melons	0.01*
*The MRL is the temporary limit.	

4.268.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.269 Bisultap thiosultap-disodium

4.269.1 Major purpose of use: pesticide.

4.269.2 ADI: 0.01 mg/kg bw.

4.269.3 Residue definition: Nereistoxin.

4.269.4 Maximum residue limit: Shall comply with provisions in the Table 269.

Table 269

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2

4.269.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.114.

4.270 Triflumuron

4.270.1 Major purpose of use: pesticide.

4.270.2 ADI: 0.014 mg/kg bw.

4.270.3 Residue definition: Triflumuron.

4.270.4 Maximum residue limit: Shall comply with provisions in the Table 270.

Table 270

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Fruit	Citrus	0.05
	Apple	0.1

4.270.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 20769, NY/T 1720.

4.271 Cartap

4.271.1 Major purpose of use: pesticide.

4.271.2 ADI: 0.1 mg/kg bw.

4.271.3 Residue definition: Cartap.

4.271.4 Maximum residue limit: Shall comply with provisions in the Table 271.

Table 271

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals	Rice	0.1
	Brown rice	0.1
Vegetables	Celery cabbage	3
Fruit	Citrus	3
Beverages	Tea	20
Sugar crop	Sugarcane	0.1

4.271.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769; testing of tea and sugar crops shall refer to methods provided in GB/T 20769.

4.272 Fenitrothion

4.272.1 Major purpose of use: pesticide.

4.272.2 ADI: 0.006 mg/kg bw.

4.272.3 Residue definition: Fenitrothion.

4.272.4 Maximum residue limit: Shall comply with provisions in the Table 272.

Table 272

Food Category/Name	Maximum residue limit (mg/kg)	
Cereals	Rice	1*
	Rice	5*
	Wheat	5*
	Wheat flour	1*
	Whole wheat flour	5*
	Upland crops	5*
	Coarse cereals	5*

Oil seed and oil	
Soybean	5 [*]
Cotton seed	0.1 [*]
Vegetables	
Bulb vegetables	0.5 [*]
Brassica vegetables (with the exception of head cabbage)	0.5 [*]
Head cabbage	0.2 [*]
Leaf vegetables	0.5 [*]
Solanaceous vegetables	0.5 [*]
Gourd vegetables	0.5 [*]
Leguminous vegetables	0.5 [*]
Stem vegetable	0.5 [*]
Root, tuber and tuberous rooted vegetables	0.5 [*]
Aquatic vegetables	0.5 [*]
Sprout vegetables	0.5 [*]
Other vegetables	0.5 [*]
Fruit	
Citrus fruit	0.5 [*]
Pome fruit	0.5 [*]
Stone fruit	0.5 [*]
Berries and other small fruits	0.5 [*]
Tropical and sub-tropical fruits	0.5 [*]
Melons	0.5 [*]
Beverages	
Tea	0.5 [*]
*The MRL is the temporary limit.	

4.272.5 Testing method: Cereals shall be tested by methods provided in GB/T 14553, GB/T 5009.20; Oil seed and oil shall be tested by methods provided in GB/T 14553, GB/T 5009.20; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 14553, GB/T 20769, NY/T 761; testing of tea shall refer to methods provided in GB/T 14553, GB/T 20769, NY/T 761.

4.273 Methidathion

4.273.1 Major purpose of use: pesticide.

4.273.2 ADI: 0.001 mg/kg bw.

4.273.3 Residue definition: Methidathion.

4.273.4 Maximum residue limit: Shall comply with provisions in the Table 273.

Table 273

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	2

4.273.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 14553, GB/T 19648, NY/T 761.

4.274 Oxamyl

4.274.1 Major purpose of use: pesticide.

4.274.2 ADI: 0.009 mg/kg bw.

4.274.3 Residue definition: Sum of oxamyl and oxamyl oxime expressed as oxamyl.

4.274.4 Maximum residue limit: Shall comply with provisions in the Table 274.

Table 274

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.2
Peanut	0.05
Vegetables	
Tomato	2
Sweet pepper	2
Cucumber	2
Carrot	0.1
Potato	0.1
Fruit	
Citrus fruit	5
Sweet melons	2

4.274.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 0134; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 1453, SN/T 0134.

4.275 Bioresmethrin

4.275.1 Major purpose of use: pesticide.

4.275.2 ADI: 0.03 mg/kg bw.

4.275.3 Residue definition: Bioresmethrin.

4.275.4 Maximum residue limit: Shall comply with provisions in the Table 275.

Table 275

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	1
Wheat flour	1
Wheat germ	3
Whole wheat flour	1

4.275.5 Testing method: Cereals shall be tested by methods provided in SN/T 2151, GB/T 20770.

4.276 Florasulam

4.276.1 Major purpose of use: Herbicide.

4.276.2 ADI: 0.05 mg/kg bw.

4.276.3 Residue definition: Florasulam.

4.276.4 Maximum residue limit: Shall comply with provisions in the Table 276.

Table 276

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01

4.276.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769.

4.277 [iminoctadinetris (albesilate)]

4.277.1 Major purpose of use: fungicide.

4.277.2 ADI: 0.009 mg/kg bw.

4.277.3 Residue definition: Iminoctadine.

4.277.4 Maximum residue limit: Shall comply with provisions in the Table 277.

Table 277

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	1*
Cucumber	2*
Asparagus	1*
Fruit	
Citrus	3*
Apple	2*
Grape	1*
Water melon	0.2*
*The MRL is the temporary limit.	

4.278 Amitraz

4.278.1 Major purpose of use: Acaricide.

4.278.2 ADI: 0.01 mg/kg bw.

4.278.3 Residue definition: The sum of Amitraz and N- (2,4-xylyl)-N'-methyl-formamidine, expressed as amitraz.

4.278.4 Maximum residue limit: Shall comply with provisions in the Table 278.

Table 278

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Fresh maize	0.5
Oil seed and oil	
Cotton seed	0.5
Cotton seed oil	0.05
Vegetables	
Tomato	0.5
Eggplant	0.5
Chili	0.5
Cucumber	0.5
Fruit	
Citrus	0.5

Orange	0.5
Pummelo	0.5
Lemon	0.5
Pome fruit (with the exception of apple and pear)	0.5
Apple	0.5
Pear	0.5
Cherry	0.5
Peach	0.5
Edible fungi	
Mushroom (fresh)	0.5

4.278.5 Testing method: Grian, Oil seed and oils, vegetables, fruit and edible fungi shall be tested by methods provided in GB/T 5009.143, SN 0279.

4.279 Mandipropamid

4.279.1 Major purpose of use: fungicide.

4.279.2 ADI: 0.2 mg/kg bw.

4.279.3 Residue definition: Mandipropamid.

4.279.4 Maximum residue limit: Shall comply with provisions in the Table 279.

Table 279

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Onion	0.1 [*]
Scallion	7 [*]
Head cabbage	3 [*]
Sprouting broccoli	2 [*]
Leaf vegetables(with the exception of celery)	25 [*]
Celery	20 [*]
Chili	1 [*]
Squash	0.2 [*]
Cucumber	0.2 [*]
Potato	0.01 [*]
Fruit	
Grape	2 [*]
Litchi	0.2 [*]
Water melon	0.2 [*]
Sweet melons	0.5 [*]
*The MRL is the temporary limit	

4.280 Propamocarband propamocarb hydrochloride

4.280.1 Major purpose of use: fungicide.

4.280.2 ADI: 0.4 mg/kg bw.

4.280.3 Residue definition: Propamocarb.

4.280.4 Maximum residue limit: Shall comply with provisions in the Table 280.

Table 280

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Chicory	2
Eggplant	0.3
Sweet pepper	3
Tomato	2
Gourd vegetables	5
Radish	1
Potato	0.3
Fruit	
Grape	2
Melons	5
Condiment	
Dried chilli	10

4.280.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769, NY/T 1379; fruits shall be tested by methods provided in by methods provided in GB/T 20769; testing of condiment shall refer to methods provided in SN 0685.

4.281 Cymoxanil

4.281.1 Major purpose of use: fungicide.

4.281.2 ADI: 0.013 mg/kg bw.

4.281.3 Residue definition: Cymoxanil.

4.281.4 Maximum residue limit: Shall comply with provisions in the Table 281.

Table 281

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.5
Potato	0.5
Fruit	
Grape	0.5
Litchi	0.1

4.281.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.282 Isocarbophos

4.282.1 Major purpose of use: pesticide.

4.282.2 ADI: 0.003 mg/kg bw.

4.282.3 Residue definition: Isocarbophos.

4.282.4 Maximum residue limit: Shall comply with provisions in the Table 282.

Table 282

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.1
Brown rice	0.1
Oil seed and oil	
Cotton seed	0.05
Fruit	
Citrus	0.02
Apple	0.01

4.282.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 19649; fruits shall be tested by methods provided in by methods provided in GB/T 5009.20.

4.283 Metaldehyde

4.283.1 Major purpose of use: Molluscicide.

4.283.2 ADI: 0.01 mg/kg bw.

4.283.3 Residue definition: Metaldehyde.

4.283.4 Maximum residue limit: Shall comply with provisions in the Table 283.

Table 283

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2 [*]
Vegetables	
Leek	1 [*]
Head cabbage	2 [*]
Spinach	1 [*]
Ordinary cabbage	3 [*]
Celery	1 [*]
Celery cabbage	1 [*]
*The MRL is the temporary limit.	

4.284 Fthalide phthalide

4.284.1 Major purpose of use: fungicide.

4.284.2 ADI: 0.15 mg/kg bw.

4.284.3 Residue definition: Fthalide phthalide.

4.284.4 Maximum residue limit: Shall comply with provisions in the Table 284.

Table 284

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5 [*]
Brown rice	1 [*]
*The MRL is the temporary limit.	

4.284.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649.

4.285 Tecnazene

4.285.1 Major purpose of use: fungicide/plant growth regulator.

4.285.2 ADI: 0.02 mg/kg bw.

4.285.3 Residue definition: Tecnazene.

4.285.4 Maximum residue limit: Shall comply with provisions in the Table 285.

Table 285

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Potato	20

4.285.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19648.

4.286 Clofentezine

4.286.1 Major purpose of use: Acaricide.

4.286.2 ADI: 0.02 mg/kg bw.

4.286.3 Residue definition: Clofentezine.

4.286.4 Maximum residue limit: Shall comply with provisions in the Table 286.

Table 286

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	0.5
Cucumber	0.5
Fruit	
Citrus	0.5
Orange	0.5
Pummelo	0.5
Lemon	0.5
Pome fruit (with the exception of apple and pear)	0.5
Apple	0.5
Pear	0.5
Stone fruit (with the exception of date)	0.5
Date	1
Current (black, red, white)	0.2
Grape	2
Raisin	2
Strawberry	2
Sweet melons	0.1
Nuts	0.5

4.286.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769, SN/T 1740; testing of nuts shall refer to methods provided in GB/T 20769.

4.287 Terbufos

4.287.1 Major purpose of use: pesticide.

4.287.2 ADI: 0.0006 mg/kg bw.

4.287.3 Residue definition: The sum of Terbufos and its oxygen analogue (sulfoxide and sulphone), expressed as Terbufos.

4.287.4 Maximum residue limit: Shall comply with provisions in the Table 287.

Table 287

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Peanut	0.02
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.287.5 Testing method: Oil seed and oil shall be tested by methods provided in NY/T 761, SN 0522; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, NY/T 1379.

4.288 Aldicarb

4.288.1 Major purpose of use: pesticide.

4.288.2 ADI: 0.003 mg/kg bw.

4.288.3 Residue definition: The sum of Aldicarb its oxygen analogue (sulfoxide and sulphone), expressed as Aldicarb.

4.288.4 Maximum residue limit: Shall comply with provisions in the Table 288.

Table 288

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.1
Peanut	0.02
Cotton seed oil	0.01

Peanut oil	0.01
Vegetables	
Bulb vegetables	0.03
Brassica vegetables	0.03
Leaf vegetables	0.03
Solanaceous vegetables	0.03
Gourd vegetables	0.03
Leguminous vegetables	0.03
Stem vegetable	0.03
Root, tuber and tuberous rooted vegetables (with the exception of sweet potato, potato, Cassava, Chinese yam)	0.03
Sweet potato	0.1
Potato	0.1
Cassava	0.1
Chinese yam	0.1
Aquatic vegetables	0.03
Sprout vegetables	0.03
Other vegetables	0.03
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.288.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 14929.2; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761.

4.289 Desmedipham

4.289.1 Major purpose of use: Herbicide.

4.289.3 ADI: 0.04 mg/kg bw.

4.289.4 Residue definition: desmedipham.

4.289.5 Maximum residue limit: Shall comply with provisions in the Table 289.

Table 289

Food Category/Name	Maximum residue limit (mg/kg)
Sugar crop	
Sugar beet	0.1 [*]
*The MRL is the temporary limit.	

4.290 Phenmedipham

4.290.1 Major purpose of use: Herbicide.

4.290.2 ADI: 0.03 mg/kg bw.

4.290.3 Residue definition: phenmedipham.

4.290.4 Maximum residue limit: Shall comply with provisions in the Table 290.

Table 290

Food Category/Name	Maximum residue limit (mg/kg)
Sugar crop Sugar beet	0.1

4.290.5 Testing method: Sugar crop shall be tested by methods provided in GB/T 20769.

4.291 Metam-sodium

4.291.1 Major purpose of use: Nematicides.

4.291.2 ADI: 0.001 mg/kg bw.

4.291.3 Residue definition: Metam-sodium.

4.291.4 Maximum residue limit: Shall comply with provisions in the Table 291.

Table 291

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables Cucumber	0.05*
*The MRL is the temporary limit.	

4.292 Carboxin

4.292.1 Major purpose of use: fungicide.

4.292.2 ADI: 0.008mg/kg bw.

4.292.3 Residue definition: Carboxin.

4.292.4 Maximum residue limit: Shall comply with provisions in the Table 292.

Table 292

Food Category/Name	Maximum residue limit (mg/kg)
Cereals Brown rice Corn	0.2 0.2
Oil seed and oil Cotton seed	0.2

4.292.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770.

4.293 Trifloxystrobin

4.293.1 Major purpose of use: fungicide.

4.293.2 ADI: 0.04 mg/kg bw.

4.293.3 Residue definition: Trifloxystrobin.

4.293.4 Maximum residue limit: Shall comply with provisions in the Table 293.

Table 293

Food Category/Name	Maximum residue limit (mg/kg)
Fruit Citrus Apple	0.5 0.7

4.293.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 20769, GB/T 19648.

4.294 Quintozene

4.294.1 Major purpose of use: fungicide.

4.294.2 ADI: 0.01 mg/kg bw.

4.294.3 Residue definition: for plant source foods, it is quintozene; for animal-derived food, it is the sum of Quintozene, Pentachloroaniline and Pentachlorobenzene ether.

4.294.4 Maximum residue limit: Shall comply with provisions in the Table 294.

Table 294

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01
Barley	0.01
Corn	0.01
Fresh maize	0.1
Coarse cereals (with the exception of Pea)	0.02
Pea	0.01
Oil seed and oil	
Soybean	0.01
Peanut	0.5
Cotton seed oil	0.01
Vegetables	
Head cabbage	0.1
Broccoli	0.05
Tomato	0.1
Eggplant	0.1
Chili	0.1
Sweet pepper	0.05
Kidney bean	0.1
Potato	0.2
Fruit	
Water melon	0.02
Sugar crop	
Sugar beet	0.01
Edible fungi	
Mushroom (fresh)	0.1
Condiment	
Dried chilli	0.1
Condiment made from fruit	0.02
Condiment made from seeds	0.1
Condiment made from plant root and stem	2
Poultry	0.1

Poultry viscera	0.1
Eggs	0.03

4.294.5 Testing method: Cereals, vegetables shall be tested by methods provided in GB/T 5009.136, GB/T 5009.19; testing of oil seed and oil, sugar crops, edible fungi, condiment shall refer to methods provided in GB/T 5009.136, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.295 Penconazole

4.295.1 Major purpose of use: fungicide.

4.295.2 ADI: 0.03 mg/kg bw.

4.295.3 Residue definition: Penconazole.

4.295.4 Maximum residue limit: Shall comply with provisions in the Table 295.

Table 295

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.1
Tomato	0.2
Fruit	
Pome fruit	0.2
Nectarine	0.1
Peach	0.1
Grape	0.2
Raisin	0.5
Strawberry	0.1
Sweet melons	0.1
Beverages	
Hop	0.5

4.295.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769; beverages shall be tested by methods provided in GB/T 23204.

4.296 Tebuconazole

4.296.1 Major purpose of use: fungicide.

4.296.2 ADI: 0.03 mg/kg bw.

4.296.3 Residue definition: Tebuconazole.

4.296.4 Maximum residue limit: Shall comply with provisions in the Table 296.

Table 296

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5
Wheat	0.05
Barley	2
Oats	2
Rye	0.15

Triticale	0.15
Coarse cereals	0.3
Oil seed and oil	
Rape seed	0.3
Cotton seed	2
Peanut	0.1
Soybean	0.15
Vegetables	
Onion	0.1
Garlic	0.1
Spring onion	0.7
Head cabbage	1
Brussels sprouts	0.3
Sprouting broccoli	0.2
Broccoli	0.05
Cabbage lettuce	5
Eggplant	0.1
Sweet pepper	1
Cucumber	1
Squash	0.2
Artichoke	0.6
Carrot	0.4
Cactus	0.6
Fruit	
Citrus	2
Pome fruit (with the exception of apple and pear)	0.5
Apple	2
Pear	0.5
Peach	2
Cherry	4
Apricot	2
Nectarine	2
Prune	1
Dried prune	3
Mulberry	1.5
Grape	2
Olive	0.05
Mango	0.05
Passion fruit	0.1
Carica papaya	2
Sweet melons	0.15
Nuts	0.05

Beverages	Coffee bean	0.1
	Hop	40
Condiment	Dried chilli	10

4.296.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil, Nuts, beverages shall be tested by methods provided in GB/T 20770; Vegetables, fruits, condiment shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.297 Simetryn

4.297.1 Major purpose of use: Herbicide.

4.297.2 ADI: 0.025mg/kg bw.

4.297.3 Residue definition: simetryn.

4.297.4 Maximum residue limit: Shall comply with provisions in the Table 297.

Table 297

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05

4.297.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.298 Simazine

4.298.1 Major purpose of use: Herbicide.

4.298.2 ADI: 0.018 mg/kg bw.

4.298.3 Residue definition: Simazine.

4.298.4 Maximum residue limit: Shall comply with provisions in the Table 298.

Table 298

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.1
Sugar crop	
Sugarcane	0.5

4.298.5 Testing method: testing of grain, sugar crops shall refer to methods provided in GB/T 19648, NY/T 761, NT/T 1379.

4.299 Clethodim

4.299.1 Major purpose of use: Herbicide.

4.299.2 ADI: 0.01 mg/kg bw.

4.299.3 Residue definition: The sum of Clethodim and its metabolite (sulfoxide and sulphone), expressed as Clethodim.

4.299.4 Maximum residue limit: Shall comply with provisions in the Table 299.

Table 299

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	

Coarse cereals	2
Oil seed and oil	
Rape seed	0.5
Cotton seed	0.5
Soybean	0.1
Peanut	5
Sunflower seed	0.5
Crude cotton seed oil	0.5
Edible cotton seed oil	0.5
Crude sunflower seed oil	0.1
Vegetables	
Garlic	0.5
Onion	0.5
Tomato	1
Leguminous vegetables	0.5
Potato	0.5
Sugar crop	
Sugar beet	0.1

4.299.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770, SN/T 2325; Vegetables shall be tested by methods provided in GB/T 19648; testing of sugar crops shall refer to methods provided in GB/T 19648.

4.300 Nitenpyram

4.300.1 Major purpose of use: pesticide.

4.300.2 ADI: 0.53 mg/kg bw.

4.300.3 Residue definition: Nitenpyram.

4.300.4 Maximum residue limit: Shall comply with provisions in the Table 300.

Table 300

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.05*
Fruit	
Citrus	0.5*
*The MRL is the temporary limit.	

4.300.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20769; fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.301 Sethoxydim

4.301.1 Major purpose of use: Herbicide.

4.301.2 ADI: 0.14 mg/kg bw.

4.301.3 Residue definition: Sethoxydim.

4.301.4 Maximum residue limit: Shall comply with provisions in the Table 301.

Table 301

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	0.5
Flax seeds	0.5
Cotton seed	0.5
Soybean	2
Peanut	2
Sugar crop	
Sugar beet	0.5

4.301.5 Testing method: testing of oil seed and oil, sugar crops shall refer to methods provided in GB/T 19649, GB/T 20770.

4.302 Xiwojunan

4.302.1 Major purpose of use: fungicide.

4.302.2 ADI: 0.069 mg/kg bw.

4.302.3 Residue definition: Xiwojunan.

4.302.4 Maximum residue limit: Shall comply with provisions in the Table 302.

Table 302

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1*
*The MRL is the temporary limit.	

4.303 Dimethomorph

4.303.1 Major purpose of use: fungicide.

4.303.2 ADI: 0.2mg/kg bw.

4.303.3 Residue definition: Dimethomorph.

4.303.4 Maximum residue limit: Shall comply with provisions in the Table 303.

Table 303

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	2
Sprouting broccoli	1
Lamb's-lettuce	10
Solanaceous vegetables	1
Gourd vegetables (with the exception of cucumber)	0.5
Cucumber	5
Cabbage lettuce	10
Potato	0.05
Fruit	
Grape	5
Strawberry	0.05

Pineapple	0.01
Melons (with the exception of sweet melon))	0.5
Sweet melon	0.5
Beverages	
Hop	80

4.303.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769; beverages shall be tested by methods provided in GB/T 20769.

4.304 Diniconazole

4.304.1 Major purpose of use: fungicide.

4.304.2 ADI: 0.005 mg/kg bw.

4.304.3 Residue definition: Diniconazole.

4.304.4 Maximum residue limit: Shall comply with provisions in the Table 304.

Table 304

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.2
Corn	0.05
Sorghum	0.05
Millet	0.05
Proso	0.05
Vegetables	
Asparagus	0.5
Fruit	
Citrus	1
Apple	0.2
Pear	0.1
Grape	0.2
Banana	2

4.304.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 20769, GB/T 5009.201, SN/T 1114.

4.305 Amidosulfuron

4.305.1 Major purpose of use: Herbicide.

4.305.2 ADI: 0.2 mg/kg bw.

4.305.3 Residue definition: Amidosulfuron.

4.305.4 Maximum residue limit: Shall comply with provisions in the Table 305.

Table 305

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01*

*The MRL is the temporary limit.

4.306 Mesotrione

4.306.1 Major purpose of use: Herbicide.

4.306.2 ADI: 0.01mg/kg bw.

4.306.3 Residue definition: Mesotrione.

4.306.4 Maximum residue limit: Shall comply with provisions in the Table 306.

Table 306

Food Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.01*
*The MRL is the temporary limit.	

4.307 Phoxim

4.307.1 Major purpose of use: pesticide.

4.307.2 ADI: 0.004 mg/kg bw.

4.307.3 Residue definition: Phoxim.

4.307.4 Maximum residue limit: Shall comply with provisions in the Table 307.

Table 307

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Rape seed	0.1
Soybean	0.05
Peanut	0.05
Vegetables	
Bulb vegetables (with the exception of garlic)	0.05
Garlic	0.1
Brassica vegetables (with the exception of Head cabbage)	0.05
Head cabbage	0.1
Leaf vegetables (with the exception of ordinary cabbage)	0.05
Ordinary cabbage	0.1
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables (with the exception of kidney bean)	0.05

Kidney bean	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit (with the exception of pear)	0.05
Pear	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Sugar crop	
Sugarcane	0.05

4.307.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.102, SN/T; Oil seed and oil shall be tested by methods provided in GB/T 5009.102, SN/T 0209; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 5009.102, GB/T 20769; testing of sugar crops shall refer to methods provided in GB/T 5009.102, GB/T 20769.

4.308 Bromoxynil

4.308.1 Major purpose of use: Herbicide.

4.308.2 ADI: 0.01 mg/kg bw.

4.308.3 Residue definition: Bromoxynil.

4.308.4 Maximum residue limit: Shall comply with provisions in the Table 308.

Table 308

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05
Corn	0.1

4.308.5 Testing method: Cereals shall be tested by methods provided in SN/T 2228.

4.309 Methyl bromide

4.309.1 Major purpose of use: fumigant.

4.309.2 ADI: 1 mg/kg bw.

4.309.3 Residue definition: Methyl bromide.

4.309.4 Maximum residue limit: Shall comply with provisions in the Table 309.

Table 309

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	5
Wheat	5

Upland crops	5
Coarse cereals	5
Processed grain	5
Oil seed and oil	
Soybean	5
Vegetables	
Tubers vegetables	5
Fruit	
Strawberry	30

4.309.5 Testing method: Cereals shall be tested by methods provided in SN 0649; Oil seed and oil, vegetables, fruits shall be tested by methods provided in SN 0649.

4.310 Bromothalonil

4.310.1 Major purpose of use: fungicide.

4.310.2 ADI: 0.001 mg/kg bw.

4.310.3 Residue definition: bromothalonil.

4.310.4 Maximum residue limit: Shall comply with provisions in the Table 310.

Table 310

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Apple	0.2*
Vegetables	
Cucumber	0.5*
*The MRL is the temporary limit.	

4.311 Bromopropylate

4.311.1 Major purpose of use: Acaricide.

4.311.2 ADI: 0.03 mg/kg bw.

4.311.3 Residue definition: bromopropylate.

4.311.4 Maximum residue limit: Shall comply with provisions in the Table 311.

Table 311

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	0.5
Squash	0.5
Kidney bean	3
Fruit	
Citrus	2
Orange	2
Pummelo	2
Lemon	2
Pome fruit (with the exception of apple and pear)	2

Apple	2
Pear	2
Prune	2
Dried prune	2
Grape	2
Strawberry	2
Sweet melons	0.5

4.311.5 Testing method: Vegetables shall be tested by methods provided in GB/T 19648, NY/T 1379; fruits shall be tested by methods provided in by methods provided in GB/T 19648, SN 0192.

4.312 Deltamethrin

4.312.1 Major purpose of use: pesticide.

4.312.2 ADI: 0.01 mg/kg bw.

4.312.3 Residue definition: Deltamethrin (sum of isomers).

4.312.4 Maximum residue limit: Shall comply with provisions in the Table 312.

Table 312

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Wheat	0.5
Upland crops (with the exception of Fresh maize)	0.5
Fresh maize	0.2
Coarse cereals (with the exception of pea, and lentils)	0.5
Pea	1
Lentils	1
Processed grain (with the exception of wheat flour)	0.5
Wheat flour	0.2
Oil seed and oil	
Rape seed	0.1
Cotton seed	0.1
Soybean	0.05
Peanut	0.01
Sunflower seed	0.05
Vegetables	
Onion	0.05
Spring onion	0.2
Head cabbage	0.5
Broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.5

Lettuce	0.5
Celery cabbage	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Leguminous vegetables	0.2
Radish	0.2
Carrot	0.2
Rappini	0.2
Potato	0.01
Celeriac	0.2
Taro	0.2
Sweet potato	0.5
Fruit	
Citrus	0.05
Orange	0.05
Pummelo	0.05
Lemon	0.05
Apple	0.1
Pear	0.1
Stone fruit	0.05
Grape	0.2
Kiwi fruit	0.05
Strawberry	0.2
Olive	1
Litchi	0.05
Mango	0.05
Banana	0.05
Pineapple	0.05
Nuts	
Hazelnut	0.02
Walnut	0.02
Beverages	
Tea	10
Edible fungi	
Mushroom (fresh)	0.2

4.312.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.110, GB/T 19649; Vegetables, fruits and edible fungi shall be tested by methods provided in NY/T 761; testing of nuts shall refer to methods provided in GB/T 5009.110, GB/T 19649; tea shall be tested by methods provided in GB/T 5009.110, SN/T 1117.

4.313 Vamidothion

4.313.1 Major purpose of use: pesticide.

4.313.2 ADI: 0.008 mg/kg bw.

4.313.3 Residue definition: Vamidothion.

4.313.4 Maximum residue limit: Shall comply with provisions in the Table 313.

Table 313

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Apple	1
Pear	1

4.313.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 20769.

4.314 Phosmet

4.314.1 Major purpose of use: pesticide.

4.314.2 ADI: 0.01 mg/kg bw.

4.314.3 Residue definition: Phosmet.

4.314.4 Maximum residue limit: Shall comply with provisions in the Table 314.

Table 314

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Corn	0.05
Oil seed and oil	
Cotton seed	0.05
Vegetables	
Celery cabbage	0.5
Potato	0.05
Fruit	
Citrus	5
Orange	5
Pummelo	5
Lemon	5
Pome fruit	3
Peach	10
Nectarine	10
Apricot	10
Blueberry	10
Grape	10
Nuts	0.2

4.314.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.131; Oil seed and oil shall be tested by methods provided in GB/T 5009.131; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 5009.131, NY/T 761; testing of nuts shall refer to methods provided in GB/T 19648, GB/T 20770.

4.315 Oxydemeton-methyl

4.315.1 Major purpose of use: pesticide.

4.315.2 ADI: 0.0003 mg/kg bw.

4.315.3 Residue definition: sum of demeton-S-methyl, oxydemeton-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl.

4.315.4 Maximum residue limit: Shall comply with provisions in the Table 315.

Table 315

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.02
Barley	0.02
Rye	0.02
Coarse cereals	0.1
Oil seed and oil	
Cotton seed	0.05
Vegetables	
Head cabbage	0.05
Kale	0.01
Broccoli	0.01
Potato	0.01
Fruit	
Pear	0.05
Lemon	0.2
Sugar crop	
Sugar beet	0.01

4.315.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.131; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761; testing of oil seed and oil, sugar crops shall refer to methods provided in GB/T 5009.131.

4.316 Imibenconazole

4.316.1 Major purpose of use: fungicide.

4.316.2 ADI: 0.0098mg/kg bw.

4.316.3 Residue definition: Imibenconazole.

4.316.4 Maximum residue limit: Shall comply with provisions in the Table 316.

Table 316

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	1*
Apple	1*
Greengage	3*
Grape	3*
*The MRL is the temporary limit.	

4.317 Nicotine

4.317.1 Major purpose of use: pesticide.

4.317.2 ADI: 0.0008mg/kg bw.

4.317.3 Residue definition: Nicotine.

4.317.4 Maximum residue limit: Shall comply with provisions in the Table 317.

Table 317

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	0.2
Fruit	
Citrus	0.2

4.317.5 Testing method: Vegetables and fruits shall be tested by methods provided in GB/T 20769, SN/T 2397.

4.318 Nicosulfuron

4.318.1 Major purpose of use: Herbicide.

4.318.2 ADI: 2 mg/kg bw.

4.318.3 Residue definition: Nicosulfuron.

4.318.4 Maximum residue limit: Shall comply with provisions in the Table 318.

Table 318

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.1

4.318.5 Testing method: Cereals shall be tested by methods provided in NY/T 1616.

4.319 Omethoate

4.319.1 Major purpose of use: pesticide.

4.319.2 ADI: 0.0003 mg/kg bw.

4.319.3 Residue definition: Omethoate.

4.319.4 Maximum residue limit: Shall comply with provisions in the Table 319.

Table 319

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.02
Oil seed and oil	
Cotton seed	0.02
Soybean	0.05
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02

Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Pome fruit	0.02
Citrus fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02

4.319.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested by methods provided in SN/T 1739; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, NY/T 1379.

4.320 Triallate

4.320.1 Major purpose of use: Herbicide.

4.320.2 ADI: 0.025 mg/kg bw.

4.320.3 Residue definition: Triallate.

4.320.4 Maximum residue limit: Shall comply with provisions in the Table 320.

Table 320

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.05

4.320.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.321 Difenzoquat

4.321.1 Major purpose of use: Herbicide.

4.321.2 ADI: 0.25 mg/kg bw.

4.321.3 Residue definition: Difenzoquat.

4.321.4 Maximum residue limit: Shall comply with provisions in the Table 321.

Table 321

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.1

4.321.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.200.

4.322 Ivermectin

4.322.1 Major purpose of use: pesticide.

4.322.2 ADI: 0.001 mg/kg bw.

4.322.3 Residue definition: Ivermectin.

4.322.4 Maximum residue limit: Shall comply with provisions in the Table 322.

Table 322

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	0.02

4.322.5 Testing method: vegetables shall be tested by methods provided in GB/T 22968.

4.323 Acetochlor

4.323.1 Major purpose of use: Herbicide.

4.323.2 ADI: 0.02 mg/kg bw.

4.323.3 Residue definition: Acetochlor.

4.323.4 Maximum residue limit: Shall comply with provisions in the Table 323.

Table 323

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Corn	0.05
Oil seed and oil	
Soybean	0.1
Rape seed	0.2
Peanut	0.1

4.323.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, GB/T 19649, and SN/T 2322; Oil seed and oil shall be tested by methods provided in SN/T 2322.

4.324 Ethiprole

4.324.1 Major purpose of use: pesticide.

4.324.2 ADI: 0.005mg/kg bw.

4.324.3 Residue definition: Ethiprole.

4.324.4 Maximum residue limit: Shall comply with provisions in the Table 324.

Table 324

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.2

4.324.5 Testing method: Cereals shall be tested by methods provided in GB/T 20769.

4.325 Spinetoram

4.325.1 Major purpose of use: pesticide.

4.325.2 ADI: 0.05 mg/kg bw.

4.325.3 Residue definition: Spinetoram.

4.325.4 Maximum residue limit: Shall comply with provisions in the Table 325.

Table 325

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	0.5*

Eggplant	0.1*
Cowpea	0.1*
*The MRL is the temporary limit.	

4.326 Ethion

4.326.1 Major purpose of use: pesticide.

4.326.2 ADI: 0.002 mg/kg bw.

4.326.3 Residue definition: Ethion.

4.326.4 Maximum residue limit: Shall comply with provisions in the Table 326.

Table 326

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Oil seed and oil	
Cotton seed oil	0.5

4.326.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20; Oil seed and oil shall be tested by methods provided in GB/T 5009.20.

4.327 Etoxazole

4.327.1 Major purpose of use: Acaricide.

4.327.2 ADI: 0.05mg/kg bw.

4.327.3 Residue definition: Etoxazole.

4.327.4 Maximum residue limit: Shall comply with provisions in the Table 327.

Table 327

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Citrus	0.5

4.327.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 19648.

4.328 Diethofencarb

4.328.1 Major purpose of use: fungicide.

4.328.2 ADI: 0.004mg/kg bw.

4.328.3 Residue definition: Diethofencarb.

4.328.4 Maximum residue limit: Shall comply with provisions in the Table 328.

Table 328

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	1
Cucumber	5

4.328.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769.

4.329 Ethirimol

4.329.1 Major purpose of use: fungicide.

4.329.2 ADI: 0.035mg/kg bw.

4.329.3 Residue definition: Ethirimol.

4.329.4 Maximum residue limit: Shall comply with provisions in the Table 329.

Table 329

Food Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	1

4.329.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769.

4.330 Fluoroglycofen-ethyl

4.330.1 Major purpose of use: Herbicide.

4.330.2 ADI: 0.01mg/kg bw.

4.330.3 Residue definition: Fluoroglycofen-ethyl.

4.330.4 Maximum residue limit: Shall comply with provisions in the Table 330.

Table 330

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Soybean	0.05

4.330.5 Testing method: Oil seed and oil shall be tested by methods provided in SN/T 1737.2.

4.331 Ethylicin

4.331.1 Major purpose of use: fungicide.

4.331.2 ADI: 0.001mg/kg bw.

4.331.3 Residue definition: Ethylicin.

4.331.4 Maximum residue limit: Shall comply with provisions in the Table 331.

Table 331

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05*
Oil seed and oil	
Cotton seed	0.05*
Vegetables	
Cucumber	0.1*
*The MRL is the temporary limit.	

4.332 Vinclozolin

4.332.1 Major purpose of use: fungicide.

4.332.2 ADI: 0.01 mg/kg bw.

4.332.3 Residue definition: The sum of Vinclozolin and its metabolite containing 3,5-dichloroaniline, expressed as Vinclozolin.

4.332.4 Maximum residue limit: Shall comply with provisions in the Table 332.

Table 332

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Tomato	3
Cucumber	1
Condiment	0.05

4.332.5 Testing method: Vegetables shall be tested by methods provided in NY/T 761; testing of condiment shall refer to methods provided in GB/T 19649, NY/T 761, SN 0584.

4.333 Ethephon

4.333.1 Major purpose of use: plant growth regulator.

4.333.2 ADI: 0.05 mg/kg bw.

4.333.3 Residue definition: Ethephon.

4.333.4 Maximum residue limit: Shall comply with provisions in the Table 333.

Table 333

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	1
Rye	1
Corn	0.5
Oil seed and oil	
Cotton seed	2
Vegetables	
Tomato	2
Chili	5
Fruit	
Apple	5
Cherry	10
Blueberry	20
Grape	1
Raisin	5
Kiwi fruit	2
Litchi	2
Mango	2
Banana	2
Pineapple	2
Honey-dew	1
Dried fig	10
Preserved fig	10
Nuts	
Hazelnut	0.2
Walnut	0.5
Condiment	

Dried chilli	50
--------------	----

4.333.5 Testing method: testing of grain, Oil seed and oil, Nuts, condiment shall refer to methods provided in NY/T 1016; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 1016.

4.334 Acephate

4.334.1 Major purpose of use: pesticide.

4.334.2 ADI: 0.03 mg/kg bw.

4.334.3 Residue definition: Acephate.

4.334.4 Maximum residue limit: Shall comply with provisions in the Table 334.

Table 334

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	1
Wheat	0.2
Corn	0.2
Oil seed and oil	
Soybean	0.3
Cotton seed	2
Vegetables	
Bulb vegetables	1
Brassica vegetables	1
Leaf vegetables	1
Solanaceous vegetables	1
Gourd vegetables	1
Leguminous vegetables	1
Stem vegetable (with the exception of artichoke)	1
Artichoke	0.3
Root, tuber and tuberous rooted vegetables	1
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables	1
Fruit	
Citrus fruit	0.5
Pome fruit	0.5
Stone fruit	0.5
Berries and other small fruits (with the exception ofCranberry)	0.5
Cranberry	0.5
Tropical and sub-tropical fruits	0.5
Melons	0.5
Beverages	

Tea	0.1
Condiment	
Condiment (with the exception of dried chilli)	0.2
Dried chilli	50

4.334.5 Testing method: Cereals, Oil seed and oil shall be tested by methods provided in GB/T 5009.103, SN 0585; Vegetables shall be tested by methods provided in GB/T 5009.103, GB/T 5009.145, NT/T 761; fruits shall be tested by methods provided in by methods provided in NT/T 761; testing of condiment shall refer to methods provided in SN/T 1950; testing of tea shall refer to methods provided in GB/T 5009.103.

4.335 Ethoxyquin

4.335.1 Major purpose of use: fungicide.

4.335.2 ADI: 0.005 mg/kg bw.

4.335.3 Residue definition: Ethoxyquin.

4.335.4 Maximum residue limit: Shall comply with provisions in the Table 335.

Table 335

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Pear	3

4.335.5 Testing method: fruits shall be tested by methods provided in by methods provided in SN 0287, GB/T 5009.129.

4.336 Oxyfluorfen

4.336.1 Major purpose of use: Herbicide.

4.336.2 ADI: 0.03mg/kg bw.

4.336.3 Residue definition: Oxyfluorfen.

4.336.4 Maximum residue limit: Shall comply with provisions in the Table 336.

Table 336

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Vegetables	
Garlic	0.05
Garlic sprouts	0.1
Garlic bolt	0.1

4.336.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649 and GB/T 20770; Vegetables shall be tested by methods provided in GB/T 19648, GB/T 20769.

4.337 Ethoxysulfuron

4.337.1 Major purpose of use: Herbicide.

4.337.2 ADI: 0.04 mg/kg bw.

4.337.3 Residue definition: Ethoxysulfuron.

4.337.4 Maximum residue limit: Shall comply with provisions in the Table 337.

Table 337

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05

4.337.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.338 Propisochlor

4.338.1 Major purpose of use: Herbicide.

4.338.2 ADI: 0.013 mg/kg bw.

4.338.3 Residue definition: Propisochlor.

4.338.4 Maximum residue limit: Shall comply with provisions in the Table 338.

Table 338

Food Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.1*
Oil seed and oil	
Soybean	0.1*
Vegetables	
Vegetable soybean	0.1*
Sweet potato	0.05*
*The MRL is the temporary limit.	

4.338.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil, vegetables shall be tested by methods provided in GB/T 19649.

4.339 Metolachlor and s-metolachlor)

4.339.1 Major purpose of use: Herbicide.

4.339.2 ADI: 0.1 mg/kg bw.

4.339.3 Residue definition: metolachlor.

4.339.4 Maximum residue limit: Shall comply with provisions in the Table 339.

Table 339

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Corn	0.1
Oil seed and oil	
Rape seed	0.1
Sesame	0.1
Soybean	0.5
Peanut	0.5
Vegetables	
Vegetable soybean	0.1
Sugar crop	

Sugarcane	0.05
Sugar beet	0.1

4.339.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; Oil seed and oil shall be tested by methods provided in GB/T 5009.174; testing of vegetables, sugar crops shall refer to methods provided in GB/T 19649.

4.340 Isoproturon

4.340.1 Major purpose of use: Herbicide.

4.340.2 ADI: 0.015 mg/kg bw.

4.340.3 Residue definition: Isoproturon.

4.340.4 Maximum residue limit: Shall comply with provisions in the Table 340.

Table 340

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.05
Wheat	0.05

4.340.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.341 Isoprocarb

4.341.1 Major purpose of use: pesticide.

4.341.2 ADI: 0.002 mg/kg bw.

4.341.3 Residue definition: Isoprocarb.

4.341.4 Maximum residue limit: Shall comply with provisions in the Table 341.

Table 341

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.2
Vegetables	
Cucumber	0.5

4.341.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.104; Vegetables shall be tested by methods provided in NY/T 761.

4.342 Iprobenfos

4.342.1 Major purpose of use: fungicide.

4.342.2 ADI: 0.035mg/kg bw.

4.342.3 Residue definition: Iprobenfos.

4.342.4 Maximum residue limit: Shall comply with provisions in the Table 342.

Table 342

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.5

4.342.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649, GB/T 20770, SN/T 1967.

4.343 Clomazone

4.343.1 Major purpose of use: Herbicide.

4.343.2 ADI: 0.133mg/kg bw.

4.343.3 Residue definition: Clomazone.

4.343.4 Maximum residue limit: Shall comply with provisions in the Table 343.

Table 343

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.02
Oil seed and oil	
Soybean	0.05
Sugar crop	
Sugarcane	0.1

4.343.5 Testing method: Cereals shall be tested by methods provided in GB/T 19649; testing of oil seed and oil, sugar crops shall refer to methods provided in GB/T 19649.

4.344 Iprodione

4.344.1 Major purpose of use: fungicide.

4.344.2 ADI: 0.06 mg/kg bw.

4.344.3 Residue definition: Iprodione.

4.344.4 Maximum residue limit: Shall comply with provisions in the Table 344.

Table 344

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Rape seed	2
Vegetables	
Tomato	5
Cucumber	2
Fruit	
Apple	5
Pear	5
Grape	10
Banana	10

4.344.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, NY/T 761, NY/T 1277.

4.345 Imazalil

4.345.1 Major purpose of use: fungicide.

4.345.2 ADI: 0.03 mg/kg bw.

4.345.3 Residue definition: Imazalil.

4.345.4 Maximum residue limit: Shall comply with provisions in the Table 345.

Table 345

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Wheat	0.01
Vegetables	
Cucumber	0.5
Small cucumber used for pickling	0.5
Potato	5
Fruit	
Citrus	5
Orange	5
Pummelo	5
Lemon	5
Pome fruit	5
Gooseberry (red, black)	2
Strawberry	2
Persimmon	2
Sweet melons	2

4.345.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T20769.

4.346 Maleic hydrazide

4.346.1 Major purpose of use: plant growth regulator/Herbicide.

4.346.2 ADI: 0.3 mg/kg bw.

4.346.3 Residue definition: Maleic hydrazide.

4.346.4 Maximum residue limit: Shall comply with provisions in the Table 346.

Table 346

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Garlic	15
Onion	15
Scallion	15
Potato	50

4.346.5 Testing method: vegetables shall be tested by methods provided in GB/T 19611.

4.347 Azadirachtin

4.347.1 Major purpose of use: pesticide.

4.347.2 ADI: 0.1mg/kg bw.

4.347.3 Residue definition: Azadirachtin.

4.347.4 Maximum residue limit: Shall comply with provisions in the Table 347.

Table 347

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	0.1*

*The MRL is the temporary limit.

4.348 Indoxacarb

4.348.1 Major purpose of use: pesticide.

4.348.2 ADI: 0.01 mg/kg bw.

4.348.3 Residue definition: Indoxacarb.

4.348.4 Maximum residue limit: Shall comply with provisions in the Table 348.

Table 348

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	3
Broccoli	1
Cabbage mustard	2
Spinach	3
Ordinary cabbage	2

4.348.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested by methods provided in GB/T 20770; Vegetables shall be tested by methods provided in GB/T 20769.

4.349 Coumaphos

4.349.1 Major purpose of use: pesticide.

4.349.2 ADI: 0.0003 mg/kg bw.

4.349.3 Residue definition: Coumaphos.

4.349.4 Maximum residue limit: Shall comply with provisions in the Table 349.

Table 349

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	

Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05

4.349.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 19648.

4.350 Ametryn

4.350.1 Major purpose of use: Herbicide.

4.350.2 ADI: 0.072 mg/kg bw.

4.350.3 Residue definition: Ametryn.

4.350.4 Maximum residue limit: Shall comply with provisions in the Table 350.

Table 350

Food Category/Name	Maximum residue limit (mg/kg)
Fruit	
Pineapple	0.2
Sugar crop	
Sugarcane	0.05

4.350.5 Testing method: fruits shall be tested by methods provided in by methods provided in GB/T 19648; testing of sugar crops shall refer to methods provided in GB/T 23816.

4.351 Atrazine

4.351.1 Major purpose of use: Herbicide.

4.351.2 ADI: 0.02 mg/kg bw.

4.351.3 Residue definition: Atrazine.

4.351.4 Maximum residue limit: Shall comply with provisions in the Table 351.

Table 351

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05
Sugar crop	
Sugarcane	0.05

4.351.5 Testing method: Cereals, sugar crop shall be tested by methods provided in GB/T 5009.132.

4.352 Rotenone

4.352.1 Major purpose of use: pesticide.

4.352.2 ADI: 0.0004mg/kg bw.

4.352.3 Residue definition: Rotenone.

4.352.4 Maximum residue limit: Shall comply with provisions in the Table 352.

Table 352

Food Category/Name	Maximum residue limit (mg/kg)
--------------------	-------------------------------

Vegetables	
Head cabbage	0.5

4.352.5 Testing method: vegetables shall be tested by methods provided in GB/T 20769.

4.353 Piperonyl butoxide

4.353.1 Major purpose of use: synergist agent.

4.353.2 ADI: 0.2 mg/kg bw.

4.353.3 Residue definition: Piperonyl butoxide.

4.353.4 Maximum residue limit: Shall comply with provisions in the Table 353.

Table 353

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	30
Wheat	30
Wheat germ	90
Upland crops	30
Coarse cereals	0.2
Wheat flour	10
Whole wheat flour	30
Oil seed and oil	
Soybean	0.2
Peanut	1
Crude corn oil	80
Vegetables	
Spinach	50
Leaf mustard	50
Radish leaf	50
Stem and leaf lettuce	50
Tomato	2
Chili	2
Gourd vegetables	1
Root, tuber and tuberous rooted vegetables	0.5
Fruit	
Citrus fruit	5
Melons	1
Dried fruits	0.2
Beverages	
Tomato juice	0.3
Orange juice	0.05
Condiment	
Dried chilli	20

4.353.5 Testing method: Cereals shall be tested by methods provided in SN/T 2150; Vegetables, fruit and beverages shall be tested by methods provided in GB/T 19648; testing of oil seed and oil, condiment shall refer to methods provided in SN/T 2150.

4.354 Sulfotep

4.354.1 Major purpose of use: pesticide.

4.354.2 ADI: 0.001 mg/kg bw.

4.354.3 Residue definition: Sulfotep.

4.354.4 Maximum residue limit: Shall comply with provisions in the Table 354.

Table 354

Food Category/Name	Maximum residue limit (mg/kg)
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.354.5 Testing method: Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 19648.

4.355 Butralin

4.355.1 Major purpose of use: Herbicide.

4.355.2 ADI: 0.2 mg/kg bw.

4.355.3 Residue definition: Butralin.

4.355.4 Maximum residue limit: Shall comply with provisions in the Table 355.

Table 355

Food Category/Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.05

4.355.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 20770, GB/T 19649.

4.356 Fenobucarb

4.356.1 Major purpose of use: pesticide.

4.356.2 ADI: 0.06 mg/kg bw.

4.356.3 Residue definition: Fenobucarb.

4.356.4 Maximum residue limit: Shall comply with provisions in the Table 356.

Table 356

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Rice	0.5
Vegetables	
Zucchini	0.05

4.356.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.145; Vegetables shall be tested by methods provided in NY/T 1679, NY/T 761, SN/T 2560.

4.357 Carfentrazone-ethyl

4.357.1 Major purpose of use: Herbicide.

4.357.2 ADI: 0.03mg/kg bw.

4.357.3 Residue definition: Carfentrazone-ethyl.

4.357.4 Maximum residue limit: Shall comply with provisions in the Table 357.

Table 357

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Brown rice	0.1
Wheat	0.1

4.357.5 Testing method: Cereals shall be tested by methods provided in GB/T 23216.

4.358 Tolfenpyrad

4.358.1 Major purpose of use: pesticide.

4.358.2 ADI: 0.006mg/kg bw.

4.358.3 Residue definition: Tolfenpyrad.

4.358.4 Maximum residue limit: Shall comply with provisions in the Table 358.

Table 358

Food Name	Maximum residue limit (mg/kg)
Vegetables	
Head cabbage	0.5
Celery cabbage	0.5
Eggplant	0.5

4.358.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769.

4.359 Fenpyroximate

4.359.1 Major purpose of use: Acaricide.

4.359.2 ADI: 0.01 mg/kg bw.

4.359.3 Residue definition: Fenpyroximate.

4.359.4 Maximum residue limit: Shall comply with provisions in the Table 359.

Table 359

Food Name	Maximum residue limit (mg/kg)
Oil seed and oil	
Cotton seed	0.1
Fruit	
Citrus	0.2
Apple	0.3

4.359.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 19649, GB/T 20770; fruits shall be tested by methods provided in by methods provided in GB/T 19648, GB/T 20769, SN/T 1977.

4.360 Flumetsulam

4.360.1 Major purpose of use: Herbicide.

4.360.2 ADI: 1mg/kg bw.

4.360.3 Residue definition: Flumetsulam.

4.360.4 Maximum residue limit: Shall comply with provisions in the Table 360.

Table 360

Food Category/Name	Maximum residue limit (mg/kg)
Cereals	
Corn	0.05*
Oil seed and oil	
Soybean	0.05*
*The MRL is the temporary limit.	

4.361 Pyraoxystrobin

4.361.1 Major purpose of use: fungicide.

4.361.2 ADI: 0.0013mg/kg bw.

4.361.3 Residue definition: Pyraoxystrobin.

4.361.4 Maximum residue limit: Shall comply with provisions in the Table 361.

Table 361

Food Name	Maximum residue limit (mg/kg)
Vegetables	
Cucumber	1*
*The MRL is the temporary limit.	

4.362 Aldrin

4.362.1 Major purpose of use: pesticide.

4.362.2 ADI: 0.0001 mg/kg bw.

4.362.3 Residue definition: Aldrin.

4.362.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 362.

Table 362

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.02
Wheat	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Meat from mammals (with the exceptions of marine mammal)	0.2 (Expressed in fat)
Poultry	0.2 (Expressed in fat)
Eggs	0.1
Raw milk	0.006

4.362.5 Testing method: Plant source foods (with the exceptions of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.363 DDT

4.363.1 Major purpose of use: pesticide.

4.363.2 ADI: 0.01 mg/kg bw.

4.363.3 Residue definition: The sum of p,p'- DDT, o,p'-DDT, p,p'-DDE and p,p'-DDD.

4.363.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 363.

Table 363

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.1
Wheat	0.1
Upland crops	0.1
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables (with the exception of carrot)	0.05
Carrot	0.2
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Beverages	
Tea	0.2
Meat from mammals and meat products	
Fat content < 10%	0.2 (calculate with original sample)
Fat content > 10%	2 (Expressed in fat)
Aquatic products	0.5
Eggs	0.1
Raw milk	0.02

4.363.5 Testing method: Plant source foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.364 Dieldrin

4.364.1 Major purpose of use: pesticide.

4.364.2 ADI: 0.0001 mg/kg bw.

4.364.3 Residue definition: dieldrin.

4.364.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 364.

Table 364

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.02
Wheat	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Meat from mammals (with the exceptions of marine mammal)	0.2 (Expressed in fat)
Poultry	0.2 (Expressed in fat)
Eggs	0.1

Milk	0.006
------	-------

4.364.5 Testing method: Plant source foods (with the exceptions of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.365 Camphechlor

4.365.1 Major purpose of use: pesticide.

4.365.2 ADI: 0.00025 mg/kg bw.

4.365.3 Residue definition: Camphechlor.

4.365.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 365.

Table 365

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.01*
Wheat	0.01*
Upland crops	0.01*
Coarse cereals	0.01*
Oil seed and oil	
Soybean	0.01*
Vegetables	
Bulb vegetables	0.05*
Brassica vegetables	0.05*
Leaf vegetables	0.05*
Solanaceous vegetables	0.05*
Gourd vegetables	0.05*
Leguminous vegetables	0.05*
Stem vegetable	0.05*
Root, tuber and tuberous rooted vegetables	0.05*
Aquatic vegetables	0.05*
Sprout vegetables	0.05*
Other vegetables	0.05*
Fruit	
Citrus fruit	0.05*
Pome fruit	0.05*
Stone fruit	0.05*
Berries and other small fruits	0.05*
Tropical and sub-tropical fruits	0.05*
Melons	0.05*
*The MRL is the temporary limit.	

4.365.5 Testing method: Cereals, Oil seed and oil, vegetables, fruits shall be tested by methods provided in YC/T 180.

4.366 Lindane

4.366.1 Major purpose of use: pesticide.

4.366.2 ADI: 0.005 mg/kg bw.

4.366.3 Residue definition: Lindane.

4.366.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 366.

Table 366

Food Category/Name	EMRL (mg/kg)
Cereals	
Wheat	0.05
Barley	0.01
Rye	0.01
Oats	0.01
Corn	0.01
Fresh maize	0.01
Sorghum	0.01
Meat from mammals (with the exceptions of marine mammal)	
Fat content < 10%	0.1 (calculate with original sample)
Fat content ≥ 10%	1 (Expressed in fat)
Poultry (fat)	0.05
Edible poultry viscera	0.01
Edible viscera (mammal)	0.01
Eggs	0.1
Raw milk	0.01

4.366.5 Testing method: Plant source foods shall be tested by methods provided in GB/T 5009.146, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.367 HCB

4.367.1 Major purpose of use: pesticide.

4.367.2 ADI: 0.005 mg/kg bw.

4.367.3 Residue definition: The sum of α -HCB, β -HCB, γ -HCB and δ -HCB.

4.367.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 367.

Table 367

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.05
Wheat	0.05
Upland crops	0.05
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05

Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Beverages	
Tea	0.2
Meat from mammals and meat products (with the exceptions of marine mammal)	
Fat content < 10%	0.1 (calculate with original sample)
Fat content ≥ 10%	1 (Expressed in fat)
Aquatic products	0.1
Eggs	0.1
Raw milk	0.02

4.367.5 Testing method: Plant source foods (with the exceptions of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.368 Chlordane

4.368.1 Major purpose of use: pesticide.

4.368.2 ADI: 0.0005 mg/kg bw.

4.368.3 Residue definition: in Plant source foods, it is the total of CIS-chlordane and trans-chlordane; in animal-derived foods, it is the total of CIS-chlordane, trans-chlordane and the oxy-Chlordane.

4.368.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 368.

Table 368

Food Category/Name	EMRL (mg/kg)
Cereals	0.02
Oil seed and oil	

Soybean	0.02
Crude vegetable oil	0.05
Vegetable oil	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Nuts	0.02
Meat from mammals (with the exceptions of marine mammal)	0.05 (Expressed in fat)
Poultry	0.5 (Expressed in fat)
Eggs	0.02
Raw milk	0.002

4.368.5 Testing method: Plant source foods shall be tested by methods provided in GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.369 Mirex

4.369.1 Major purpose of use: pesticide.

4.369.2 ADI: 0.0002 mg/kg bw.

4.369.3 Residue definition: Mirex.

4.369.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 369.

Table 369

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.01
Wheat	0.01
Upland crops	0.01
Coarse cereals	0.01

Oil seed and oil	
Soybean	0.01
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetable	0.01
Root, tuber and tuberous rooted vegetables	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.369.5 Testing method: Cereals, oil seed and oil, vegetables, fruits shall be tested by methods provided in by methods provided in GB/T 5009.19.

4.370 Heptachlor

4.370.1 Major purpose of use: pesticide.

4.370.2 ADI: 0.0001 mg/kg bw.

4.370.3 Residue definition: total of heptachlor and heptachlor epoxide

4.370.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 370.

Table 370

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.02
Wheat	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Cotton seed	0.02
Soybean	0.02
Crude soybean oil	0.05
Soybean oil	0.02
Vegetables	

Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetable	0.02
Root, tuber and tuberous rooted vegetables	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruit	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Poultry	0.2
Meat from mammals (with the exceptions of marine mammal)	0.2
Eggs	0.05
Raw milk	0.006

4.370.5 Testing method: Plant source foods (with the exceptions of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

4.371 Endrin

4.371.1 Major purpose of use: pesticide.

4.371.2 ADI: 0.0002 mg/kg bw.

4.371.3 Residue definition: The sum of Endrin, Endrin aldehyde and Endrin-ketone.

4.371.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 371.

Table 371

Food Category/Name	EMRL (mg/kg)
Cereals	
Rice	0.01
Wheat	0.01
Upland crops	0.01
Coarse cereals	0.01
Oil seed and oil	
Soybean	0.01
Vegetables	

Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetable	0.05
Root, tuber and tuberous rooted vegetables	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruit	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Meat from mammals (with the exceptions of marine mammal)	0.1 (Expressed in fat)

4.371.5 Testing method: Plant source foods (with the exceptions of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in by methods provided in NY/T 761, GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.162, GB/T 5009.19.

Informative Appendix A

The Food Category and Parts to be Tested

Food Category	Name Description	Parts to be Tested
Cereals	1. Rice, etc.	The entire kernel
	2.Wheat Wheat, barley, oats, rye, triticale, etc.	The entire kernel
	3.Upland crops Corn, sorghum, millet, proso, Yoyumin, buckwheat, etc	The entire kernel, Fresh maize (including corn kernel and corn cob)
	4.Coarse cereals Mung bean, pea, Adsuki bean, lentils, chickpeas, etc.	The entire kernel
	5.Processed grain Rice meal, Wheat Flour, Whole meal flour, Corn grits, Corn flour, Sorghum rice, Barley flour, Buckwheat Flour, Hulless oate flour, Sweet potato flour, Sorghum flour, rye flour, whole rye powder, rice, brown rice, wheat germ, etc.	
Oil seed and oil	1.Small-grained oilseed Rape seed, Sesame, Flax seeds, Mustard seed, etc.	The entire kernel
	2. Medium-grained oilseed Cotton seed	The entire kernel
	3.Large oilseeds Soybean, peanut, sunflower seed, camellia seed, etc.	The entire kernel
	4. Oil Crude vegetable oil: crude soybean oil, crude rape seed oil, crude peanut oil, crude cotton seed oil, crude corn oil, crude sunflower seed oil Vegetable oil: soybean oil, rape seed oil, peanut oil, Cotton seed oil, virgin olive oil, refined olive oil, sunflower seed oil, corn oil	
Vegetables (Bulb)	1.Bulb onions Garlic, onion, allium Chinense G.Don, etc.	The edible part
	2. Leaf allium Leek, scallion, young garlic, garlic sprouts, spring onion, etc.	Whole Plant

Food Category	Name Description	Parts to be Tested
	3.Lily	The bulb
Vegetables (Brassicas)	1.Head bassicas Head cabbage, head cabbage, brussels sprouts, red cabbage, kale, etc.	Whole plant
	2.Flowerhead Brassicas Broccoli, sprouting broccoli, etc.	Whole plant, remove leaf
	3.Stem Brassicas Chinese kale, flower Chinese cabbage, stem mustard, etc.	Whole plant, remove root
Vegetables (Leafy)	1. Green leaf vegetables: Spinach, Ordinary cabbage (Pakchoi, edible rape, green vegetable), edible amaranth, Water spinach, Garland chrysanthemum, broad leaf garland chrysanthemum, stem and leaf lettuce, cabbage lettuce, Asparagus lettuce, Endive, basella alba, leaf lettuce, leaf musta, leaf mustard, radish leaf, rappini leaf, chicory, etc.	Whole plant, remove root
	2. Leaf stalk vegetables Celery, cumin, spherical fennel, etc.	Whole plant, remove root
	3. Celery cabbage	Whole plant, remove root
Vegetables (solanaceous fruit vegetable)	1.Tomatos: Tomato, Cherry Tomato, etc.	Whole fruit (remove stalk)
	2.Other solanaceous fruit vegetable: Eggplant, chili, wweet pepper, hibiscus esculentus, wintercherry, etc.	Whole fruit (remove stalk)
Vegetables (Gourd)	1.Cucumber, small cucumber used for pickling	Whole gourd (remove stalk)
	2. Small melon Squash, auchini, bitter gourd, loofah, line melon, bottle gourd, etc.	Whole gourd (remove stalk)
	3. Large melon Wax gourd, Pumpkin, winter squash, etc.	Whole gourd (remove stalk)
Vegetables (Legume)	1. Edible podded vegetables: Cowpea, marrow bean, edible podded pea, winged bean, hyacinth bean, sword bean etc.	Whole pod
	2. Inedible podded vegetables: Vegetable soybean, Broad bean, Pea, kidney bean etc.	Whole bean (remove pod)
Vegetables (Stem)	Asparagus, Artichoke, rheum officinale etc.	Whole plant

Food Category	Name Description	Parts to be Tested
Vegetables (Tuber and tuberous rooted vegetables)	1. Tuber vegetables radish, carrot, garden beet, celeriac, root mustard, ginger, horse-radish, turnip, platycodon grandiflorum, etc.	Whole plant, remove the leaf on top and the leaf stalk
	2. Potato	Whole tuber
	3. Other root, tuber and tuberous rooted vegetables Sweet potato, Chinese yam, burdock, cassava, taro, pueraria lobata, konjac etc.	Whole tuber
Vegetables (Aquatic vegetables)	1. Leaf vegetables Cress, watercress, cane shoots, common cattail, etc.	Whole plant, remove the peel of cane shoots
	2. Fruit vegetables Water chestnut, Gorgon euryale etc.	Whole fruit (remove shell)
	3. Boot vegetables Nelumbo nucifera gaertn, Chufa, Sagittaria sagittifolia etc.	Whole plant
Vegetables (Bean sprouts vegetables)	Mung bean sprout, soybean sprouts, radish sprouts, alfalfa sprouts, pepper buds, chinese toon sprout etc.	Whole plant
Vegetables (other)	Daylily, Bamboo sprout,, Cactus, etc.	Whole plant
Fruit (citrus)	Orange, Tangerine, Lemon, Pummelo, Citrus reticulate, Bergamot, Kumquat etc	Whole fruit
Fruit (Pome fruits)	Apple, Pear, Hawthorn, Loquat, Quinces, etc.	Whole fruit (remove stalk); Loquat testing refers to that of stone fruit
Fruit (Stone fruits)	Peach, Nectarine, Apricot, Date, Prune, Cherry, etc.	Whole fruit (remove stalk and the stone); weight of stone shall be included in calculating the MRL
Fruit (Berries and other small fruits)	1. Vines and shrubs plant Medlar, blackberry, blueberry, rubus idaeus, cranberry, current, raspberry, gooseberry, mulberry, shadbush, dewberry, etc.	Whole fruit (remove stalk)
	2. Small vine climbing fruit a. Edible peel: Grape, Cyphomandra betacea, Schisandra chinensis, etc. b. Inedible peel: Kiwi fruit, Passion fruit, etc.	Whole fruit
	3. Strawberry	Whole fruit (remove stalk)
Fruit	1. Edible peel	Whole fruit (remove stalk); pulp of

Food Category	Name Description	Parts to be Tested
(Tropical and sub-tropical fruits)	Persimmon, red bayberry, olive, fig, star fruit, wax-apple, etc.	red bayberry and olive shall be tested, weight of the stone shall be included in calculating the MRL
	<p>2. Inedible peel</p> <p>a. Small fruit: litchi, longan, rambutan, etc.</p> <p>b. Medium fruits Mango, pomegranate, avocado, sweetsop, guava, west durian, clausena lansium, mangosteen etc.</p> <p>c. Large fruits Banana, Papaya, coconut, etc.</p> <p>d. Barbed fruits Pineapple, Jack fruit, Durian, dragon fruit, etc.</p>	<p>Pulp (shall be tested), weight of the stone shall be included in calculating the MRL</p> <p>Whole fruit; remove stone of avocado and mango; test pulp of mangosteen, weight of the stone shall be included in calculating the MRL</p> <p>Test the whole banana; papaya shall be tested the whole fruit after removal of the stone; weight of the stone shall be included in calculating the MRL; coconut's juice and pulp shall be tested</p> <p>Remove leaf crowne of pineapple and dragon fruit; Jack fruit and Durian's pulp shall be tested; weight of the stone shall be included in calculating the MRL</p>
Fruit (Fruit melon)	1. Water melon	Whole melon
	<p>2. Melons</p> <p>Oriental sweet melon, Netted melon, Honey-dew melon, Bailan melon, Muskmelo etc.</p>	Whole melon
Dried fruit	Preserved citrus, Dried prune, Raisin, Dried fig, Preserved fig	Whole fruit (test pulp, weight of the stone shall be included in calculating the MRL)
Nuts	<p>1. Small-grained nuts</p> <p>Almond, Hazelnut, Cashew nut, Pine nut, Pistachio nuts, etc.</p>	Whole fruit (remove shell)
	<p>2. Large-grained nuts</p> <p>Walnut, Castanea mollissima, Carya cathayensis, Macadimia nut, etc.</p>	Whole fruit (remove shell)
Sugar crop	1. Sugarcane	The whole sugarcane, remove leaves on top and leave stalks
	2. Sugar beet	The whole sugar beet, remove leaves on top and leave stalks

Food Category	Name Description	Parts to be Tested
Beverages	1.Tea	
	2.Coffee bean, Cocoa bean	
	3.Hop	
	4. Chrysanthemum, rose, etc.	
	5.Juice Vegetables juice: Tomato juice, etc. Fruit juice: Orange juice, apple juice, etc.	
Edible fungi	1. Mushrooms fungi Lentinus edodes, Needle mushroom, Oyster mushroom, Agrocybe cylindracea, Dictyophora, Straw mushroom, Morchella, Boletus, Tricholoma, Matsutake, Agaricus bisporus, Hericium erinaceus, Pleurotus nebrodensis, Pleurotus eryngii etc.	Whole plant
	2. Agaric fungi Agaric, Tremella, Tremella aurantia, Auricularia polytricha, Iwatake mushroom etc.	Whole plant
Condiment	1. Leafy Chinese parsley, Mint, Sweet basil herb, Mugwort, Purple perilla etc.	Whole plant, remove root
	2.Dried chilli	Whole fruit (remove stalk)
	3.Condiment made from fruit Chili, pepper, round cardamom, etc.	Whole fruit
	4.Condiment made from seeds Mustard, illicium verum, etc.	The whole kernel
	5.Condiment made from plant root and stem Cassia, horseradish, etc.	Whole plant
Medicinal plant	1. Plant root and stem Ginseng, notoginseng, Gastrodia elata Bl, Licorice pinellia ternata, Angelica sinensis, etc.	Root and stem
	2. Leaf and stalk Herba plantaginis, chameleon, artemisia argyi, artemisia linn, etc.	Stalk and leaf
	3.Flower and fruit: Honeysuckle flower, ginkgo, etc.	Flower and fruit

Food Category	Name Description	Parts to be Tested
Animal-derived food	1. Meat from mammals (with the exceptions of marine mammal) Pork, beef, lamb, donkey meat, horse meat, etc.	Meat (bone removed), including fat tissue that has the fat content of <10%
	2. Viscera of mammal animals (with the exceptions of marine mammal) Heart, liver, kidney, tongue, stomach, etc.	Meat (bone removed), including fat tissue that has the fat content of <10%
	3. Poultry Chicken, duck, goose meat, etc.	Meat, bone removed
	4. Poultry viscera	The whole viscera
	5. Eggs (fresh egg)	The egg (remove shell)
	6. Raw milk Milk and its fat	
	7. Aquatic products	Edible part, bone and scale removed

Informative Appendix B

The index of pesticides's Chinese common name

2, 4-滴和 2, 4-滴钠盐	2, 4-D and 2, 4-D Na	4.1
2, 4-滴丁酯	2, 4-D butylate	4.2
2 甲 4 氯 (钠)	MCPA (sodium)	4.3
阿维菌素	Abamectin	4.4
矮壮素	Chlormequat	4.5
艾氏剂	Aldrin	4.362
胺苯磺隆	Ethametsulfuron	4.6
胺鲜酯	Diethyl aminoethyl hexanoate	4.7
氨基吡啶酸	Picloram	4.8
百草枯	Paraquat	4.9
百菌清	Chlorothalonil	4.10
保棉磷	Azinphos-methyl	4.11
倍硫磷	Fenthion	4.12
苯丁锡	Fenbutatin oxide	4.13
苯氟磺胺	Dichlofluanid	4.14
苯磺隆	Tribenuron-methyl	4.15
苯菌灵	Benomyl	4.16
苯硫威	Fenothiocarb	4.17
苯螨特	Benzoximate	4.18
苯醚甲环唑	Difenoconazole	4.19
苯噻酰草胺	Mefenacet	4.20
苯霜灵	Benalaxyl	4.21
苯酰菌胺	Zoxamide	4.22
苯线磷	Fenamiphos	4.23
苯锈啶	Fenpropidin	4.24
吡丙醚	Pyriproxyfen	4.25
吡草醚	Pyraflufen-ethyl	4.26
吡虫啉	Imidacloprid	4.27
吡氟酰草胺	Diflufenican	4.28
吡氟禾草灵和精吡氟禾草 灵	Fluazifop and fluazifop-P-butyl	4.29
吡嘧磺隆	Pyrazosulfuron-ethyl	4.30
吡蚜酮	Pymetrozine	4.31
吡唑醚菌酯	Pyraclostrobin	4.32
苄嘧磺隆	Bensulfuron-methyl	4.33
丙草胺	Pretilachlor	4.34
丙环唑	Propiconazol	4.35
丙硫菌唑	Prothioconazole	4.36
丙硫克百威	Benfuracarb	4.37

丙炔噁草酮	Oxadiazargyl	4.38
丙炔氟草胺	Flumioxazin	4.39
丙森锌	Propineb	4.40
丙溴磷	Profenofos	4.41
草铵膦	Glufosinate-ammonium	4.42
草除灵	Benazolin-ethyl	4.43
草甘膦	Glyphosate	4.44
虫螨腈	Chlorfenapyr	4.45
虫酰肼	Tebufenozide	4.46
除虫脲	Diflubenzuron	4.47
春雷霉素	Kasugamycin	4.48
哒螨灵	Pyridaben	4.49
代森铵	Amobam	4.50
代森联	Metriam	4.51
代森锰锌	Mancozeb	4.52
代森锌	Zineb	4.53
单甲脒和单甲脒盐酸盐	Semiamitraz and semiamitraz chloride	4.54
单氰胺	Cyanamide	4.55
单嘧磺隆	Monosulfuron	4.56
稻丰散	Phenthoate	4.57
稻瘟灵	Isoprothiolane	4.58
稻瘟酰胺	Fenoxanil	4.59
滴滴涕	Ddt	4.363
狄氏剂	Dieldrin	4.364
敌百虫	Trichlorfon	4.60
敌稗	Propanil	4.61
敌草快	Diquat	4.62
敌草隆	Diuron	4.63
敌敌畏	Dichlorvos	4.64
敌磺钠	Fenaminosulf	4.65
敌菌灵	Anilazine	4.66
敌螨普	Dinocap	4.67
敌瘟磷	Edifenphos	4.68
地虫硫磷	Fonofos	4.69
丁草胺	Butachlor	4.70
丁苯吗啉	Fenpropimorph	4.71
丁硫克百威	Carbosulfan	4.72
丁醚脲	Diafenthiuron	4.73
丁虫脞	Flufiprole	4.74
丁香菌酯	Coumoxystrobin	4.75
啶虫脒	Acetamiprid	4.76
啶酰菌胺	Boscalid	4.77
啶氧菌酯	Picoxystrobin	4.78
毒杀芬	Camphechlor	4.365

毒死蜱	Chlorpyrifos	4.79
对硫磷	Parathion	4.80
多果定	Dodine	4.81
多菌灵	Carbendazim	4.82
多杀霉素	Spinosad	4.83
多效唑	Pacllobutrazol	4.84
噁草酮	Oxadiazon	4.85
噁霉灵	Hymexazol	4.86
噁嗪草酮	Oxaziclomefone	4.87
噁霜灵	Oxadixyl	4.88
噁唑菌酮	Famoxadone	4.89
二苯胺	Diphenylamine	4.90
二甲戊灵	Pendimethalin	4.91
二氯吡啶酸	Clopyralid	4.92
二氯喹啉酸	Quinclorac	4.93
二嗪磷	Diazinon	4.94
二氰蒽醌	Dithianon	4.95
粉唑醇	Flutriafol	4.96
砒啶磺隆	Rimsulfuron	4.97
伏杀硫磷	Phosalone	4.98
氟胺氰菊酯	Tau-fluvalinate	4.99
氟苯虫酰胺	Flubendiamide	4.100
氟苯脲	Teflubenzuron	4.101
氟吡禾灵	Haloxypop	4.102
氟吡磺隆	Flucetosulfuron	4.103
氟吡甲禾灵和高效氟吡甲禾灵	Haloxypop-methyl and haloxypop-P-methyl	4.104
氟吡菌胺	Fluopicolide	4.105
氟虫腈	Fipronil	4.106
氟虫脲	Flufenoxuron	4.107
氟啶胺	Fluazinam	4.108
氟啶虫胺脒	Sulfoxaflo	4.109
氟啶虫酰胺	Flonicamid	4.110
氟啶脲	Chlorfluazuron	4.111
氟硅唑	Flusilazole	4.112
氟环唑	Epoxiconazole	4.113
氟磺胺草醚	Fomesafen	4.114
氟菌唑	Triflumizole	4.115
氟乐灵	Trifluralin	4.116
氟铃脲	Hexaflumuron	4.117
氟氯氰菊酯和高效氟氯氰菊酯	Cyfluthrin and beta-cyfluthrin	4.118
氟吗啉	Flumorph	4.119
氟氰戊菊酯	Flucythrinate	4.120

氟烯草酸	Flumiclorac	4.121
氟酰胺	Flutolanil	4.122
氟酰胺	Novaluron	4.123
氟唑磺隆	Flucarbazone-sodium	4.124
腐霉利	Procymidone	4.125
福美双	Thiram	4.126
福美锌	Ziram	4.127
咯菌腈	Fludioxonil	4.128
禾草丹	Thiobencarb	4.129
禾草敌	Molinate	4.130
禾草灵	Diclofop-methyl	4.131
环丙嘧磺隆	Cyclosulfamuron	4.132
环丙唑醇	Cyproconazole	4.133
环嗪酮	Hexazinone	4.134
环酰菌胺	Fenhexamid	4.135
环酯草醚	Pyriftalid	4.136
磺草酮	Sulcotrione	4.137
己唑醇	Hexaconazole	4.138
甲氨基阿维菌素苯甲酸盐	Emamectin benzoate	4.139
甲胺磷	Methamidophos	4.140
甲拌磷	Phorate	4.141
甲苯氟磺胺	Tolyfluanid	4.142
甲草胺	Alachlor	4.143
甲磺隆	Metsulfuron-methyl	4.144
甲基碘磺隆钠盐	Iodosulfuron-methyl-sodium	4.145
甲基毒死蜱	Chlorpyrifos-methyl	4.146
甲基对硫磷	Parathion-methyl	4.147
甲基二磺隆	Mesosulfuron-methyl	4.148
甲基立枯磷	Tolclofos-methyl	4.149
甲基硫环磷	Phosfolan-methyl	4.150
甲基硫菌灵	Thiophanate-methyl	4.151
甲基嘧啶磷	Pirimiphos-methyl	4.152
甲基异柳磷	Isofenphos-methyl	4.153
甲硫威	Methiocarb	4.154
甲咪唑烟酸	Imazapic	4.155
甲萘威	Carbaryl	4.156
甲氰菊酯	Fenpropathrin	4.157
甲霜灵和精甲霜灵	Metalaxyl and metalaxyl-M	4.158
甲羧除草醚	Bifenox	4.159
甲氧虫酰肼	Methoxyfenozide	4.160
甲氧咪草烟	Imazamox	4.161
腈苯唑	Fenbuconazole	4.162
腈菌唑	Myclobutanil	4.163
精噁唑禾草灵	Fenoxaprop-P-ethyl	4.164

精二甲吩草胺	Dimethenamid-P	4.165
久效磷	Monocrotophos	4.166
抗蚜威	Pirimicarb	4.167
克百威	Carbofuran	4.168
克菌丹	Captan	4.169
喹禾灵和精喹禾灵	Quizalofop and quizalofop-P-ethyl	4.170
喹啉铜	Oxine-copper	4.171
喹硫磷	Quinalphos	4.172
喹螨醚	Fenazaquin	4.173
喹氧灵	Quinoxifen	4.174
乐果	Dimethoate	4.175
联苯肼酯	Bifenazate	4.176
联苯菊酯	Bifenthrin	4.177
联苯三唑醇	Bitertanol	4.178
林丹	Lindane	4.366
磷胺	Phosphamidon	4.179
磷化铝	Aluminium phosphide	4.180
磷化镁	Megnesium phosphide	4.181
磷化氢	Hydrogen phosphide	4.182
邻苯基苯酚	2-phenylphenol	4.183
硫丹	Endosulfan	4.184
硫环磷	Phosfolan	4.185
硫双威	Thiodicarb	4.186
硫酰氟	Sulfuryl fluoride	4.187
硫线磷	Cadusafos	4.188
六六六	HCB	4.367
螺虫乙酯	Spirotetramat	4.189
螺螨酯	Spirodiclofen	4.190
绿麦隆	Chlortoluron	4.191
氯氨吡啶酸	Aminopyralid	4.192
氯苯胺灵	Chlorpropham	4.193
氯苯嘧啶醇	Fenarimol	4.194
氯吡嘧磺隆	Halosulfuron-methyl	4.195
氯吡脲	Forchlorfenuron	4.196
氯虫苯甲酰胺	Chlorantraniliprole	4.197
氯丹	Chlordane	4.368
氯啶菌酯	Lvdingjunzhi	4.198
氯氟吡氧乙酸和氯氟吡氧 乙酸异辛酯	Fluroxypyr and fluroxypyr-methyl	4.199
氯氟氰菊酯和高效氯氟氰 菊酯	Cyhalothrin and lambda-cyhalothrin	4.200
氯化苦	Chloropicrin	4.201
氯磺隆	Chlorsulfuron	4.202
氯菊酯	Permethrin	4.203

氯嘧磺隆	Chlorimuron-ethyl	4.204
氯氰菊酯和高效氯氰菊酯	Cypermethrin and beta-cypermethrin	4.205
氯噁啉	Imidaclothiz	4.206
氯硝胺	Dicloran	4.207
氯唑磷	Isazofos	4.208
马拉硫磷	Malathion	4.209
麦草畏	Dicamba	4.210
咪鲜胺和咪鲜胺锰盐	Prochloraz and prochloraz-manganese chloride complex	4.211
咪唑喹啉酸	Imazaquin	4.212
咪唑乙烟酸	Imazethapyr	4.213
醚磺隆	Cinosulfuron	4.214
醚菊酯	Etofenprox	4.215
醚菌酯	Kresoxim-methyl	4.216
噻苯胺磺隆	Orthosulfamuron	4.217
噻菌酯	Azoxystrobin	4.218
噻菌环胺	Cyprodinil	4.219
噻霉胺	Pyrimethanil	4.220
灭草松	Bentazone	4.221
灭多威	Methomyl	4.222
灭菌丹	Folpet	4.223
灭瘟素	Blasticidin-S	4.224
灭线磷	Ethoprophos	4.225
灭锈胺	Mepronil	4.226
灭蚁灵	Mirex	4.369
灭蝇胺	Cyromazine	4.227
灭幼脲	Chlorbenzuron	4.228
萘乙酸和萘乙酸钠	1-naphthylacetic acid and sodium 1-naphthalacetic acid	4.229
宁南霉素	Ningnanmycin	4.230
内吸磷	Demeton	4.231
哌草丹	Dimepiperate	4.232
七氯	Heptachlor	4.370
噻氨灵	Triforine	4.233
噻草酮	Metribuzin	4.234
氰草津	Cyanazine	4.235
氰氟草酯	Cyhalofop-butyl	4.236
氰霜唑	Cyazofamid	4.237
氰戊菊酯和 S-氰戊菊酯	Fenvalerate and esfenvalerate	4.238
炔草酯	Clodinafop-propargyl	4.239
炔螨特	Propargite	4.240
乳氟禾草灵	Lactofen	4.241
噻苯隆	Thidiazuron	4.242
噻虫啉	Thiacloprid	4.243

噻虫嗪	Thiamethoxam	4.244
噻吩磺隆	Thifensulfuron-methyl	4.245
噻呋酰胺	Thifluzamide	4.246
噻节因	Dimethipin	4.247
噻菌灵	Thiabendazole	4.248
噻螨酮	Hexythiazox	4.249
噻霉酮	Benzothiazolinone	4.250
噻嗪酮	Buprofezin	4.251
噻唑磷	Fosthiazate	4.252
噻唑锌	Zinc-thiazole	4.253
三苯基氢氧化锡	Fentin hydroxide	4.254
三氟羧草醚	Acifluorfen	4.255
三环唑	Tricyclazole	4.256
三氯杀螨醇	Dicofol	4.257
三氯杀螨砜	Tetradifon	4.258
三乙膦酸铝	Fosetyl-aluminium	4.259
三环锡	Cyhexatin	4.260
三唑醇	Triadimenol	4.261
三唑磷	Triazophos	4.262
三唑酮	Triadimefon	4.263
三唑锡	Azocyclotin	4.264
杀草强	Amitrole	4.265
杀虫单	Thiosultap-monosodium	4.266
杀虫环	Thiocyclam	4.267
杀虫脒	Chlordimeform	4.268
杀虫双	Bisultap thiosultap-disodium	4.269
杀铃脲	Triflumuron	4.270
杀螟丹	Cartap	4.271
杀螟硫磷	Fenitrothion	4.272
杀扑磷	Methidathion	4.273
杀线威	Oxamyl	4.274
生物苜蓿菊酯	Bioresmethrin	4.275
双氟磺草胺	Florasulam	4.276
双胍三辛烷基苯磺酸盐	Iminoctadinetris albesilate	4.277
双甲脒	Amitraz	4.278
双炔酰菌胺	Mandipropamid	4.279
霜霉威和霜霉威盐酸盐	Propamocarb and propamocarb hydrochloride	4.280
霜脍氰	Cymoxanil	4.281
水胺硫磷	Isocarbophos	4.282
四聚乙醛	Metaldehyde	4.283
四氯苯酞	Fthalide phthalide	4.284
四氯硝基苯	Tecnazene	4.285
四螨嗪	Clofentezine	4.286

特丁硫磷	Terbufos	4.287
涕灭威	Aldicarb	4.288
甜菜安	Desmedipham	4.289
甜菜宁	Phenmedipham	4.290
威百亩	Metam-sodium	4.291
萎锈灵	Carboxin	4.292
肟菌酯	Trifloxystrobin	4.293
五氯硝基苯	Quintozene	4.294
戊菌唑	Penconazole	4.295
戊唑醇	Tebuconazole	4.296
西草净	Simetryn	4.297
西玛津	Simazine	4.298
烯草酮	Clethodim	4.299
烯啶虫胺	Nitenpyram	4.300
烯禾啶	Sethoxydim	4.301
烯肟菌胺	Xiwojunan	4.302
烯酰吗啉	Dimethomorph	4.303
烯唑醇	Diniconazole	4.304
酰嘧磺隆	Amidosulfuron	4.305
硝磺草酮	Mesotrione	4.306
辛硫磷	Phoxim	4.307
溴苯腈	Bromoxynil	4.308
溴甲烷	Methyl bromide	4.309
溴菌腈	Bromothalonil	4.310
溴螨酯	Bromopropylate	4.311
溴氰菊酯	Deltamethrin	4.312
蚜灭磷	Vamidothion	4.313
亚胺硫磷	Phosmet	4.314
亚砷磷	Oxydemeton-methyl	4.315
亚胺唑	Imibenconazole	4.316
烟碱	Nicotine	4.317
烟嘧磺隆	Nicosulfuron	4.318
氧乐果	Omethoate	4.319
野麦畏	Triallate	4.320
野燕枯	Difenzoquat	4.321
依维菌素	Ivermectin	4.322
乙草胺	Acetochlor	4.323
乙虫腈	Ethiprole	4.324
乙基多杀菌素	Spinetoram	4.325
乙硫磷	Ethion	4.326
乙螨唑	Etoxazole	4.327
乙霉威	Diethofencarb	4.328
乙嘧酚	Ethirimol	4.329
乙羧氟草醚	Fluoroglycofen-ethyl	4.330

乙蒜素	Ethylcin	4.331
乙烯菌核利	Vinclozolin	4.332
乙烯利	Ethephon	4.333
乙酰甲胺磷	Acephate	4.334
乙氧喹啉	Ethoxyquin	4.335
乙氧氟草醚	Oxyfluorfen	4.336
乙氧磺隆	Ethoxysulfuron	4.337
异丙草胺	Propisochlor	4.338
异丙甲草胺和精异丙甲草胺	Metolachlor and s-metolachlor	4.339
异丙隆	Isoproturon	4.340
异丙威	Isoprocarb	4.341
异稻瘟净	Iprobenfos	4.342
异狄氏剂	Endrin	4.371
异噁草酮	Clomazone	4.343
异菌脲	Iprodione	4.344
抑霉唑	Imazalil	4.345
抑芽丹	Maleic hydrazide	4.346
印楝素	Azadirachtin	4.347
茚虫威	Indoxacarb	4.348
蝇毒磷	Coumaphos	4.349
莠灭净	Ametryn	4.350
莠去津	Atrazine	4.351
鱼藤酮	Rotenone	4.352
增效醚	Piperonyl butoxide	4.353
治螟磷	Sulfotep	4.354
仲丁灵	Butralin	4.355
仲丁威	Fenobucarb	4.356
唑草酮	Carfentrazone-ethyl	4.357
唑虫酰胺	Tolfenpyrad	4.358
唑螨酯	Fenpyroximate	4.359
唑啉磺草胺	Flumetsulam	4.360
唑菌酯	Pyraoxystrobin	4.361

Informative Appendix C

The Index of Pesticides' English Common Name

1-naphthylacetic acid and sodium 1-naphthalacitic acid	萘乙酸和萘乙酸钠	4.229
2, 4-D butylate	2, 4-滴丁酯	4.2
2, 4-D and 2, 4-D Na	2, 4-滴和 2, 4-滴钠盐	4.1
2-phenylphenol	邻苯基苯酚	4.183
Abamectin	阿维菌素	4.4
Acephate	乙酰甲胺磷	4.334
Acetamiprid	啉虫脒	4.76
Acetochlor	乙草胺	4.323
Acifluorfen	三氟羧草醚	4.255
Alachlor	甲草胺	4.143
Aldicarb	涕灭威	4.288
Aldrin	艾氏剂	4.362
Aluminium phosphide	磷化铝	4.180
Ametryn	莠灭净	4.350
Amidosulfuron	酰嘧磺隆	4.305
Aminopyralid	氯氨吡啶酸	4.192
Amitraz	双甲脒	4.278
Amitrole	杀草强	4.265
Amobam	代森铵	4.50
Anilazine	敌菌灵	4.66
Atrazine	莠去津	4.351
Azadirachtin	印楝素	4.347
Azinphos-methyl	保棉磷	4.11
Azocyclotin	三唑锡	4.264
Azoxystrobin	嘧菌酯	4.218
Benalaxyl	苯霜灵	4.21
Benazolin-ethyl	草除灵	4.43
Benfuracarb	丙硫克百威	4.37
Benomyl	苯菌灵	4.16
Bensulfuron-methyl	苄嘧磺隆	4.33
Bentazone	灭草松	4.221
Benziothiazolinone	噻霉酮	4.250
Benzoximate	苯螨特	4.18
Bifenazate	联苯肼酯	4.176
Bifenox	甲羧除草醚	4.159
Bifenthrin	联苯菊酯	4.177
Bioresmethrin	生物苄呋菊酯	4.275
Bisultap	杀虫双	4.269

thiosultap-disodium			
Bitertanol	联苯三唑醇	4.178
Blasticidin-S	灭瘟素	4.224
Boscalid	啉酰菌胺	4.77
Bromopropylate	溴螨酯	4.311
Bromothalonil	溴菌腈	4.310
Bromoxynil	溴苯腈	4.308
Buprofezin	噻嗪酮	4.251
Butachlor	丁草胺	4.70
Butralin	仲丁灵	4.355
Cadusafos	硫线磷	4.188
Camphechlor	毒杀芬	4.365
Captan	克菌丹	4.169
Carbaryl	甲萘威	4.156
Carbendazim	多菌灵	4.82
Carbofuran	克百威	4.168
Carbosulfan	丁硫克百威	4.72
Carboxin	萎锈灵	4.292
Carfentrazone-ethyl	唑草酮	4.357
Cartap	杀螟丹	4.271
Chlorantraniliprole	氯虫苯甲酰胺	4.197
Chlorbenzuron	灭幼脲	4.228
Chlordane	氯丹	4.368
Chlordimeform	杀虫脒	4.268
Chlorfenapyr	虫螨腈	4.45
Chlorfluazuron	氟啶脲	4.111
Chlorimuron-ethyl	氯嘧磺隆	4.204
Chlormequat	矮壮素	4.5
Chloropicrin	氯化苦	4.201
Chlorothalonil	百菌清	4.10
Chlorpropham	氯苯胺灵	4.193
Chlorpyrifos	毒死蜱	4.79
Chlorpyrifos-methyl	甲基毒死蜱	4.146
Chlorsulfuron	氯磺隆	4.202
Chlortoluron	绿麦隆	4.191
Cinosulfuron	醚磺隆	4.214
Clethodim	烯草酮	4.299
Clodinafop-propargyl	炔草酯	4.239
Clofentezine	四螨嗪	4.286
Clomazone	异噁草酮	4.343
Clopyralid	二氯吡啶酸	4.92
Coumaphos	蝇毒磷	4.349
Coumoxystrobin	丁香菌酯	4.75
Cyanamide	单氰胺	4.55

Cyanazine	氰草津	4.235
Cyazofamid	氰霜唑	4.237
Cyclosulfamuron	环丙嘧磺隆	4.132
Cyfluthrin and beta-cyfluthrin	氟氯氰菊酯和高效氟氯氰菊 酯	4.118
Cyhalofop-butyl	氰氟草酯	4.236
Cyhalothrin and lambda-cyhalothrin	氯氟氰菊酯和高效氯氟氰菊 酯	4.200
Cyhexatin	三环锡	4.260
Cymoxanil	霜脍氰	4.281
Cypermethrin and beta-cypermethrin	氯氰菊酯和高效氯氰菊酯	4.205
Cyproconazole	环丙唑醇	4.133
Cyprodinil	啞菌环胺	4.219
Cyromazine	灭蝇胺	4.227
Ddt	滴滴涕	4.363
Deltamethrin	溴氰菊酯	4.312
Demeton	内吸磷	4.231
Desmedipham	甜菜安	4.289
Diafenthiuron	丁醚脲	4.73
Diazinon	二嗪磷	4.94
Dicamba	麦草畏	4.210
Dichlofluanid	苯氟磺胺	4.14
Dichlorvos	敌敌畏	4.64
Diclofop-methyl	禾草灵	4.131
Dicloran	氯硝胺	4.207
Dicofol	三氯杀螨醇	4.257
Dieldrin	狄氏剂	4.364
Diethofencarb	乙霉威	4.328
Diethyl aminoethyl hexanoate	胺鲜酯	4.7
Difenoconazole	苯醚甲环唑	4.19
Difenzoquat	野燕枯	4.321
Diflubenzuron	除虫脲	4.47
Diflufenican	吡氟酰草胺	4.28
Dimepiperate	哌草丹	4.232
Dimethenamid-P	精二甲吩草胺	4.165
Dimethipin	噻节因	4.247
Dimethoate	乐果	4.175
Dimethomorph	烯酰吗啉	4.303
Diniconazole	烯啶醇	4.304
Dinocap	敌螨普	4.67
Diphenylamine	二苯胺	4.90
Diquat	敌草快	4.62

Dithianon	二氰蒽醌	4.95
Diuron	敌草隆	4.63
Dodine	多果定	4.81
Edifenphos	敌瘟磷	4.68
Emamectin benzoate	甲氨基阿维菌素苯甲酸盐	4.139
Endosulfan	硫丹	4.184
Endrin	异狄氏剂	4.371
Epoxiconazole	氟环唑	4.113
Ethametsulfuron	胺苯磺隆	4.6
Ethephon	乙烯利	4.333
Ethion	乙硫磷	4.326
Ethiprole	乙虫腈	4.324
Ethirimol	乙嘧酚	4.329
Ethoprophos	灭线磷	4.225
Ethoxyquin	乙氧喹啉	4.335
Ethoxysulfuron	乙氧磺隆	4.337
Ethylcin	乙蒜素	4.331
Etofenprox	醚菊酯	4.215
Etoazole	乙螨唑	4.327
Famoxadone	噁唑菌酮	4.89
Fenaminosulf	敌磺钠	4.65
Fenamiphos	苯线磷	4.23
Fenarimol	氯苯嘧啶醇	4.194
Fenazaquin	喹螨醚	4.173
Fenbuconazole	腈苯唑	4.162
Fenbutatin oxide	苯丁锡	4.13
Fenhexamid	环酰菌胺	4.135
Fenitrothion	杀螟硫磷	4.272
Fenobucarb	仲丁威	4.356
Fenothiocarb	苯硫威	4.17
Fenoxanil	稻瘟酰胺	4.59
Fenoxaprop-P-ethyl	精噁唑禾草灵	4.164
Fenpropathrin	甲氰菊酯	4.157
Fenpropidin	苯锈啶	4.24
Fenpropimorph	丁苯吗啉	4.71
Fenpyroximate	唑螨酯	4.359
Fenthion	倍硫磷	4.12
Fentin hydroxide	三苯基氢氧化锡	4.254
Fenvalerate and esfenvalerate	氰戊菊酯和 S-氰戊菊酯	4.238
Fipronil	氟虫腈	4.106
Flonicamid	氟啶虫酰胺	4.110
Florasulam	双氟磺草胺	4.276
Fluazifop and	吡氟禾草灵和精吡氟禾草灵	4.29

fluazifop-P-butyl			
Fluazinam	氟啶胺	4.108
Flubendiamide	氟苯虫酰胺	4.100
Flucarbazon-sodium	氟唑磺隆	4.124
Flucetosulfuron	氟吡磺隆	4.103
Flucythrinate	氟氰戊菊酯	4.120
Fludioxonil	咯菌腈	4.128
Flufenoxuron	氟虫脲	4.107
Flufiprole	丁虫脒	4.74
Flumetsulam	唑啉磺草胺	4.360
Flumiclorac	氟烯草酸	4.121
Flumioxazin	丙炔氟草胺	4.39
Flumorph	氟吗啉	4.119
Fluopicolide	氟吡菌胺	4.105
Fluoroglycofen-ethyl	乙羧氟草醚	4.330
Fluroxypyr and fluroxypyr-mepthyl	氯氟吡氧乙酸和氯氟吡氧乙 酸异辛酯	4.199
Flusilazole	氟硅唑	4.112
Flutolanil	氟酰胺	4.122
Flutriafol	粉唑醇	4.96
Folpet	灭菌丹	4.223
Fomesafen	氟磺胺草醚	4.114
Fonofos	地虫硫磷	4.69
Forchlorfenuron	氯吡脲	4.196
Fosetyl-aluminium	三乙膦酸铝	4.259
Fosthiazate	噻唑磷	4.252
Fthalide phthalide	四氯苯酐	4.284
Glufosinate-ammonium	草铵膦	4.42
Glyphosate	草甘膦	4.44
Halosulfuron-methyl	氯吡啉磺隆	4.195
Haloxypop	氟吡禾灵	4.102
Haloxypop-methyl and haloxypop-P-methyl	氟吡甲禾灵和高效氟吡甲禾 灵	4.104
HCB	六六六	4.367
Heptachlor	七氯	4.370
Hexaconazole	己唑醇	4.138
Hexaflumuron	氟铃脲	4.117
Hexazinone	环嗪酮	4.134
Hexythiazox	噻螨酮	4.249
Hydrogen phosphide	磷化氢	4.182
Hymexazol	噁霉灵	4.86
Imazalil	抑霉唑	4.345
Imazamox	甲氧咪草烟	4.161
Imazapic	甲咪唑烟酸	4.155

Imazaquin	咪唑喹啉酸	4.212
Imazethapyr	咪唑乙烟酸	4.213
Imibenconazole	亚胺唑	4.316
Imidacloprid	吡虫啉	4.27
Imidaclothiz	氯噻啉	4.206
Iminoctadinetris albesilate	双胍三辛烷基苯磺酸盐	4.277
Indoxacarb	茚虫威	4.348
Iodosulfuron-methyl-sodium	甲基磺隆钠盐	4.145
Iprobenfos	异稻瘟净	4.342
Iprodione	异菌脲	4.344
Isazofos	氯唑磷	4.208
Isocarbophos	水胺硫磷	4.282
Isofenphos-methyl	甲基异柳磷	4.153
Isoprocarb	异丙威	4.341
Isoprothiolane	稻瘟灵	4.58
Isoproturon	异丙隆	4.340
Ivermectin	依维菌素	4.322
Kasugamycin	春雷霉素	4.48
Kresoxim-methyl	醚菌酯	4.216
Lactofen	乳氟禾草灵	4.241
Lindane	林丹	4.366
Lvdingjunzhi	氯啉菌酯	4.198
Malathion	马拉硫磷	4.209
Maleic hydrazide	抑芽丹	4.346
Mancozeb	代森锰锌	4.52
Mandipropamid	双炔酰菌胺	4.279
MCPA (sodium)	2 甲 4 氯 (钠)	4.3
Mefenacet	苯噻酰草胺	4.20
Megnesium phosphide	磷化镁	4.181
Mepronil	灭锈胺	4.226
Mesosulfuron-methyl	甲基二磺隆	4.148
Mesotrione	硝磺草酮	4.306
Metalaxyl and metalaxyl-M	甲霜灵和精甲霜灵	4.158
Metaldehyde	四聚乙醛	4.283
Metam-sodium	威百亩	4.291
Methamidophos	甲胺磷	4.140
Methidathion	杀扑磷	4.273
Methiocarb	甲硫威	4.154
Methomyl	灭多威	4.222
Methoxyfenozide	甲氧虫酰肼	4.160
Methyl bromide	溴甲烷	4.309
Metolachlor and	异丙甲草胺和精异丙甲草胺	4.339

s-metolachlor			
Metriam	代森联	4.51
Metribuzin	嗪草酮	4.234
Metsulfuron-methyl	甲磺隆	4.144
Mirex	灭蚁灵	4.369
Molinate	禾草敌	4.130
Monocrotophos	久效磷	4.166
Monosulfuron	单嘧磺隆	4.56
Myclobutanil	腈菌唑	4.163
Nicosulfuron	烟嘧磺隆	4.318
Nicotine	烟碱	4.317
Ningnanmycin	宁南霉素	4.230
Nitenpyram	烯啶虫胺	4.300
Novaluron	氟酰胺	4.123
Omethoate	氧乐果	4.319
Orthosulfamuron	嘧苯胺磺隆	4.217
Oxadiargyl	丙炔噁草酮	4.38
Oxadiazon	噁草酮	4.85
Oxadixyl	噁霜灵	4.88
Oxamyl	杀线威	4.274
Oxaziclomefone	噁嗪草酮	4.87
Oxine-copper	喹啉铜	4.171
Oxydemeton-methyl	亚砷磷	4.315
Oxyfluorfen	乙氧氟草醚	4.336
Paclobutrazol	多效唑	4.84
Paraquat	百草枯	4.9
Parathion	对硫磷	4.80
Parathion-methyl	甲基对硫磷	4.147
Penconazole	戊菌唑	4.295
Pendimethalin	二甲戊灵	4.91
Permethrin	氯菊酯	4.203
Phenmedipham	甜菜宁	4.290
Phenthoate	稻丰散	4.57
Phorate	甲拌磷	4.141
Phosalone	伏杀硫磷	4.98
Phosfolan	硫环磷	4.185
Phosfolan-methyl	甲基硫环磷	4.150
Phosmet	亚胺硫磷	4.314
Phosphamidon	磷胺	4.179
Phoxim	辛硫磷	4.307
Picloram	氨基吡啶酸	4.8
Picoxystrobin	啉氧菌酯	4.78
Piperonyl butoxide	增效醚	4.353
Pirimicarb	抗蚜威	4.167

Pirimiphos-methyl	甲基嘧啶磷	4.152
Pretilachlor	丙草胺	4.34
Prochloraz and prochloraz-manganese chloride complex	咪鲜胺和咪鲜胺锰盐	4.211
Procymidone	腐霉利	4.125
Profenofos	丙溴磷	4.41
Propamocarb and propamocarb hydrochloride	霜霉威和霜霉威盐酸盐	4.280
Propanil	敌稗	4.61
Propargite	炔螨特	4.240
Propiconazol	丙环唑	4.35
Propineb	丙森锌	4.40
Propisochlor	异丙草胺	4.338
Prothioconazole	丙硫菌唑	4.36
Pymetrozine	吡蚜酮	4.31
Pyraclostrobin	吡唑醚菌酯	4.32
Pyraflufen-ethyl	吡草醚	4.26
Pyraoxystrobin	唑菌酯	4.361
Pyrazosulfuron-ethyl	吡嘧磺隆	4.30
Pyridaben	哒螨灵	4.49
Pyrifthalid	环酯草醚	4.136
Pyrimethanil	嘧霉胺	4.220
Pyriproxyfen	吡丙醚	4.25
Quinalphos	喹硫磷	4.172
Quinlorac	二氯喹啉酸	4.93
Quinoxifen	喹氧灵	4.174
Quintozene	五氯硝基苯	4.294
Quizalofop and quizalofop-P-ethyl	喹禾灵和精喹禾灵	4.170
Rimsulfuron	砒嘧磺隆	4.97
Rotenone	鱼藤酮	4.352
Semiamitraz and semiamitraz chloride	单甲脒和单甲脒盐酸盐	4.54
Sethoxydim	烯禾啶	4.301
Simazine	西玛津	4.298
Simetryn	西草净	4.297
Spinetoram	乙基多杀菌素	4.325
Spinosad	多杀霉素	4.83
Spirodiclofen	螺螨酯	4.190
Spirotetramat	螺虫乙酯	4.189
Sulcotrione	磺草酮	4.137
Sulfotep	治螟磷	4.354

Sulfoxaflor	氟啉虫胺腈	4.109
Sulfuryl fluoride	硫酰氟	4.187
Tau-fluvalinate	氟胺氰菊酯	4.99
Tebuconazole	戊唑醇	4.296
Tebufenozide	虫酰肼	4.46
Tecnazene	四氯硝基苯	4.285
Teflubenzuron	氟苯脲	4.101
Terbufos	特丁硫磷	4.287
Tetradifon	三氯杀螨砒	4.258
Thiabendazole	噻菌灵	4.248
Thiacloprid	噻虫啉	4.243
Thiamethoxam	噻虫嗪	4.244
Thidiazuron	噻苯隆	4.242
Thifensulfuron-methyl	噻吩磺隆	4.245
Thifluzamide	噻呋酰胺	4.246
Thiobencarb	禾草丹	4.129
Thiocyclam	杀虫环	4.267
Thiodicarb	硫双威	4.186
Thiophanate-methyl	甲基硫菌灵	4.151
Thiosultap-monosodium	杀虫单	4.266
Thiram	福美双	4.126
Tolclofos-methyl	甲基立枯磷	4.149
Tolfenpyrad	唑虫酰胺	4.358
Tolylfluanid	甲苯氟磺胺	4.142
Triadimefon	三唑酮	4.263
Triadimenol	三唑醇	4.261
Triallate	野麦畏	4.320
Triazophos	三唑磷	4.262
Tribenuron-methyl	苯磺隆	4.15
Trichlorfon	敌百虫	4.60
Tricyclazole	三环唑	4.256
Trifloxystrobin	肟菌酯	4.293
Triflumizole	氟菌唑	4.115
Triflumuron	杀铃脲	4.270
Trifluralin	氟乐灵	4.116
Triforine	噻氮灵	4.233
Vamidotion	蚜灭磷	4.313
Vinclozolin	乙烯菌核利	4.332
Xiwojunan	烯肟菌胺	4.302
Zinc-thiazole	噻唑锌	4.253
Zineb	代森锌	4.53
Ziram	福美锌	4.127
Zoxamide	苯酰菌胺	4.22